

Properties

DateCreated:	12/6/2004 10:54:28 AM	GUID:	{guid {EBD9E0FF-857E-41C0-A18B-A12F60717BF3}}
LastUpdated:	12/6/2004 10:54:31 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	23	Updatable:	True

Columns

Name	Type	Size
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {6F78A54E-7000-42CE-91A5-0AEA6D42A93B}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	EmpID	
SourceTable:	AuthList	

Table Indexes

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending

Properties

DateCreated: 1/31/2005 4:13:09 PM LastUpdated: 1/31/2005 4:13:10 PM
RecordCount: 103 Updatable: True

Columns

<u>Name</u>	<u>Type</u>	<u>Size</u>
POLI	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	POLI	
SourceTable:	badnarr	

Properties

DateCreated:	1/8/2004 1:34:45 PM	Description:	Narrative from CFS File
GUID:	{guid {438888DB-2C13-49CE-9BDF-19F6598ADF1D}}	LastUpdated:	3/28/2005 9:51:33 AM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	663351
Updatable:	True		

Columns

Name	Type	Size
INCKEY	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {guid {43597188-2A78-4ADE-944C-F8A160E3A4E7}} OrdinalPosition: 1 Required: False SourceField: INCKEY SourceTable: Comments		
YR	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {6857A409-51E0-4210-B2B1-11E33EE0A437}} OrdinalPosition: 2 Required: False SourceField: YR SourceTable: Comments		
POLI	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default		

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {08A8E5A4-3C91-44D9-9BEF-75D438584BC6}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	POLI	
	SourceTable:	Comments	
NarSeq			Long Integer 4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size, Auto-Increment	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {388B5397-DE1A-43DC-AF64-66EB7838CC14}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	NarSeq	
	SourceTable:	Comments	
NarTimeStamp			Date/Time 8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2175	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {BA7CDB77-F9BA-45D8-AA0D-F778DDF2B489}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	NarTimeStamp	
	SourceTable:	Comments	
Narr			Text 80
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	8835	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {A0CAE66F-204F-4388-BF7A-A84ED3ADBB5E}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	Narr	
	SourceTable:	Comments	

UnicodeCompression:	False		
IMPORTED		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {92BD6126-F626-4B57-853E-F777FF2E167A}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	IMPORTED		
SourceTable:	Comments		

Table Indexes

Name	Number of Fields
INCKEY	1
Fields:	
INCKEY	Ascending
NarSeq	1
Fields:	
NarSeq	Ascending
POLI	1
Fields:	
POLI	Ascending
PrimaryKey	4
Fields:	
INCKEY	Ascending
YR	Ascending
POLI	Ascending
NarSeq	Ascending
YR	1
Fields:	
YR	Ascending

Properties

DateCreated:	1/8/2004 1:34:35 PM	DefaultView:	2
Description:	CFS Data	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {28AFD092-5205-46BB-9D65-B26E40933539}}
HideNewField:	False	LastUpdated:	6/1/2009 1:55:37 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	187123	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
INCKEY	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	EVENT NUMBER	
DisplayControl:	Text Box	
GUID:	{guid {95050EF6-2335-496A-B031-F0EAA8E58700}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	INCKEY	
SourceTable:	Events	
TextAlign:	General	
YR	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	3	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	EVENT NUMBER	
DisplayControl:	Text Box	
GUID:	{guid {F3092460-205B-4721-ABFD-8EA165E28D5C}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	YR	
SourceTable:	Events	

	TextAlign:	General		
Poli			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	4		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	EVENT NUMBER		
	DisplayControl:	Text Box		
	GUID:	{guid {528B7B2C-BEFO-41CF-B1DB-B1FCB21EC34F}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	Poli		
	SourceTable:	Events		
	TextAlign:	General		
Address			Text	30
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	5		
	ColumnWidth:	3885		
	DataUpdatable:	False		
	Description:	ADDRESS STRING		
	DisplayControl:	Text Box		
	GUID:	{guid {E5F4C40C-BCE3-4CD5-ACC6-B417E28D47E9}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Address		
	SourceTable:	Events		
	TextAlign:	General		
	UnicodeCompression:	False		
ST#			Decimal	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	6		
	ColumnHidden:	False		
	ColumnOrder:	6		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	STREET NUMBER		

	DisplayControl:	Text Box	
	GUID:	{guid {E2D4C3D7-5E7A-4599-95EB-906C7EEBA871}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	ST#	
	SourceTable:	Events	
	TextAlign:	General	
DIR			Text 2
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	7	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	DIRECTIONAL	
	DisplayControl:	Text Box	
	GUID:	{guid {1A3BFC2F-B3B5-487A-899B-490703AA650B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	DIR	
	SourceTable:	Events	
	TextAlign:	General	
	UnicodeCompression:	False	
STN			Text 30
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	8	
	ColumnWidth:	2190	
	DataUpdatable:	False	
	Description:	STREET NAME	
	DisplayControl:	Text Box	
	GUID:	{guid {DCC8C4CE-0897-4EED-BFA1-A59AF9044EC5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	STN	
	SourceTable:	Events	
	TextAlign:	General	
	UnicodeCompression:	False	
SFX			Text 4
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	

	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	9	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	SUFFIX	
	DisplayControl:	Text Box	
	GUID:	{guid {5C74FB16-412B-4B82-8F4C-0D1DE18870F2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	SFX	
	SourceTable:	Events	
	TextAlign:	General	
	UnicodeCompression:	False	
xDIR			Text 2
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	10	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	xSTREET DIRECTIONAL	
	DisplayControl:	Text Box	
	GUID:	{guid {A53A7A77-2E5E-4AA6-85F3-95316F658C58}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	xDIR	
	SourceTable:	Events	
	TextAlign:	General	
	UnicodeCompression:	False	
xSTN			Text 30
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	11	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	xSTREET NAME	
	DisplayControl:	Text Box	
	GUID:	{guid {DE5141CA-02EA-4986-88FF-19E04D682521}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	xSTN	
	SourceTable:	Events	
	TextAlign:	General	

	UnicodeCompression:	False		
xSFX			Text	4
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	12		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	SUFFIX		
	DisplayControl:	Text Box		
	GUID:	{guid {4579E5C9-0C27-4D3A-B5E0-440631D5E94F}}		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	xSFX		
	SourceTable:	Events		
	TextAlign:	General		
	UnicodeCompression:	False		
Zone			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	13		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	ZONE NUMBER		
	DisplayControl:	Text Box		
	GUID:	{guid {B3CB2080-C26B-44AD-BE50-CA5EBD3FEC2F}}		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	Zone		
	SourceTable:	Events		
	TextAlign:	General		
BeatCode			Text	3
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	14		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Beat Code for AS400		
	DisplayControl:	Text Box		
	GUID:	{guid {A62E302D-2CAC-4103-B9E7-AD1972B4DE69}}		
	IMEMode:	0		

IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: BeatCode
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: True

ZoneCode Text 3

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 15
 ColumnWidth: Default
 DataUpdatable: False
 Description: Beat Code for AS400
 DisplayControl: Text Box
 GUID: {guid {337160E0-9B8D-4497-85A0-91ABE607E608}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: ZoneCode
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: True

CallClass-ID Text 6

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 16
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALL CODE RECC
 DisplayControl: Text Box
 GUID: {guid {71EFF230-0073-4751-975B-90F423C1688D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: CallClass-ID
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

CallClass-TXT Text 20

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 17
 ColumnWidth: 2595
 DataUpdatable: False
 Description: CALL TYPE TEXT
 DisplayControl: Text Box
 GUID: {guid {5F37954F-FC21-4176-978E-348CC571155F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: CallClass-TXT
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

Priority Integer 2

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 18
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: PRIORITY CODE
 DisplayControl: Text Box
 GUID: {guid {64F8B423-821D-400B-863B-B427908D770C}}
 OrdinalPosition: 17
 Required: False
 SourceField: Priority
 SourceTable: Events
 TextAlign: General

CallSign Text 10

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 19
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALL SIGN OF RESPONDING UNIT
 DisplayControl: Text Box
 GUID: {guid {FB425523-96B2-4B28-B017-70ECF24046F1}}
 OrdinalPosition: 18
 Required: False
 SourceField: CallSign
 SourceTable: Events
 TextAlign: General

	UnicodeCompression:	False	
MapX			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	20	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	MAP COORDINATES	
	DisplayControl:	Text Box	
	GUID:	{guid {5865B9B7-609A-4C36-8024-B8BD6B996F6C}}	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	MapX	
	SourceTable:	Events	
	TextAlign:	General	
MapY			Long Integer 4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	21	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	MAP COORDINATES	
	DisplayControl:	Text Box	
	GUID:	{guid {2EA9FC69-22A0-4CAE-8804-D01815BD3A29}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	MapY	
	SourceTable:	Events	
	TextAlign:	General	
CallerAddress			Text 30
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	22	
	ColumnWidth:	3045	
	DataUpdatable:	False	
	Description:	CALLER ADDRESS STRING	
	DisplayControl:	Text Box	
	GUID:	{guid {82437625-A81E-4466-9B1F-6A7A772CD76E}}	
	IMEMode:	0	

IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: CallerAddress
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

callerST# Decimal 16

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: 23
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: STREET NUMBER - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {guid {7CA0FEF7-41F4-4FE5-8586-8C67D71AD4B2}}
 OrdinalPosition: 22
 Required: False
 SourceField: callerST#
 SourceTable: Events
 TextAlign: General

callerDIR Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 24
 ColumnWidth: Default
 DataUpdatable: False
 Description: DIRECTIONAL - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {guid {40AD3CD3-2C3E-4268-899B-3A40102A0CB5}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: callerDIR
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

callerSTN Text 30

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General

ColumnHidden: False
 ColumnOrder: 25
 ColumnWidth: 2160
 DataUpdatable: False
 Description: STEET NAME - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {guid {DA2F17E9-5761-4716-B6EC-51CE93B968C8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: callerSTN
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

callerSFX Text 4

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 26
 ColumnWidth: Default
 DataUpdatable: False
 Description: SUFFIX - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {A0DF8CFB-08AD-4EA1-BC1F-9E63EBF75E43}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: callerSFX
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

LocationTxt Text 30

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 27
 ColumnWidth: 2625
 DataUpdatable: False
 Description: CALL LOCATION COMMON NAME
 DisplayControl: Text Box
 GUID: {guid {CD7F6C1D-7DFC-49DD-89A5-F6BD8CF97222}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: LocationTxt

	SourceTable:	Events		
	TextAlign:	General		
	UnicodeCompression:	False		
CrossStreet1			Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	28		
	ColumnWidth:	2355		
	DataUpdatable:	False		
	Description:	CROSS STREET 1		
	DisplayControl:	Text Box		
	GUID:	{guid {918E822A-7CD2-4844-889D-6CE86B4EC65F}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	27		
	Required:	False		
	SourceField:	CrossStreet1		
	SourceTable:	Events		
	TextAlign:	General		
	UnicodeCompression:	False		
CrossStreet2			Text	20
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	29		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	CROSS STREET 2		
	DisplayControl:	Text Box		
	GUID:	{guid {EB44BF31-F131-42B2-AFD3-947607B88C1A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	CrossStreet2		
	SourceTable:	Events		
	TextAlign:	General		
	UnicodeCompression:	False		
Bldg			Text	4
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	30		

ColumnWidth: Default
 DataUpdatable: False
 Description: BUILDING NUMBER
 DisplayControl: Text Box
 GUID: {guid {B37E291E-D4C5-4A68-9C2C-2951EC5435E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: Bldg
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

Apt Text 4

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 31
 ColumnWidth: Default
 DataUpdatable: False
 Description: APARTMENT NUMBER
 DisplayControl: Text Box
 GUID: {guid {73779850-8668-4E5A-9C8E-4CABAC462EC3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: Apt
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

CallerName Text 20

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 32
 ColumnWidth: 2340
 DataUpdatable: False
 Description: CALLER NAME
 DisplayControl: Text Box
 GUID: {guid {C997838F-D0EB-4799-BC6B-3DE177C7990F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 SourceField: CallerName
 SourceTable: Events
 TextAlign: General

UnicodeCompression:	False		
CallerNameIDX		Decimal	16
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	10		
ColumnHidden:	False		
ColumnOrder:	33		
ColumnWidth:	1950		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	CALLER NAME IDX		
DisplayControl:	Text Box		
GUID:	{guid {F8F83C8E-2576-42BB-87B7-12765237514B}}		
OrdinalPosition:	32		
Required:	False		
SourceField:	CallerNameIDX		
SourceTable:	Events		
TextAlign:	General		
CallerFirstName		Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	34		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	CALLER FIRST NAME		
DisplayControl:	Text Box		
GUID:	{guid {646E85B0-1B7F-4672-B67B-9C4EC7F3C6C1}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	33		
Required:	False		
SourceField:	CallerFirstName		
SourceTable:	Events		
TextAlign:	General		
UnicodeCompression:	True		
CallerLastName		Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	35		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	CALLER LAST NAME		
DisplayControl:	Text Box		

GUID: {guid {94D5E14F-304C-418B-9044-9F9F25E24B08}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 SourceField: CallerLastName
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: True

CallerPhone Text 16

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 36
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALLER PHONE NUMBER
 DisplayControl: Text Box
 GUID: {guid {B743615E-C96C-45B3-AF63-09097FC3012F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 35
 Required: False
 SourceField: CallerPhone
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

CallSource Text 2

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 37
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALL SOURCE CODE
 DisplayControl: Text Box
 GUID: {guid {A725C63B-5087-441C-A7F2-354C936F280E}}
 OrdinalPosition: 36
 Required: False
 SourceField: CallSource
 SourceTable: Events
 TextAlign: General
 UnicodeCompression: False

RecDateTime Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 38
 ColumnWidth: 2280
 DataUpdatable: False
 Description: RECEIVED DATE/TIME
 Format: General Date
 GUID: {guid {7BEFAC3A-0060-4025-A83E-77637E566767}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 SourceField: RecDateTime
 SourceTable: Events
 TextAlign: General

TimeRec Decimal 16

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: 39
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Time Received
 DisplayControl: Text Box
 GUID: {guid {ED37870C-9B49-41BC-8166-C25829ECC084}}
 OrdinalPosition: 38
 Required: False
 SourceField: TimeRec
 SourceTable: Events
 TextAlign: General

DispDateTime Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 40
 ColumnWidth: 2280
 DataUpdatable: False
 Description: DISPATCHED DATE/TIME
 Format: General Date
 GUID: {guid {9185A570-A7A0-4D80-8B6C-035421F345E3}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 39
 Required: False
 SourceField: DispDateTime
 SourceTable: Events

TextAlign:	General		
TimeDisp		Decimal	16
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	6		
ColumnHidden:	False		
ColumnOrder:	41		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Time Dispatched		
DisplayControl:	Text Box		
GUID:	{guid {D79DAF86-8D1A-4429-939E-8C3CC858ACAE}}		
OrdinalPosition:	40		
Required:	False		
SourceField:	TimeDisp		
SourceTable:	Events		
TextAlign:	General		
ArrDateTime		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	42		
ColumnWidth:	2280		
DataUpdatable:	False		
Description:	ARRIVED DATE/TIME		
Format:	General Date		
GUID:	{guid {ED9DB349-6935-4141-9570-E95AFB9C6C98}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	41		
Required:	False		
SourceField:	ArrDateTime		
SourceTable:	Events		
TextAlign:	General		
TimeArr		Decimal	16
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	6		
ColumnHidden:	False		
ColumnOrder:	43		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Time Arrived		
DisplayControl:	Text Box		

GUID: {guid {45658328-2375-415C-9359-1C4A6695DBCC}}
 OrdinalPosition: 42
 Required: False
 SourceField: TimeArr
 SourceTable: Events
 TextAlign: General

ClrDateTime Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 44
 ColumnWidth: 2280
 DataUpdatable: False
 Description: CLEARED DATE/TIME
 Format: General Date
 GUID: {guid {9C26013A-B803-499B-98BB-60B47FF2A34A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 SourceField: ClrDateTime
 SourceTable: Events
 TextAlign: General

TimeClr Decimal 16

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: 45
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Time Cleared
 DisplayControl: Text Box
 GUID: {guid {AB33113A-2E73-4BF8-A71E-6330396D8455}}
 OrdinalPosition: 44
 Required: False
 SourceField: TimeClr
 SourceTable: Events
 TextAlign: General

Disposition Text 5

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 46

EmpName	Text	20
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	49	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	EMPLOYEE NAME	
DisplayControl:	Text Box	
GUID:	{guid {D9BDC82E-DAE8-4C01-A8DD-734626FC2EB4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	48	
Required:	False	
SourceField:	EmpName	
SourceTable:	Events	
TextAlign:	General	
UnicodeCompression:	False	
DataScrubbed	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	50	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {CAA037E7-9BA9-42EA-9067-ECD3BC399342}}	
OrdinalPosition:	49	
Required:	False	
SourceField:	DataScrubbed	
SourceTable:	Events	
TextAlign:	General	
reviewed	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {37481C6E-870D-4FE8-B1C8-9BF97C863C8C}}	
OrdinalPosition:	50	
Required:	False	

	SourceField:	reviewed	
	SourceTable:	Events	
	TextAlign:	General	
Narrative			Memo
	AggregateType:	-1	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Narrative	
	GUID:	{guid {F41C7F9F-555D-4FA2-9716-820EE8167D70}}	
	OrdinalPosition:	51	
	Required:	False	
	SourceField:	Narrative	
	SourceTable:	Events	
	TextAlign:	General	
	UnicodeCompression:	True	
geocoded			Yes/No
	AggregateType:	-1	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Geocoded or not	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {40BBCFA4-9367-4CB3-B3C5-801B95EA167A}}	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	geocoded	
	SourceTable:	Events	
	TextAlign:	General	
geoLat			Double
	AggregateType:	-1	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	10	
	DisplayControl:	Text Box	
	GUID:	{guid {C0C04876-82B7-4CBC-807A-71D47EB1BF45}}	

OrdinalPosition:	53		
Required:	False		
SourceField:	geoLat		
SourceTable:	Events		
TextAlign:	General		
geoLong		Double	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	10		
DisplayControl:	Text Box		
GUID:	{guid {8D3E07E8-90FC-4E67-AFBD-103AC0C5FB8C}}		
OrdinalPosition:	54		
Required:	False		
SourceField:	geoLong		
SourceTable:	Events		
TextAlign:	General		

Table Indexes

Name	Number of Fields
BeatCode	1
Fields:	
BeatCode	Ascending
geoLat	1
Fields:	
geoLat	Ascending
geoLong	1
Fields:	
geoLong	Ascending
INCKEY	1
Fields:	
INCKEY	Ascending
Poli	1
Fields:	
Poli	Ascending
PrimaryKey	1
Fields:	
INCKEY	Ascending
RecDateTime	1
Fields:	
RecDateTime	Ascending
YR	1
Fields:	
YR	Ascending

ZoneCode	1
Fields:	
ZoneCode	Ascending

Properties

DateCreated: 6/10/2008 11:03:24 AM LastUpdated: 6/10/2008 11:03:25 AM
 RecordCount: 0 Updatable: True

Columns

Name	Type	Size
LockID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	Neutral	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	LockID	
SourceTable:	GDB_DatabaseLocks	
LockType	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	Neutral	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	True	
SourceField:	LockType	
SourceTable:	GDB_DatabaseLocks	
UserName	Memo	-
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Neutral	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	True	
SourceField:	UserName	
SourceTable:	GDB_DatabaseLocks	
MachineName	Memo	-
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Neutral	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	True	
SourceField:	MachineName	
SourceTable:	GDB_DatabaseLocks	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
LockID_Index	1
Fields:	
LockID	Ascending

Properties

DateCreated:	3/23/2004 8:33:26 AM	DefaultView:	2
GUID:	{guid {5F477C69-3321-4D28-B86C-DF21838B5C04}}	LastUpdated:	4/7/2004 3:28:32 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	149
Updatable:	True		

Columns

Name	Type	Size
INCLAS	Text	3
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C966616B-7157-4D84-B1E2-B3B0B9AE8517}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	INCLAS	
SourceTable:	INCLAS	
UnicodeCompression:	False	
DEPTCLAS	Text	35
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3810	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {D36F1DED-2B65-4869-9C4D-FCC8C750EA37}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	DEPTCLAS	
SourceTable:	INCLAS	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
------	------------------

TBCMPC

1

Fields:

INCLAS

Ascending

Properties

DateCreated:	3/29/2004 6:24:01 PM	LastUpdated:	9/22/2008 12:46:06 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	36
Updatable:	True		

Columns

Name	Type	Size
LOCTYP	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {229FE19C-FB10-407A-8D7C-22486AC1072E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	LOCTYP	
SourceTable:	LOCTYPE	
UnicodeCompression:	False	
DESC	Text	35
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1639278E-0B29-4BE6-8A3F-FAD3F4F48D2F}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	DESC	
SourceTable:	LOCTYPE	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Fields:	
LOCTYP	Ascending

Properties

Attributes:	Linked	Connect:	;DATABASE=\\gpdsrv\updates \onlineDB\OnlineDb.mdb
DateCreated:	7/26/2008 10:29:27 AM	DefaultView:	2
Description:	Officer Name and Employee Number	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {503EB0D5-4F4D-4258- 9FB2-212C4284EDF2}}
HideNewField:	False	LastUpdated:	7/26/2008 10:29:27 AM
OrderBy:	[Names].[EmpID], Names.LogonID	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	-1	SourceTableName:	Names
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
EmpID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DefaultValue:	0	
DisplayControl:	Text Box	
GUID:	{guid {ECCC9859-6A01-44A8-8ECF- FE68926D57DC}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	EmpID	
SourceTable:	Names	
TextAlign:	General	
LogonID	Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2025	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5B5744E5-373D-47E7-9CD1- 8BABA7DE0446}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	

	Required:	False		
	SourceField:	LogonID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
MenuStyle			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2445		
	DataUpdatable:	False		
	DefaultValue:	"/TreeIcons/Styles/Classic"		
	DisplayControl:	Text Box		
	GUID:	{guid {CF820F81-0874-493A-A29B-D981ABD53741}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	MenuStyle		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
Rank			Double	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DefaultValue:	0		
	DisplayControl:	Text Box		
	GUID:	{guid {A2FB1ABF-29EC-4A20-BE5E-1D59920F5F30}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Rank		
	SourceTable:	Names		
	TextAlign:	General		
Title			Text	255
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {F601A269-3D95-4DAE-9DC4-C3C4F72FB2D9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: Title
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

Division Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2370
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {5E4F678F-1BC2-4059-B0E9-9F968C9A0372}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: Division
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

fName Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {7C1458FA-B4F9-4704-A7CB-FCE8614F037E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: fName
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

IName Text 255

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {7881CC24-2CAB-4C86-888F-1D6AD85C8CEC}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: IName
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

Name Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2640
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {BA236C0D-405D-4C05-94EE-9C351DAEF6A1}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: Name
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

email Text 50

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2745
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {6E3A7253-196D-4B57-82C4-16B2CB079F83}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10

Required:	False		
SourceField:	email		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	True		
supervisedBy		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DefaultValue:	0		
DisplayControl:	Text Box		
GUID:	{guid {3D85E528-3266-42EF-8486-CDAC8073C9AA}}		
OrdinalPosition:	11		
Required:	False		
SourceField:	supervisedBy		
SourceTable:	Names		
TextAlign:	General		
supervisor		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Are they a supervisor?		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {7055F0EC-8F67-4FF6-BD76-F7024979F84F}}		
OrdinalPosition:	12		
Required:	False		
SourceField:	supervisor		
SourceTable:	Names		
TextAlign:	General		
Current		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

	Description:	Currently Employed?		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {B5C45D1A-37CD-488B-B466-5439AE990E0C}}		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	Current		
	SourceTable:	Names		
	TextAlign:	General		
squad			Text	1
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Currently Assigned Squad		
	DisplayControl:	Text Box		
	GUID:	{guid {8E5D2BA2-DC7A-44E5-BB91-26D378CEE4E7}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	squad		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
callsign			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Call Sign		
	DisplayControl:	Text Box		
	GUID:	{guid {448E7A8F-27D4-4A65-AA56-9EF7B64A54E2}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	callsign		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
payroll_division			Text	100
	AggregateType:	-1		

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Vehicle ID
 DisplayControl: Text Box
 GUID: {guid {57222805-CDE1-4984-B794-E8098D23044F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 SourceField: VehID
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: False

WhereParked Text 100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Where Vehicle parked
 DisplayControl: Text Box
 GUID: {guid {D63EECCC-3584-4838-99AE-6976D290B016}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 19
 Required: False
 SourceField: WhereParked
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

LaptopID Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Computer ID
 DisplayControl: Text Box
 GUID: {guid {DADDAA45-15FD-4587-9862-4BF4CB946A17}}
 IMEMode: 0

	IMESentenceMode:	3		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LaptopID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
ModemID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Modem ESN		
	DisplayControl:	Text Box		
	GUID:	{guid {ABBCBF79-7645-4E35-B7B6-2B37CDD12092}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	ModemID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
PortableID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Waltkie Talkie ID		
	DisplayControl:	Text Box		
	GUID:	{guid {C6CC2D73-B286-499F-A440-A5CF906C24A4}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	22		
	Required:	False		
	SourceField:	PortableID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	False		
HandgunID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: handgun serial number
 DisplayControl: Text Box
 GUID: {guid {5EDED8EC-A51D-4D24-B88C-073695E26F46}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: HandgunID
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

LongGunID Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Long Gun serial number
 DisplayControl: Text Box
 GUID: {guid {82955DC6-8FF1-49AB-8B9B-4687790C6C08}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: LongGunID
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

FlashlightID Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Maglight ID number
 DisplayControl: Text Box
 GUID: {guid {A5BE2434-AE5D-46F1-A7D1-C0FC61CDAA71}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25

	Required:	False		
	SourceField:	FlashlightID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
TaserID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Taser ID		
	DisplayControl:	Text Box		
	GUID:	{guid {CBE8D312-BF00-4451-BF28-CD6F423155DD}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	26		
	Required:	False		
	SourceField:	TaserID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
TaserCart1ID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Taser Cartridge 1 ID		
	DisplayControl:	Text Box		
	GUID:	{guid {E9E0F410-6B8F-4960-8993-020CEA4A6F93}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	27		
	Required:	False		
	SourceField:	TaserCart1ID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
TaserCart2ID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Taser Cartridge 2 ID
 DisplayControl: Text Box
 GUID: {guid {DE6568ED-389F-4AFF-864A-561B2717E7E8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: TaserCart2ID
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

HandcuffID Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {FF325AAB-DE9E-4463-98F5-7992032E8D0E}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: HandcuffID
 SourceTable: Names
 TextAlign: General
 UnicodeCompression: True

DigiCamID Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Digital Camera
 DisplayControl: Text Box
 GUID: {guid {9C99EE63-EE4C-41CB-BA41-B37E97241843}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: DigiCamID
 SourceTable: Names

	TextAlign:	General	
	UnicodeCompression:	True	
tssPIN		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DefaultValue:	0	
	Description:	Traffic Stop PIN	
	DisplayControl:	Text Box	
	GUID:	{guid {C202EDBE-0143-43B6-AF2A-920F085C7A35}}	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	tssPIN	
	SourceTable:	Names	
	TextAlign:	General	
Sworn		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {D653AE67-B0A0-40CC-BD9D-BE407F5878F9}}	
	OrdinalPosition:	32	
	Required:	False	
	SourceField:	Sworn	
	SourceTable:	Names	
	TextAlign:	General	
IncludeQuery		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {AB09539B-B58C-4EF5-A5FE-FAB6A462B7BE}}	

OrdinalPosition: 33
 Required: False
 SourceField: IncludeQuery
 SourceTable: Names
 TextAlign: General

Table Indexes

Name	Number of Fields
DigiCamID	1
Fields:	
DigiCamID	Ascending
EmpID	1
Fields:	
EmpID	Ascending
FlashlightID	1
Fields:	
FlashlightID	Ascending
HandcuffID	1
Fields:	
HandcuffID	Ascending
HandgunID	1
Fields:	
HandgunID	Ascending
LogonID	1
Fields:	
LogonID	Ascending
LongGunID	1
Fields:	
LongGunID	Ascending
PrimaryKey	1
Fields:	
EmpID	Ascending
TaserCart1ID	1
Fields:	
TaserCart1ID	Ascending
TaserCart2ID	1
Fields:	
TaserCart2ID	Ascending
TaserID	1
Fields:	
TaserID	Ascending
VehID	1
Fields:	
VehID	Ascending
WTID	1
Fields:	
PortableID	Ascending

Properties

DateCreated:	8/20/2004 1:52:33 PM	DefaultView:	2
GUID:	{guid {3269EEF4-96A0-4C05-B4F4-4E648B5FB1AF}}	LastUpdated:	11/17/2006 10:52:50 AM
NameMap:	Long binary data	OrderBy:	Narratives.yr, Narratives.poli, Narratives.EmpID
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	10290	Updatable:	True

Columns

Name	Type	Size
yr	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {E3A4BCF4-43AF-4A66-8771-22719E2BDE04}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	yr	
SourceTable:	Narratives	
poli	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {8A6C9823-CBD3-4C8A-9B0C-CA51801F5DDB}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	poli	
SourceTable:	Narratives	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {82C3E5BC-1B4C-4578-92C1-EB9192365B57}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	EmpID		
	SourceTable:	Narratives		
inckey			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {F0BEB6A7-DBF1-4038-8E07-DEB27B2E0BF2}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	inckey		
	SourceTable:	Narratives		
narrative			Memo	-
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	GUID:	{guid {B27302E4-069B-4C09-A7EC-7808AC6FA4A3}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	narrative		
	SourceTable:	Narratives		
	UnicodeCompression:	True		
feedback			Memo	-
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	GUID:	{guid {6B00F630-5A68-4C1B-9D10-30D7956A1440}}		
	IMEMode:	0		

	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	feedback		
	SourceTable:	Narratives		
	UnicodeCompression:	True		
imported			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {95FBCA13-3318-4B58-97ED-A6840FDB3313}}		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	imported		
	SourceTable:	Narratives		
importReady			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {E056BFDD-1AF6-4C8D-BFD1-B59D815C4B44}}		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	importReady		
	SourceTable:	Narratives		
revision			Memo	-
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	GUID:	{guid {5001D503-C813-4F5B-AEB9-A5FC9C21446E}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	revision		

SourceTable:	Narratives		
UnicodeCompression:	True		
saveinfo		Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5130		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C76D4214-D859-4D13-8C6D-C7B3AAE21C2F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	saveinfo		
SourceTable:	Narratives		
UnicodeCompression:	True		
dateSaved		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2280		
DataUpdatable:	False		
Format:	General Date		
GUID:	{guid {6D7A02F5-B63A-47BE-9886-E3571EA03DC9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	dateSaved		
SourceTable:	Narratives		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
inckey	1
Fields:	
inckey	Ascending
poli	1
Fields:	
poli	Ascending
PrimaryKey	3

	Fields:	
	EmpID	Ascending
	yr	Ascending
	poli	Ascending
yr		1
	Fields:	
	yr	Ascending

Properties

DateCreated:	1/2/2009 10:39:56 PM	DefaultView:	2
DisplayViewsOnSharePointSit 1		FilterOnLoad:	False
GUID:	{guid {9E420118-4BD5-41A9-9D70-164500E91313}}	HideNewField:	False
LastUpdated:	1/2/2009 10:43:00 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	120
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length, Auto-Increment	
CollatingOrder:	General	
ColumnOrder:	Default	
DataUpdatable:	False	
GUID:	{guid {ABD3F86E-58F5-4565-9141-7F48ED42F0D6}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	newdistricts	
NAME	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
Format:	0	
GUID:	{guid {377C0E0F-CD73-4FEA-83BF-0E1CD3DFEEB9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	NAME	
SourceTable:	newdistricts	
TextAlign:	General	
UnicodeCompression:	False	
DISTRICT	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
Format:	0
GUID:	{guid {71223E5F-B4BA-43AA-9ABC-EA7451D056B4}}
OrdinalPosition:	2
Required:	False
SourceField:	DISTRICT
SourceTable:	newdistricts
TextAlign:	General

Table Indexes

Name	Number of Fields
ID	1
Fields:	
ID	Ascending

Properties

DateCreated:	8/31/2009 7:02:32 PM	LastUpdated:	8/31/2009 7:02:32 PM
LogTable:	1	Orientation:	Left-to-Right
RecordCount:	26	Updatable:	True

Columns

Name	Type	Size
F1	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: F1 SourceTable: Paste Errors		
F2	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 1 Required: False SourceField: F2 SourceTable: Paste Errors		
F3	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 2 Required: False SourceField: F3 SourceTable: Paste Errors		
F4	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 3 Required: False SourceField: F4 SourceTable: Paste Errors		

F5	AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 4 Required: False SourceField: F5 SourceTable: Paste Errors	Text	255
F6	AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 5 Required: False SourceField: F6 SourceTable: Paste Errors	Text	255
F7	AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 6 Required: False SourceField: F7 SourceTable: Paste Errors	Text	255
F8	AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 7 Required: False SourceField: F8 SourceTable: Paste Errors	Text	255
F9	AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General DataUpdatable: False OrdinalPosition: 8 Required: False SourceField: F9 SourceTable: Paste Errors	Text	255
F10		Text	255

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	F10		
	SourceTable:	Paste Errors		
F11			Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	F11		
	SourceTable:	Paste Errors		
F12			Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	F12		
	SourceTable:	Paste Errors		
F13			Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	F13		
	SourceTable:	Paste Errors		
F14			Text	255
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	F14		
	SourceTable:	Paste Errors		
F15			Text	255
	AllowZeroLength:	False		

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
DataUpdatable:	False
OrdinalPosition:	14
Required:	False
SourceField:	F15
SourceTable:	Paste Errors

Properties

DateCreated:	7/28/2004 2:08:32 PM	GUID:	{guid {B0AF8CEA-D3FE-4AC9-90AB-267B240858CA}}
LastUpdated:	7/28/2004 2:15:07 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	2345	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {BA8DE1A1-E890-4E0E-BB93-2ACFC0510A8F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	ReportsRequested	
Inckey	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{20E2DD8A-89B3-4EC2-804E-3ABAEA7C9FD4}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Inckey	
SourceTable:	ReportsRequested	
UnicodeCompression:	True	
DateRequested	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{EEB36D0D-DB80-4896-8DFF-4CB1924DEC39}}	

OrdinalPosition:	2		
Required:	False		
SourceField:	DateRequested		
SourceTable:	ReportsRequested		
EmpID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {2B26153F-49C6-4360-B17A-B27A2FAFDA9D}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	EmpID		
SourceTable:	ReportsRequested		
RequestedBy		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D80E8E98-E5F5-4CF6-828B-87CF5AE9806D}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	RequestedBy		
SourceTable:	ReportsRequested		
UnicodeCompression:	True		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

Properties

DateCreated:	1/2/2009 10:44:33 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {53472F1F-17B0-4FF2-85B0-4331B9B79880}}	HideNewField:	False
LastUpdated:	6/10/2009 9:19:30 AM	NameMap:	Long binary data
OrderBy:	[tblBeatZone].[CODE4], [tblBeatZone].[CODE3]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	123	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
BEATCODE	Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1DBE90AB-2459-4399-B447-8AD8DB7A1918}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	BEATCODE	
SourceTable:	tblBeatZone	
TextAlign:	General	
UnicodeCompression:	False	
ZONECODE	Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {30AF90B1-0651-4BC8-8CE8-5A6C5D097B19}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	ZONECODE	

	SourceTable:	tblBeatZone	
	TextAlign:	General	
	UnicodeCompression:	False	
CODE4		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	3	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {2D07A169-F912-4C8C-9B72-9BFC526A46D4}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	CODE4	
	SourceTable:	tblBeatZone	
	TextAlign:	General	
CODE3		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	4	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {25364F30-56AA-44A8-A5DA-1A113D3667B8}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	CODE3	
	SourceTable:	tblBeatZone	
	TextAlign:	General	
DISTRICT		Text	20
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	5	
	ColumnWidth:	1230	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {3B0E94A7-16F8-4A6F-B941-7DBE1028AC6E}}	
	IMEMode:	0	
	IMESentenceMode:	3	

OrdinalPosition: 4
Required: False
SourceField: DISTRICT
SourceTable: tblBeatZone
TextAlign: General
UnicodeCompression: False

ZIPCODE Text 5

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 6
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {5A37E38E-C1C9-4175-8061-645AC5EA71C4}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: ZIPCODE
SourceTable: tblBeatZone
TextAlign: General
UnicodeCompression: True

Properties

DateCreated:	2/2/2004 10:38:24 AM	GUID:	{guid {7B66466E-7B01-40F7-87CC-0D9735256761}}
LastUpdated:	1/2/2009 10:47:52 PM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	123	Updatable:	True

Columns

Name	Type	Size
BEATCODE	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C8D57421-B404-4C4B-A0A3-4A2139756B66}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	BEATCODE	
SourceTable:	tbIBEAZONE_OLD	
UnicodeCompression:	False	
ZONECODE	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {EB91E598-1637-430D-B47E-F0E7A65955C3}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	ZONECODE	
SourceTable:	tbIBEAZONE_OLD	
UnicodeCompression:	False	
CODE4	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {D0F3AF1E-0B74-451F-84EA-B37D1869D768}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	CODE4		
	SourceTable:	tbIBEAZONE_OLD		
CODE3			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {685E48C0-48BA-4C7C-B595-676DED4CF4DF}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	CODE3		
	SourceTable:	tbIBEAZONE_OLD		
DISTRICT			Text	20
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1665		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {1922AD8D-467C-4531-AC2A-92163580CAD6}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	DISTRICT		
	SourceTable:	tbIBEAZONE_OLD		
	UnicodeCompression:	False		
ZIPCODE			Text	5
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {A0787349-C368-4CEE-95D8-B509B5D7617C}}		
	OrdinalPosition:	6		
	Required:	False		

SourceField:	ZIPCODE
SourceTable:	tbIBEAZONE_OLD
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ZIPCODE	1
Fields:	
ZIPCODE	Ascending

Properties

DateCreated:	12/13/2004 1:09:57 PM	GUID:	{guid {549EC913-328B-495B-9904-71ABE2052A7D}}
LastUpdated:	2/4/2005 8:51:18 AM	NameMap:	Long binary data
OrderBy:	tblBusinessAlias.LocationTxt	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	273
RowHeight:	240	Updatable:	True

Columns

Name	Type	Size
LocationTxt	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	3780	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {4AF8DD3F-F894-4D0A-A52C-B39845DD7453}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	LocationTxt	
SourceTable:	tblBusinessAlias	
UnicodeCompression:	False	
Alias	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3735	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F5B93A28-97A9-4D82-8C20-13413E56EB44}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	Alias	
SourceTable:	tblBusinessAlias	
UnicodeCompression:	True	

Properties

DateCreated:	12/2/2004 3:12:01 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	Filter:	((tblCADxREF.INCLAS="005"))
FilterOnLoad:	False	GUID:	{guid {1847AC34-86F3-4DDF-A575-4D2FD2320F54}}
HideNewField:	False	LastUpdated:	10/13/2008 1:55:33 PM
NameMap:	Long binary data	OrderBy:	[tblCADxREF].[INCLAS], tblCADxREF.[Incident Type]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	313
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
Incident Type	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5798BAB7-D7F8-4122-9E4F-F9545EE0E0F7}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Incident Type	
SourceTable:	tblCADxREF	
TextAlign:	General	
UnicodeCompression:	False	
INCLAS	Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {516DB823-FE01-4124-8E5E-9CA46B9329D0}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	INCLAS	
SourceTable:	tblCADxREF	
TextAlign:	General	
UnicodeCompression:	True	

DEPTCLASS		Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3780		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {78BE624B-7945-447B-B715-F76165CE409F}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	DEPTCLASS		
SourceTable:	tblCADxREF		
TextAlign:	General		
UnicodeCompression:	True		
NoOPS		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {564F5FB8-9BA7-4C55-80DA-70A3A55B9509}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	NoOPS		
SourceTable:	tblCADxREF		
TextAlign:	General		

Properties

DateCreated: 2/4/2004 2:28:28 PM GUID: {guid {76E94E04-0439-4613-B495-011123174835}}

LastUpdated: 9/13/2005 11:05:17 AM NameMap: Long binary data

OrderBy: tbICMNALIAS.COMN_NAME OrderByOn: True

Orientation: Left-to-Right RecordCount: 815

Updatable: True

Columns

Name	Type	Size
COMN_NAME	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	3855	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {9B41B243-9E98-439D-83C6-2FC271748670}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	COMN_NAME	
SourceTable:	tbICMNALIAS	
UnicodeCompression:	False	
CountOfLOCKEY	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {517951BE-4211-4FE8-8FDC-BF6D7FB815F7}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	CountOfLOCKEY	
SourceTable:	tbICMNALIAS	
VALIDNAME	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	3495
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {C92381A1-5E28-40EE-8E72-73A365FFCA86}}
OrdinalPosition:	3
Required:	False
SourceField:	VALIDNAME
SourceTable:	tbICMNALIAS
UnicodeCompression:	True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
VALID	1
Fields:	
VALIDNAME	Ascending

Properties

DateCreated: 11/9/2007 1:42:18 PM GUID: {guid {6CE20611-9CFE-496F-9DED-AE2A1E7DA697}}

LastUpdated: 11/16/2007 10:29:35 AM NameMap: Long binary data

OrderBy: tbICMSHISTORY.DATEREAD OrderByOn: True

Orientation: Left-to-Right RecordCount: 27847

Updatable: True

Columns

Name	Type	Size
EMPID AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {guid {02651EEE-4748-464C-9E4A-BF344B2C4C65}} OrdinalPosition: 1 Required: False SourceField: EMPID SourceTable: tbICMSHISTORY	Long Integer	4
OCA AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: 10 ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {guid {CFA6B6B9-52F2-4AB5-8218-38FE1A696827}} OrdinalPosition: 2 Required: False SourceField: OCA SourceTable: tbICMSHISTORY	Decimal	16
DATEREAD AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: 10 ColumnHidden: False ColumnOrder: Default	Date/Time	8

ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {4F3207A8-C302-45CD-95F2-B90D5FBA599E}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	DATEREAD		
SourceTable:	tbICMSHISTORY		
MISCINFO		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {82B53DBF-5359-43F1-BFA0-6BEF290DF120}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	MISCINFO		
SourceTable:	tbICMSHISTORY		
UnicodeCompression:	False		
MODULE		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	10		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {EA121466-830E-4747-9D80-B44C7BEF07FA}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	MODULE		
SourceTable:	tbICMSHISTORY		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATEREAD	1
Fields:	
DATEREAD	Ascending
EMPID	1
Fields:	
EMPID	Ascending
OCA	1
Fields:	
OCA	Ascending

Properties

DateCreated:	3/3/2005 3:36:32 PM	DefaultView:	2
Description:	Narrative from CFS File	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {DDF26F5B-E4C5-4A78-90E5-EC1A2B9DC9DC}}
HideNewField:	False	LastUpdated:	8/6/2009 11:34:02 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	4285	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
INCKEY	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {0808666D-691A-48C3-92A3-08AA1125EB1C}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	INCKEY	
SourceTable:	tblCommentsDeleted	
TextAlign:	General	
YR	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {F1CCF137-E63F-4E7D-83CC-5CD80DE50745}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	YR	
SourceTable:	tblCommentsDeleted	
TextAlign:	General	

POLI		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {FD645433-5EBB-4C8C-8AAE-AFA4C090DFB1}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	POLI		
SourceTable:	tblCommentsDeleted		
TextAlign:	General		
NarSeq		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {6448741D-66BF-4961-8958-22CC3E356705}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	NarSeq		
SourceTable:	tblCommentsDeleted		
TextAlign:	General		
NarTimeStamp		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
DataUpdatable:	False		
Format:	General Date		
GUID:	{guid {76258ABC-1EB3-4C04-8CBB-21CC721B0FC4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	NarTimeStamp		

	SourceTable:	tblCommentsDeleted	
	TextAlign:	General	
Narr			Text 80
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	8835	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {CA9D1EA6-F8CF-4BC1-8FBE-6A2EA45395D0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	Narr	
	SourceTable:	tblCommentsDeleted	
	TextAlign:	General	
	UnicodeCompression:	False	
IMPORTED			Yes/No 1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {ACB936E0-5F3C-4444-A671-DB8D9D01A764}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	IMPORTED	
	SourceTable:	tblCommentsDeleted	
	TextAlign:	General	
Narrative			Memo -
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {D209A451-10F0-45E6-9ADD-CAF8A8FBCC14}}	
	IMEMode:	0	
	IMESentenceMode:	3	

OrdinalPosition: 8
Required: False
SourceField: Narrative
SourceTable: tblCommentsDeleted
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
INCKEY	1
Fields:	
INCKEY	Ascending

Properties

DateCreated:	3/23/2004 10:16:34 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {ADB87773-8114-4E0E-8600-111BCD480820}}	HideNewField:	False
LastUpdated:	10/13/2008 1:55:05 PM	NameMap:	Long binary data
OrderBy:	[tbIDEPTCLASSxREF].[INCLAS]	OrderByOn:	True
	[tbIDEPTCLASSxREF].[Incident Type]		
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	312	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
Incident Type	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {02BEF60B-56D0-456A-ACC7-F9407F310CA8}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Incident Type	
SourceTable:	tbIDEPTCLASSxREF	
TextAlign:	General	
UnicodeCompression:	False	
INCLAS	Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {F855DE4A-9D20-4226-8C18-AABB3F933DF5}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	INCLAS	
SourceTable:	tbIDEPTCLASSxREF	
TextAlign:	General	

UnicodeCompression:	True		
inclascode		Text	3
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {DD4936D1-C39A-4C5A-B7BC-2F3CE40C0E6F}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	inclascode		
SourceTable:	tbIDEPTCLASSxREF		
TextAlign:	General		
UnicodeCompression:	True		
DEPTCLASS		Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	3780		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {87D4EF44-9D76-4C1E-B8C6-4DF348B33693}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	DEPTCLASS		
SourceTable:	tbIDEPTCLASSxREF		
TextAlign:	General		
UnicodeCompression:	True		
NoOPS		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {CEBB7D0A-75C8-4E8E-8152-DB7740D76FE3}}		
OrdinalPosition:	5		
Required:	False		
SourceField:	NoOPS		

SourceTable:	tbIDEPTCLASSxREF		
TextAlign:	General		
Geolcon		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C5F34CA7-F6AE-4B64-896F-B1C16428B0B4}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	Geolcon		
SourceTable:	tbIDEPTCLASSxREF		
TextAlign:	General		
UnicodeCompression:	True		

Properties

DateCreated:	1/5/2007 8:15:14 AM	GUID:	{guid {2D9A1EDE-BF68-4655-BB4E-2B1840B10850}}
LastUpdated:	1/5/2007 8:24:12 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1860	Updatable:	True

Columns

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False GUID: {guid {CBEB10E5-7313-4B91-AA86-A86515299C1C}} OrdinalPosition: 1 Required: False SourceField: key SourceTable: tblEMPSTAT		
EmpID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box GUID: {AC78E73D-5855-4AE0-8947-D25409638CEE} OrdinalPosition: 2 Required: False SourceField: EmpID SourceTable: tblEMPSTAT		
statCode	Text	5
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box		

<p>GUID: {69891DA2-F843-43DD-9C3C-8D904403C38D}}</p> <p>OrdinalPosition: 3</p> <p>Required: False</p> <p>SourceField: statCode</p> <p>SourceTable: tblEMPSTAT</p> <p>UnicodeCompression: True</p>			
<p>startTIME</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>GUID: {18859C27-5A26-4024-AED7-77F730E09386}}</p> <p>OrdinalPosition: 4</p> <p>Required: False</p> <p>SourceField: startTIME</p> <p>SourceTable: tblEMPSTAT</p>	<p>Date/Time</p>	<p>8</p>	
<p>endTIME</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>GUID: {FFDC9459-93A9-4ED5-A4F7-795D2EF1A783}}</p> <p>OrdinalPosition: 5</p> <p>Required: False</p> <p>SourceField: endTIME</p> <p>SourceTable: tblEMPSTAT</p>	<p>Date/Time</p>	<p>8</p>	
<p>duration</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>DisplayControl: Text Box</p> <p>GUID: {1514A393-86F5-40B8-B5E9-75F27AD7D33C}}</p> <p>OrdinalPosition: 6</p> <p>Required: False</p> <p>SourceField: duration</p> <p>SourceTable: tblEMPSTAT</p>	<p>Long Integer</p>	<p>4</p>	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending
startTIME	1
Fields:	
startTIME	Ascending
statCode	1
Fields:	
statCode	Ascending

Properties

DateCreated:	3/2/2005 5:11:32 PM	DefaultView:	2
Description:	CFS Data	GUID:	{guid {96B88372-6409-4755-8A8F-CD94E736D5CB}}
LastUpdated:	9/27/2005 8:01:46 AM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	907	Updatable:	True

Columns

Name	Type	Size
INCKEY	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	EVENT NUMBER	
DisplayControl:	Text Box	
GUID:	{guid {E6091E02-0B99-4EDD-A2DD-D88B67322793}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	INCKEY	
SourceTable:	tblEventsDeleted	
YR	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	EVENT NUMBER	
DisplayControl:	Text Box	
GUID:	{guid {1E255005-0B61-4199-B9E3-555029E80BA4}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	YR	
SourceTable:	tblEventsDeleted	
Poli	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	EVENT NUMBER		
	DisplayControl:	Text Box		
	GUID:	{guid {F8BC520C-91BA-4A31-A170-4CB068E2197B}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	Poli		
	SourceTable:	tblEventsDeleted		
Address			Text	30
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3885		
	DataUpdatable:	False		
	Description:	ADDRESS STRING		
	DisplayControl:	Text Box		
	GUID:	{guid {A6787AAF-FB7F-489B-A682-9C96E8D6F75A}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Address		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
ST#			Decimal	16
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	6		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	STREET NUMBER		
	DisplayControl:	Text Box		
	GUID:	{guid {C5A30133-E0B0-465E-ABD1-254DEDBEB245}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	ST#		
	SourceTable:	tblEventsDeleted		
DIR			Text	2
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	DIRECTIONAL		
	DisplayControl:	Text Box		
	GUID:	{guid {C2B3F7DE-849E-4574-B56E-258B315D55AC}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	DIR		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
STN			Text	30
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2190		
	DataUpdatable:	False		
	Description:	STREET NAME		
	DisplayControl:	Text Box		
	GUID:	{guid {013D7A98-5616-4EFE-95F5-04E69F922D32}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	STN		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
SFX			Text	4
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	SUFFIX		
	DisplayControl:	Text Box		
	GUID:	{guid {97BCEA4D-CFCC-4E7B-8B03-5EE6BEF9A672}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	SFX		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
xDIR			Text	2

	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	xSTREET DIRECTIONAL		
	DisplayControl:	Text Box		
	GUID:	{guid {991A4CD3-0F92-4AA8-9700-1B5E0DA32632}}		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	xDIR		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
xSTN			Text	30
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	xSTREET NAME		
	DisplayControl:	Text Box		
	GUID:	{guid {02C0CC76-3ECB-4950-A91B-A353B4847FC7}}		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	xSTN		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
xSFX			Text	4
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	SUFFIX		
	DisplayControl:	Text Box		
	GUID:	{guid {E6F33E4E-E4E3-40AC-9EF9-60D100366661}}		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	xSFX		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
Zone			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		

Attributes: Fixed Size
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: ZONE NUMBER
 DisplayControl: Text Box
 GUID: {guid {F20C3FAC-F3CD-49AB-B535-8188EE31B72C}}
 OrdinalPosition: 12
 Required: False
 SourceField: Zone
 SourceTable: tblEventsDeleted

BeatCode Text 3

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Beat Code for AS400
 DisplayControl: Text Box
 GUID: {guid {E75364A9-CB56-4E29-9F51-194C6B226D36}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: BeatCode
 SourceTable: tblEventsDeleted
 UnicodeCompression: True

ZoneCode Text 3

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Beat Code for AS400
 DisplayControl: Text Box
 GUID: {guid {46960BFB-21A4-457C-A2DE-6B971DA740DB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: False
 SourceField: ZoneCode
 SourceTable: tblEventsDeleted
 UnicodeCompression: True

CallClass-ID Text 6

Field Name	Field Type	Field Length
CallSign	Text	10
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	CALL SIGN OF RESPONDING UNIT	
DisplayControl:	Text Box	
GUID:	{guid {894DAF1B-27C1-45F2-9D38-C0DC62434A37}}	
OrdinalPosition:	18	
Required:	False	
SourceField:	CallSign	
SourceTable:	tblEventsDeleted	
UnicodeCompression:	False	
MapX	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	6	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	MAP COORDINATES	
DisplayControl:	Text Box	
GUID:	{guid {144BA0D2-84F6-4CF4-B9F7-BDC344334DF7}}	
OrdinalPosition:	19	
Required:	False	
SourceField:	MapX	
SourceTable:	tblEventsDeleted	
MapY	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	6	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	MAP COORDINATES	
DisplayControl:	Text Box	
GUID:	{guid {D5DBEA48-128D-4B4B-BCAC-0119BCE17657}}	
OrdinalPosition:	20	
Required:	False	
SourceField:	MapY	
SourceTable:	tblEventsDeleted	
CallerAddress	Text	30
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3045
 DataUpdatable: False
 Description: CALLER ADDRESS STRING
 DisplayControl: Text Box
 GUID: {guid {5BA53439-B7EA-421E-9073-1A08CBC3811D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: CallerAddress
 SourceTable: tblEventsDeleted
 UnicodeCompression: False

callerST# Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: STREET NUMBER - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {guid {C58E8B37-2D74-4122-B904-6DFD77446C1E}}
 OrdinalPosition: 22
 Required: False
 SourceField: callerST#
 SourceTable: tblEventsDeleted

callerDIR Text 2

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: DIRECTIONAL - CALLER ADDRESS
 DisplayControl: Text Box
 GUID: {guid {0E73C6F8-D3B0-4D00-B40A-3DDF4FBC180D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 23
 Required: False
 SourceField: callerDIR
 SourceTable: tblEventsDeleted
 UnicodeCompression: False

Field Name	Field Type	Field Length
callerSTN	Text	30
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2160	
DataUpdatable:	False	
Description:	STEET NAME - CALLER ADDRESS	
DisplayControl:	Text Box	
GUID:	{guid {47BF9936-8A77-4415-8668-38C16258EFCA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	24	
Required:	False	
SourceField:	callerSTN	
SourceTable:	tblEventsDeleted	
UnicodeCompression:	False	
callerSFX	Text	4
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	SUFFIX - CALLER ADDRESS	
DisplayControl:	Text Box	
GUID:	{guid {865BA378-F072-496E-ABEB-BA3D33DE4A94}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	25	
Required:	False	
SourceField:	callerSFX	
SourceTable:	tblEventsDeleted	
UnicodeCompression:	False	
LocationTxt	Text	30
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2625	
DataUpdatable:	False	
Description:	CALL LOCATION COMMON NAME	
DisplayControl:	Text Box	
GUID:	{guid {128AE221-6F68-44EB-949D-2B4E1A43CE7F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	26	
Required:	False	

SourceField:	LocationTxt		
SourceTable:	tblEventsDeleted		
UnicodeCompression:	False		
CrossStreet1		Text	20
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2355		
DataUpdatable:	False		
Description:	CROSS STREET 1		
DisplayControl:	Text Box		
GUID:	{guid {2A3A55AA-E65C-4215-AF27-00799C476D92}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	27		
Required:	False		
SourceField:	CrossStreet1		
SourceTable:	tblEventsDeleted		
UnicodeCompression:	False		
CrossStreet2		Text	20
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	CROSS STREET 2		
DisplayControl:	Text Box		
GUID:	{guid {620F8D2B-3C0B-4A02-954A-3355C3B69A1E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	28		
Required:	False		
SourceField:	CrossStreet2		
SourceTable:	tblEventsDeleted		
UnicodeCompression:	False		
Bldg		Text	4
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	BUILDING NUMBER		
DisplayControl:	Text Box		
GUID:	{guid {B1FA4809-6B3D-4DF5-9553-7B26B327E5BB}}		

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	Bldg		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
Apt			Text	4
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	APARTMENT NUMBER		
	DisplayControl:	Text Box		
	GUID:	{guid {B2D94673-01A9-4938-BD76-415F6CD8240B}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	30		
	Required:	False		
	SourceField:	Apt		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
CallerName			Text	20
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2340		
	DataUpdatable:	False		
	Description:	CALLER NAME		
	DisplayControl:	Text Box		
	GUID:	{guid {5B93BABD-B9B2-46D3-98AA-39CAF29B8284}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	31		
	Required:	False		
	SourceField:	CallerName		
	SourceTable:	tblEventsDeleted		
	UnicodeCompression:	False		
CallerNameIDX			Decimal	16
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	10		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1950		

DataUpdatable: False
 DecimalPlaces: Auto
 Description: CALLER NAME IDX
 DisplayControl: Text Box
 GUID: {guid {4F65AD61-84F8-4726-BEFB-D349C13F2B0D}}
 OrdinalPosition: 32
 Required: False
 SourceField: CallerNameIDX
 SourceTable: tblEventsDeleted

CallerFirstName Text 20

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALLER FIRST NAME
 DisplayControl: Text Box
 GUID: {guid {7864D5AA-E6D1-4D8C-B014-575104D01D58}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 33
 Required: False
 SourceField: CallerFirstName
 SourceTable: tblEventsDeleted
 UnicodeCompression: True

CallerLastName Text 20

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALLER LAST NAME
 DisplayControl: Text Box
 GUID: {guid {6581F20D-DFE7-4804-9286-FDBC8FB13B8C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 34
 Required: False
 SourceField: CallerLastName
 SourceTable: tblEventsDeleted
 UnicodeCompression: True

CallerPhone Text 16

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALLER PHONE NUMBER
 DisplayControl: Text Box
 GUID: {guid {08CF402D-71A3-4A8D-91DD-DFE2805766DE}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 35
 Required: False
 SourceField: CallerPhone
 SourceTable: tblEventsDeleted
 UnicodeCompression: False

CallSource Text 2

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: CALL SOURCE CODE
 DisplayControl: Text Box
 GUID: {guid {E6D9573B-AEC7-402B-98AF-FF0C083210DF}}
 OrdinalPosition: 36
 Required: False
 SourceField: CallSource
 SourceTable: tblEventsDeleted
 UnicodeCompression: False

RecDateTime Date/Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: 10
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2280
 DataUpdatable: False
 Description: RECEIVED DATE/TIME
 Format: General Date
 GUID: {guid {C50B0362-620A-4894-A57B-BC590EBE52A6}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 37
 Required: False
 SourceField: RecDateTime
 SourceTable: tblEventsDeleted

TimeRec Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Time Received
DisplayControl: Text Box
GUID: {guid {C453A8E0-A5A1-4963-93F3-F43BE9E3ED56}}
OrdinalPosition: 38
Required: False
SourceField: TimeRec
SourceTable: tblEventsDeleted

DispDateTime Date/Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: 6
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 2280
DataUpdatable: False
Description: DISPATCHED DATE/TIME
Format: General Date
GUID: {guid {BB71115C-9191-415C-83A8-0D8B22C5FD94}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 39
Required: False
SourceField: DispDateTime
SourceTable: tblEventsDeleted

TimeDisp Decimal 16

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: 6
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Time Dispatched
DisplayControl: Text Box
GUID: {guid {A4F8B7BB-896F-4301-B3AA-ED1BF01D6ABE}}
OrdinalPosition: 40
Required: False
SourceField: TimeDisp
SourceTable: tblEventsDeleted

ArrDateTime Date/Time 8

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: 6
ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: 2280
 DataUpdatable: False
 Description: ARRIVED DATE/TIME
 Format: General Date
 GUID: {guid {F1D0C3E8-C92E-42DD-950D-883250D853B9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 41
 Required: False
 SourceField: ArrDateTime
 SourceTable: tblEventsDeleted

TimeArr Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Time Arrived
 DisplayControl: Text Box
 GUID: {guid {C5F461F4-12C5-427E-BB03-CDAFE9BCBF2B}}
 OrdinalPosition: 42
 Required: False
 SourceField: TimeArr
 SourceTable: tblEventsDeleted

ClrDateTime Date/Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2280
 DataUpdatable: False
 Description: CLEARED DATE/TIME
 Format: General Date
 GUID: {guid {50E1662A-950C-4027-B27C-4C9919C2E240}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 43
 Required: False
 SourceField: ClrDateTime
 SourceTable: tblEventsDeleted

TimeClr Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False

ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Time Cleared
DisplayControl: Text Box
GUID: {guid {0CC52A42-1C87-432B-B395-E8D8F6ECCB5D}}
OrdinalPosition: 44
Required: False
SourceField: TimeClr
SourceTable: tblEventsDeleted

Disposition Text 5

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: DISPOSITION CODE
DisplayControl: Text Box
GUID: {guid {340B1D59-F84F-4F66-AB3E-8DB76F8D07A6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 45
Required: False
SourceField: Disposition
SourceTable: tblEventsDeleted
UnicodeCompression: False

Disp-TXT Text 80

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: DISPOSITION TEXT
DisplayControl: Text Box
GUID: {guid {11EDE9C0-FA89-4B5E-BBCB-60A7D57F0CC4}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 46
Required: False
SourceField: Disp-TXT
SourceTable: tblEventsDeleted
UnicodeCompression: False

EmpID Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size

CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: EMPLOYEE NUMBER
 DisplayControl: Text Box
 GUID: {guid {DD66CCF0-9A09-4B48-9FC9-130A96462FC8}}
 OrdinalPosition: 47
 Required: False
 SourceField: EmpID
 SourceTable: tblEventsDeleted

EmpName Text 20

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: EMPLOYEE NAME
 DisplayControl: Text Box
 GUID: {guid {2021C1C7-E0BB-4604-BFC3-15997D5A22E9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 48
 Required: False
 SourceField: EmpName
 SourceTable: tblEventsDeleted
 UnicodeCompression: False

DataScrubbed Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {337D5889-974E-40FF-8350-95BF69FE4832}}
 OrdinalPosition: 49
 Required: False
 SourceField: DataScrubbed
 SourceTable: tblEventsDeleted

reviewed Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: 6

ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {9BB0BD9B-0041-4A2E-AEB7-296319EDB480}}
 OrdinalPosition: 50
 Required: False
 SourceField: reviewed
 SourceTable: tblEventsDeleted

Narrative Memo -

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 6
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Narrative
 GUID: {guid {6CEFA275-9427-4F4A-9190-22B32437FB7D}}
 OrdinalPosition: 51
 Required: False
 SourceField: Narrative
 SourceTable: tblEventsDeleted
 UnicodeCompression: True

geocoded Yes/No 1

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: Geocoded or not
 DisplayControl: 106
 Format: Yes/No
 GUID: {guid {7BBA8824-F518-4C65-9FFA-27A486929E17}}
 OrdinalPosition: 52
 Required: False
 SourceField: geocoded
 SourceTable: tblEventsDeleted

geoLat Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 18
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False

DecimalPlaces: Auto
 Description: Latitude
 DisplayControl: Text Box
 GUID: {6B8F7D83-EB17-4F75-8BCA-192843A832BA}}
 OrdinalPosition: 53
 Required: False
 SourceField: geoLat
 SourceTable: tblEventsDeleted

geoLong Decimal 16

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: 18
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: Longitude
 DisplayControl: Text Box
 GUID: {0B9D9A8F-9BED-4AFD-AD91-4ACCC65CB4CB}}
 OrdinalPosition: 54
 Required: False
 SourceField: geoLong
 SourceTable: tblEventsDeleted

Table Indexes

Name	Number of Fields
BeatCode	1
Fields:	
BeatCode	Ascending
RecDateTime	1
Fields:	
RecDateTime	Ascending
YR	1
Fields:	
YR	Ascending
ZoneCode	1
Fields:	
ZoneCode	Ascending

Properties

DateCreated:	10/6/2005 2:58:07 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {1B610463-D411-43D6-8ACE-A53CD80484E4}}	HideNewField:	False
LastUpdated:	12/18/2008 8:02:15 AM	NameMap:	Long binary data
OrderBy:	[tblGeoADDR].[STNAME] DESC	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	63019	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
STNUM	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {696AE1EC-CC1E-4774-B32B-DC369EEE7062}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	STNUM	
SourceTable:	tblGeoADDR	
TextAlign:	General	
STPRE	Text	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E8789E83-FF81-4F51-BEB4-A9011A9F4AA4}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	STPRE	
SourceTable:	tblGeoADDR	
TextAlign:	General	
UnicodeCompression:	False	

STNAME		Text	25
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {49D9E7D9-C866-4180-BC57-2D356C0C4BF9}}		
OrdinalPosition:	2		
Required:	False		
SourceField:	STNAME		
SourceTable:	tblGeoADDR		
TextAlign:	General		
UnicodeCompression:	False		
STYPE		Text	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {3AC1D137-9593-4AE6-B1A5-B084B6874E46}}		
OrdinalPosition:	3		
Required:	False		
SourceField:	STYPE		
SourceTable:	tblGeoADDR		
TextAlign:	General		
UnicodeCompression:	False		
STSUF		Text	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {D6C6216F-473B-4197-A4F3-9CC99916D60D}}		
OrdinalPosition:	4		
Required:	False		
SourceField:	STSUF		
SourceTable:	tblGeoADDR		
TextAlign:	General		
UnicodeCompression:	False		

ADDRESS	Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4185	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {4D634E2C-1304-41DD-BE77-7258ED086EB7}}	
OrdinalPosition:	5	
Required:	False	
SourceField:	ADDRESS	
SourceTable:	tblGeoADDR	
TextAlign:	General	
UnicodeCompression:	True	
X_COORD	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {9B6B2854-1A67-49AE-8AAE-11C394BA09F6}}	
OrdinalPosition:	6	
Required:	False	
SourceField:	X_COORD	
SourceTable:	tblGeoADDR	
TextAlign:	General	
Y_COORD	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {6DC16A42-F0F0-4E55-B9D3-4C59971F7092}}	
OrdinalPosition:	7	
Required:	False	
SourceField:	Y_COORD	
SourceTable:	tblGeoADDR	
TextAlign:	General	

<p>Mapx</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {A8498524-CFFA-410E-8A15-5B4B3633988B}}</p> <p>OrdinalPosition: 8</p> <p>Required: False</p> <p>SourceField: Mapx</p> <p>SourceTable: tblGeoADDR</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>Mapy</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {0977E024-9527-40B1-8213-922FD36D6ABD}}</p> <p>OrdinalPosition: 9</p> <p>Required: False</p> <p>SourceField: Mapy</p> <p>SourceTable: tblGeoADDR</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ADDRESS	1
Fields:	
ADDRESS	Ascending
Mapx	1
Fields:	
Mapx	Ascending
Mapy	1
Fields:	
Mapy	Ascending
STNAME	1
Fields:	
STNAME	Ascending
X_COORD	1

Fields:	
X_COORD	Ascending
Y_COORD	1
Fields:	
Y_COORD	Ascending

Properties

DateCreated: 9/27/2005 5:53:13 AM GUID: {guid {CFA0D552-9AC0-40BF-91E6-8349618E0724}}
LastUpdated: 9/27/2005 6:00:36 AM NameMap: Long binary data
OrderByOn: False Orientation: Left-to-Right
RecordCount: 3 Updatable: True

Columns

Name	Type	Size
Dir	Text	10
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {9452FF03-4C8F-4833-84E4-AAF3A412B078}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Dir	
SourceTable:	tblGeoAlias	
UnicodeCompression:	True	
Stn	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {259A7B7C-D7F2-47D3-9771-FA60441A3208}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	Stn	
SourceTable:	tblGeoAlias	
UnicodeCompression:	True	
Sfx	Text	5
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

Properties

DateCreated:	8/31/2009 3:50:20 PM	LastUpdated:	8/31/2009 3:50:22 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	22543
Updatable:	True		

Columns

Name	Type	Size
geoKey	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Primary Key	
OrdinalPosition:	0	
Required:	False	
SourceField:	geoKey	
SourceTable:	tblGeocodes	
stNum	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Numerics	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	stNum	
SourceTable:	tblGeocodes	
stDir	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Street Direction	
DisplayControl:	Text Box	

	OrdinalPosition:	2		
	Required:	False		
	SourceField:	stDir		
	SourceTable:	tblGeocodes		
	UnicodeCompression:	True		
stName			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1590		
	DataUpdatable:	False		
	Description:	Street Name		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	stName		
	SourceTable:	tblGeocodes		
	UnicodeCompression:	True		
stSfx			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Street Suffix		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	stSfx		
	SourceTable:	tblGeocodes		
	UnicodeCompression:	True		
XstDir			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Street Direction		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	XstDir		
	SourceTable:	tblGeocodes		
	UnicodeCompression:	True		

FieldName	FieldType	FieldLength
XstName	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Street Name	
DisplayControl:	Text Box	
OrdinalPosition:	6	
Required:	False	
SourceField:	XstName	
SourceTable:	tblGeocodes	
UnicodeCompression:	True	
XstSfx	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Street Suffix	
DisplayControl:	Text Box	
OrdinalPosition:	7	
Required:	False	
SourceField:	XstSfx	
SourceTable:	tblGeocodes	
UnicodeCompression:	True	
Latitude	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Latitude	
DisplayControl:	Text Box	
OrdinalPosition:	8	
Required:	False	
SourceField:	Latitude	
SourceTable:	tblGeocodes	
Longitude	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Longitude
DisplayControl:	Text Box
OrdinalPosition:	9
Required:	False
SourceField:	Longitude
SourceTable:	tblGeocodes

Table Indexes

Name	Number of Fields
PrimaryKey	1
Fields:	
geoKey	Ascending
stDir	1
Fields:	
stDir	Ascending
stName	1
Fields:	
stName	Ascending
stNum	1
Fields:	
stNum	Ascending
stSfx	1
Fields:	
stSfx	Ascending
XstDir	1
Fields:	
XstDir	Ascending
XstName	1
Fields:	
XstName	Ascending
XstSfx	1
Fields:	
XstSfx	Ascending

Properties

DateCreated:	10/6/2005 1:55:37 PM	LastUpdated:	10/6/2005 3:34:48 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1479
Updatable:	True		

Columns

Name	Type	Size
ADDRESS	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	ADDRESS	
SourceTable:	tblGeoINTRSCTN	
UnicodeCompression:	False	
DIR	Text	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	DIR	
SourceTable:	tblGeoINTRSCTN	
UnicodeCompression:	False	
STN	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	2	

	Required:	False		
	SourceField:	STN		
	SourceTable:	tblGeoINTRSCTN		
	UnicodeCompression:	False		
SFX			Text	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	SFX		
	SourceTable:	tblGeoINTRSCTN		
	UnicodeCompression:	False		
xDIR			Text	2
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	xDIR		
	SourceTable:	tblGeoINTRSCTN		
	UnicodeCompression:	False		
xSTN			Text	30
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	xSTN		
	SourceTable:	tblGeoINTRSCTN		
	UnicodeCompression:	False		
xSFX			Text	4
	AllowZeroLength:	False		
	AppendOnly:	False		

	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	xSFX	
	SourceTable:	tblGeoINTRSCTN	
	UnicodeCompression:	False	
MapX		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	MapX	
	SourceTable:	tblGeoINTRSCTN	
MapY		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	MapY	
	SourceTable:	tblGeoINTRSCTN	
X_COORD		Double	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	

OrdinalPosition:	9		
Required:	False		
SourceField:	X_COORD		
SourceTable:	tblGeoINTRSCTN		
Y_COORD		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	10		
Required:	False		
SourceField:	Y_COORD		
SourceTable:	tblGeoINTRSCTN		

Table Indexes

Name	Number of Fields
ADDRESS	1
Fields:	
ADDRESS	Ascending
MapX	1
Fields:	
MapX	Ascending
MapY	1
Fields:	
MapY	Ascending
STN	1
Fields:	
STN	Ascending
X_COORD	1
Fields:	
X_COORD	Ascending
xSTN	1
Fields:	
xSTN	Ascending
Y_COORD	1
Fields:	
Y_COORD	Ascending

Properties

DateCreated:	3/22/2004 4:37:00 PM	DefaultView:	2
GUID:	{guid {50418CE1-24D1-481D-B9E3-564E3856992B}}	LastUpdated:	3/27/2007 2:06:20 PM
NameMap:	Long binary data	OrderBy:	tblIncidentType.[Incident Description]
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	395	Updatable:	True

Columns

Name	Type	Size
Incident Type	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {01A96183-A38C-4FA4-9322-034DDB4637D0}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Incident Type	
SourceTable:	tblIncidentType	
UnicodeCompression:	False	
Incident Description	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3000	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {382C8388-20E5-421F-BA5D-C28D25EBE301}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	Incident Description	
SourceTable:	tblIncidentType	
UnicodeCompression:	False	

Properties

DateCreated: 2/27/2004 2:22:49 PM GUID: {guid {4FBEA88C-1034-4C5E-B7E0-19D62707AB7A}}

LastUpdated: 10/3/2006 11:33:04 AM NameMap: Long binary data

OrderBy: tblINSTATxref.Disposition OrderByOn: True

Orientation: Left-to-Right RecordCount: 32

Updatable: True

Columns

Name	Type	Size
Disposition	Text	5
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	DISPOSITION CODE	
DisplayControl:	Text Box	
GUID:	{guid {D622893D-7537-4AEE-B2CA-650300031FBA}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Disposition	
SourceTable:	tblINSTATxref	
UnicodeCompression:	False	
Disp-TXT	Text	80
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3540	
DataUpdatable:	False	
Description:	DISPOSITION TEXT	
DisplayControl:	Text Box	
GUID:	{guid {98951B51-5554-4D7F-BC3F-1344BADA50D8}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	Disp-TXT	
SourceTable:	tblINSTATxref	
UnicodeCompression:	False	
INSTAT	Text	3
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: AS400 status
DisplayControl: Text Box
GUID: {guid {D038D40E-5C3B-4CDF-8FBF-33122ACE42CF}}
OrdinalPosition: 3
Required: False
SourceField: INSTAT
SourceTable: tblINSTATxref
UnicodeCompression: False

STATUS

Text

50

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 3270
DataUpdatable: False
Description: AS400 TEXT
DisplayControl: Text Box
GUID: {guid {B3DD22D2-ACE1-42EB-8AFA-009CE5044DF4}}
OrdinalPosition: 4
Required: False
SourceField: STATUS
SourceTable: tblINSTATxref
UnicodeCompression: True

Properties

DateCreated:	12/15/2004 9:56:32 AM	GUID:	{guid {7B88740C-6942-4A06-A3DC-BD4B56E40ABD}}
LastUpdated:	12/15/2004 5:05:57 PM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	14828	Updatable:	True

Columns

Name	Type	Size
yr	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {80C4F63B-9381-48F0-9FF9-7EC44C5DA49B}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	yr	
SourceTable:	tblOpsNarr	
poli	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {A7746672-0ABF-4134-B979-B1B01C6AC5BE}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	poli	
SourceTable:	tblOpsNarr	
seq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	sequence number for narrative		
	DisplayControl:	Text Box		
	GUID:	{guid {21AC40BF-3DCC-40E3-A674-7F2928494247}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	seq		
	SourceTable:	tblOpsNarr		
EmpID			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Person submitting report		
	DisplayControl:	Text Box		
	GUID:	{guid {0212D3D5-1326-4F21-86B6-EA296D5125BA}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	EmpID		
	SourceTable:	tblOpsNarr		
narrative			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	7335		
	DataUpdatable:	False		
	GUID:	{guid {291E219B-4BF8-4138-8887-CDE2393EC001}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	narrative		
	SourceTable:	tblOpsNarr		
	UnicodeCompression:	True		
Persons			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Are person reports attached?		
	DisplayControl:	106		
	Format:	Yes/No		

GUID:	{guid {95E2E5CA-C18D-4DE2-80A8-ACAAB7CE7AA1}}		
OrdinalPosition:	6		
Required:	False		
SourceField:	Persons		
SourceTable:	tblOpsNarr		
LocType		Text	3
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {746B5F8B-5E3D-4F97-84B0-17327D02E784}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	LocType		
SourceTable:	tblOpsNarr		
UnicodeCompression:	True		
AreaType		Text	3
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {9775DA69-C38C-47B8-B455-388315DC2306}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	AreaType		
SourceTable:	tblOpsNarr		
UnicodeCompression:	True		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
poli	1
Fields:	
poli	Ascending
PrimaryKey	3
Fields:	
yr	Ascending
poli	Ascending
seq	Ascending
seq	1
Fields:	
seq	Ascending

yr		1
	Fields:	
	yr	Ascending

Properties

DateCreated:	12/14/2004 10:17:31 AM	GUID:	{guid {138F252B-D341-4411-A07B-63ED3A76BBBB}}
LastUpdated:	1/14/2005 10:43:10 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	17454	Updatable:	True

Columns

Name	Type	Size
yr	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	ocaYR	
DisplayControl:	Text Box	
GUID:	{guid {43A4C360-D2EC-4F94-A3EC-ED3D4FBA4DCB}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	yr	
SourceTable:	tblPersons	
poli	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	ocaPOLI	
DisplayControl:	Text Box	
GUID:	{guid {059A3207-57E8-4EDE-BE7F-6DBF8A204263}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	poli	
SourceTable:	tblPersons	
SEQ	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: sequence number
 DisplayControl: Text Box
 GUID: {guid {94574C92-856E-4DC1-B9ED-2F3BC0004A01}}
 OrdinalPosition: 3
 Required: False
 SourceField: SEQ
 SourceTable: tblPersons

NAMTYP Text 3

AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: person type
 DisplayControl: Text Box
 GUID: {guid {FB2B4ACC-7F82-460A-AD4A-AD4EF4D34845}}
 OrdinalPosition: 4
 Required: False
 SourceField: NAMTYP
 SourceTable: tblPersons
 UnicodeCompression: True

NLSTNM Text 30

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: last name
 DisplayControl: Text Box
 GUID: {guid {BA456464-FE3E-46F9-A0FC-08FA537BE58D}}
 OrdinalPosition: 5
 Required: False
 SourceField: NLSTNM
 SourceTable: tblPersons
 UnicodeCompression: True

NFSTNM Text 15

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

	DataUpdatable:	False		
	Description:	first name		
	DisplayControl:	Text Box		
	GUID:	{guid {418C2AC7-93ED-4A73-B834-07792D6B0099}}		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	NFSTNM		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
NMIDNM			Text	15
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	middle name		
	DisplayControl:	Text Box		
	GUID:	{guid {B87AA0A8-CEDE-4480-A8B4-F7CBB3D71407}}		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	NMIDNM		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
NDOBMO			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	dobmm		
	DisplayControl:	Text Box		
	GUID:	{guid {97A35085-7DAD-417D-87CD-73F88BBB5251}}		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	NDOBMO		
	SourceTable:	tblPersons		
NDOBDY			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		

Description: dobdd
 DisplayControl: Text Box
 GUID: {guid {F4AD810B-E7E9-4B21-8666-C72D556E7BE2}}
 OrdinalPosition: 9
 Required: False
 SourceField: NDOBDY
 SourceTable: tblPersons

NDOBYR Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: dobyy
 DisplayControl: Text Box
 GUID: {guid {DAE119D2-9605-4CE0-AF7A-56AE73DCFB79}}
 OrdinalPosition: 10
 Required: False
 SourceField: NDOBYR
 SourceTable: tblPersons

NDOBCC Long Integer 4

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: dob century bit
 DisplayControl: Text Box
 GUID: {guid {33CA104F-AA0D-4587-85E8-AB580B302E79}}
 OrdinalPosition: 11
 Required: False
 SourceField: NDOBCC
 SourceTable: tblPersons

NRACE Text 3

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 Description: race
 DisplayControl: Text Box
 GUID: {guid {4B30CB2B-343D-4641-B7E0-89EFF65DFB0F}}

	OrdinalPosition:	12		
	Required:	False		
	SourceField:	NRACE		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
NSEX			Text	3
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	gender		
	DisplayControl:	Text Box		
	GUID:	{guid {AA75083B-968B-4C14-83F6-FC3DD606BECC}}		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	NSEX		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
sameADDR			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Same as Incident address		
	DisplayControl:	106		
	Format:	Yes/No		
	GUID:	{guid {55F4454B-10D8-477A-B0FD-C8D320BB7FA3}}		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	sameADDR		
	SourceTable:	tblPersons		
LOCSTnum			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	street numerics		
	DisplayControl:	Text Box		
	GUID:	{guid {CC989996-9DB2-42E1-B162-EFE2144F4817}}		
	OrdinalPosition:	15		

	Required:	False		
	SourceField:	LOCSTnum		
	SourceTable:	tblPersons		
LOCDIR			Text	2
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	directional		
	DisplayControl:	Text Box		
	GUID:	{guid {4D255138-4029-43FC-945C-D03059717F55}}		
	OrdinalPosition:	16		
	Required:	False		
	SourceField:	LOCDIR		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
LOCSTN			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	street name		
	DisplayControl:	Text Box		
	GUID:	{guid {78550787-F885-4D17-AE69-4D26BCBF4C1E}}		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	LOCSTN		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
LOCAPT			Text	10
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	apartment		
	DisplayControl:	Text Box		
	GUID:	{guid {747F1C5F-331B-4F97-B1A2-880C58D8EE8A}}		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	LOCAPT		
	SourceTable:	tblPersons		

	UnicodeCompression:	True		
LOCSFX			Text	4
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	suffix		
	DisplayControl:	Text Box		
	GUID:	{guid {355AE141-A330-4AB4-A4B8-9AB221ECEBF5}}		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	LOCSFX		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
LOCCTY			Text	18
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	city		
	DisplayControl:	Text Box		
	GUID:	{guid {CB078CDF-44FF-49F8-A69E-35FB4ECE60AC}}		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	LOCCTY		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		
LOCST			Text	2
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	state		
	DisplayControl:	Text Box		
	GUID:	{guid {A08293C4-5C64-4741-9416-44538CDFE71C}}		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	LOCST		
	SourceTable:	tblPersons		
	UnicodeCompression:	True		

Field Name	Field Type	Field Length
LOCZIP	Text	9
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	zip	
DisplayControl:	Text Box	
GUID:	{guid {2CE02FCF-0118-40EA-8BF6-002964B056AA}}	
OrdinalPosition:	22	
Required:	False	
SourceField:	LOCZIP	
SourceTable:	tblPersons	
UnicodeCompression:	True	
LOCP1A	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	phone1	
DisplayControl:	Text Box	
GUID:	{guid {C7F7EDFF-2542-49E5-A6DC-FC81341649A9}}	
OrdinalPosition:	23	
Required:	False	
SourceField:	LOCP1A	
SourceTable:	tblPersons	
LOCP1P	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	phone1	
DisplayControl:	Text Box	
GUID:	{guid {3D3A55FC-891F-4B21-90DF-8F7885070946}}	
OrdinalPosition:	24	
Required:	False	
SourceField:	LOCP1P	
SourceTable:	tblPersons	
LOCP1S	Long Integer	4
AllowZeroLength:	False	

AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 Description: phone1
 DisplayControl: Text Box
 GUID: {guid {382FA53B-E747-401B-9CC8-EFF345F9919B}}
 OrdinalPosition: 25
 Required: False
 SourceField: LOCP1S
 SourceTable: tblPersons

Table Indexes

Name	Number of Fields
LOCSTnum	1
Fields:	
LOCSTnum	Ascending
NAMTYP	1
Fields:	
NAMTYP	Ascending
NLFSTNM	1
Fields:	
NFSTNM	Ascending
NLSTNM	1
Fields:	
NLSTNM	Ascending
poli	1
Fields:	
poli	Ascending
PrimaryKey	3
Fields:	
yr	Ascending
poli	Ascending
SEQ	Ascending
SEQ	1
Fields:	
SEQ	Ascending
yr	1
Fields:	
yr	Ascending

Properties

DateCreated:	12/20/2004 12:27:52 PM	LastUpdated:	12/20/2004 12:36:11 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	360
Updatable:	True		

Columns

Name	Type	Size
Code	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	Code	
SourceTable:	tblPropType	
UnicodeCompression:	False	
Description	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	Description	
SourceTable:	tblPropType	
UnicodeCompression:	False	

Properties

DateCreated:	2/13/2006 10:13:25 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {5B851F36-7AAB-4067-87D2-616B1B082CD8}}	HideNewField:	False
LastUpdated:	9/17/2009 1:32:35 PM	NameMap:	Long binary data
OrderBy:	tblSexOffenders.name, tblSexOffenders.address	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	16	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	Neutral	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {D8A76F31-83B3-4887-80FA-52D37378D83F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	tblSexOffenders	
TextAlign:	General	
name	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3645	
DataUpdatable:	False	
GUID:	{guid {30DA9654-AAB5-4C00-8FA3-982DA90883ED}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	name	
SourceTable:	tblSexOffenders	
TextAlign:	General	
address	Text	255
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2775
DataUpdatable:	False
GUID:	{guid {BA2BA0BB-1DA6-4704-91B6-04BA065617C6}}
OrdinalPosition:	2
Required:	False
SourceField:	address
SourceTable:	tblSexOffenders
TextAlign:	General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
ID	Ascending

Properties

DateCreated:	2/2/2004 11:45:37 AM	GUID:	{guid {25C25175-82CE-498E-8076-93CAD70EB747}}
LastUpdated:	2/2/2004 11:45:47 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	25	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {2B3F6825-6E18-40D0-8608-64921FFAE558}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblSuffixes	
SFX	Text	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B0DD7E28-6BFD-4543-BAE5-01D4C5CFFC0D}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	SFX	
SourceTable:	tblSuffixes	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

Properties

DateCreated:	3/2/2005 5:12:35 PM	GUID:	{guid {31EA17E3-724F-4F2C-BC71-2A8640152611}}
LastUpdated:	3/3/2005 3:37:15 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	631	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblUnitsDeleted	
INCKEY	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1B6BFE99-DE0A-4DE2-8207-CBC1EC94206E}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	INCKEY	
SourceTable:	tblUnitsDeleted	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {9BD88A24-EE30-4B1C-A89F-C655AA9E34CF}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	EmpID		
	SourceTable:	tblUnitsDeleted		
YR			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {67EB056E-1380-457D-958A-E3E06663144F}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	YR		
	SourceTable:	tblUnitsDeleted		
Poli			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {82F77F50-FC89-495A-93D9-B78A927770B9}}		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Poli		
	SourceTable:	tblUnitsDeleted		
CallSign			Text	10
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	960		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {3FE79C34-2D25-4117-995C-DE25FFB31D81}}		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	CallSign		

SourceTable:	tblUnitsDeleted		
UnicodeCompression:	False		
DispDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
DataUpdatable:	False		
GUID:	{guid {DAF71FC3-1C1B-4A6C-8841-A2C34F964395}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	DispDateTime		
SourceTable:	tblUnitsDeleted		
ArrDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {D02A442A-4B9E-4CFE-83FB-ECCED08A2367}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	ArrDateTime		
SourceTable:	tblUnitsDeleted		
ClrDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {311C165E-E46B-4FB1-B202-B86397767136}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	ClrDateTime		
SourceTable:	tblUnitsDeleted		
EmpName		Text	20
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {F42391A1-7544-43B6-BAE7-360535BB33FA}}
OrdinalPosition: 10
Required: False
SourceField: EmpName
SourceTable: tblUnitsDeleted
UnicodeCompression: True

Narrative

Memo

-

AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {DC85CB31-2367-4B49-BF89-7D0C4A675BEA}}
OrdinalPosition: 11
Required: False
SourceField: Narrative
SourceTable: tblUnitsDeleted
UnicodeCompression: True

Properties

DateCreated:	8/31/2009 6:55:40 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {F371F32E-D388-4D98-8042-9B29030F7259}}	HideNewField:	False
LastUpdated:	8/31/2009 7:09:44 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	30
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
fIdMarked	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {7AB5FDAE-5086-43AB-8371-2190D2F67BB4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	fIdMarked	
SourceTable:	tblWarrants	
TextAlign:	General	
Address	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {3DA8EAD4-D16A-4B0A-AD46-CCA5D0B3C1AB}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Address	
SourceTable:	tblWarrants	
TextAlign:	General	
UnicodeCompression:	True	

<p>DefName</p> <p>AggregateType: -1</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DisplayControl: Text Box</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 2</p> <p>Required: False</p> <p>SourceField: DefName</p> <p>SourceTable: tblWarrants</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Text</p>	<p>255</p>
<p>WarrType</p> <p>AggregateType: -1</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DisplayControl: Text Box</p> <p>GUID: {BOCC838A-15E4-4EC8-9F83-1179D369BF2E}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 3</p> <p>Required: False</p> <p>SourceField: WarrType</p> <p>SourceTable: tblWarrants</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Text</p>	<p>255</p>
<p>Offense</p> <p>AggregateType: -1</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DisplayControl: Text Box</p> <p>GUID: {0374EE57-E2AD-4474-A11E-D7A59C5E8E47}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 4</p>	<p>Text</p>	<p>255</p>

	Required:	False		
	SourceField:	Offense		
	SourceTable:	tblWarrants		
	TextAlign:	General		
	UnicodeCompression:	True		
County			Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {7EFF8CE0-A4F1-4917-81AD-0C00C7CD2FDE}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	County		
	SourceTable:	tblWarrants		
	TextAlign:	General		
	UnicodeCompression:	True		
FileNumber			Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {F55E6E6D-CF27-4ADC-BFBC-AF46D630A570}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	FileNumber		
	SourceTable:	tblWarrants		
	TextAlign:	General		
	UnicodeCompression:	True		
Zone			Text	255
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {058B817E-D4F3-496D-81D5-0301389EAB2E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	Zone	
	SourceTable:	tblWarrants	
	TextAlign:	General	
	UnicodeCompression:	True	
Officer			Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {2C4F688B-CBCF-4E5F-87E4-58E276B5CE56}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	Officer	
	SourceTable:	tblWarrants	
	TextAlign:	General	
	UnicodeCompression:	True	
IssueDate			Date/Time 8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {4A1B0326-C70C-445E-9DEA-49BFC042A812}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	IssueDate	
	SourceTable:	tblWarrants	
	TextAlign:	General	
CourtDate			Date/Time 8
	AggregateType:	-1	

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {8DB045AE-5007-46FB-85B6-C3349DD5E9C0}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 ShowDatePicker: For dates
 SourceField: CourtDate
 SourceTable: tblWarrants
 TextAlign: General

DaysAssigned Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {4178E1F9-64E3-47C6-80FA-802EB2C58414}}
 OrdinalPosition: 11
 Required: False
 SourceField: DaysAssigned
 SourceTable: tblWarrants
 TextAlign: General

DaysUnserved Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {1A040E38-3BDC-4048-9C5B-67DDB0BB70A7}}
 OrdinalPosition: 12
 Required: False
 SourceField: DaysUnserved
 SourceTable: tblWarrants
 TextAlign: General

LocalCaseNum		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {002D9A46-F6FC-4A3B-8DF1-51F3414778FC}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	LocalCaseNum		
SourceTable:	tblWarrants		
TextAlign:	General		
UnicodeCompression:	True		

LocalAgency		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {B3B5F1E1-1611-4CE0-AC92-C85C2992B1C7}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	14		
Required:	False		
SourceField:	LocalAgency		
SourceTable:	tblWarrants		
TextAlign:	General		
UnicodeCompression:	True		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
LocalCaseNum	1
Fields:	
LocalCaseNum	Ascending

Properties

DateCreated: 12/13/2004 2:29:47 PM GUID: {guid {69117A64-4C90-4C37-99A7-AD06209D4CF3}}
LastUpdated: 9/27/2005 6:06:06 AM NameMap: Long binary data
OrderByOn: False Orientation: Left-to-Right
RecordCount: 18 Updatable: True

Columns

Name	Type	Size
xSTN	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2760	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {969767B7-688C-44A0-A770-1821BDFE707C}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	xSTN	
SourceTable:	tblxStreetAlias	
UnicodeCompression:	False	
realDIR	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {3EBC9C3B-ED3E-4931-9E83-3043C306FF8E}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	realDIR	
SourceTable:	tblxStreetAlias	
UnicodeCompression:	True	
realSTN	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2130	

	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {F6E44540-712F-4DD6-9773-EFAB0DA68E0E}}		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	realSTN		
	SourceTable:	tblxStreetAlias		
	UnicodeCompression:	True		
realSFX			Text	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {F0188581-F4B8-46FD-B74D-3D4D18887420}}		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	realSFX		
	SourceTable:	tblxStreetAlias		
	UnicodeCompression:	False		

Properties

DateCreated:	7/18/2004 2:37:03 PM	GUID:	{guid {B78772EE-1292-42AA-83EA-67276971980D}}
LastUpdated:	3/28/2005 9:52:42 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	226874	Updatable:	True

Columns

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {66A80AA2-47A8-4239-9171-85CD7098DBDB}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	Units	
INCKEY	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {D2E1F93D-5EF4-4A03-8B7D-3488B6909E0B}}	
OrdinalPosition:	2	
Required:	False	
SourceField:	INCKEY	
SourceTable:	Units	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	

	DisplayControl:	Text Box	
	GUID:	{guid {1EDE7093-A2B9-45EE-9835-D1C97D8D40EE}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	EmpID	
	SourceTable:	Units	
YR			Long Integer 4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {7F0B476B-E794-4A2E-9D8E-D5981E61F52A}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	YR	
	SourceTable:	Units	
Poli			Long Integer 4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {CED820F0-28A6-4E60-B429-6FCD8E10696B}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	Poli	
	SourceTable:	Units	
CallSign			Text 10
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	960	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {30F1DB4F-372C-4070-8FE5-03F1E1C90928}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	CallSign	
	SourceTable:	Units	

UnicodeCompression:	False		
DispDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2175		
DataUpdatable:	False		
GUID:	{guid {33415810-76CD-4711-ABF8-D342F3936AB4}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	DispDateTime		
SourceTable:	Units		
ArrDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {D519F5FD-B518-4FB2-8009-5EB44CB72574}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	ArrDateTime		
SourceTable:	Units		
ClrDateTime		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {67410E8C-94C1-4A73-A7D8-388000E5929D}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	ClrDateTime		
SourceTable:	Units		
EmpName		Text	20
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

DisplayControl: Text Box
GUID: {guid {578594F1-67B7-4D66-9C07-CEC568B4677F}}
OrdinalPosition: 10
Required: False
SourceField: EmpName
SourceTable: Units
UnicodeCompression: True

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
ID	1
Fields:	
ID	Ascending
INCKEY	1
Fields:	
INCKEY	Ascending
Poli	1
Fields:	
Poli	Ascending
YR	1
Fields:	
YR	Ascending