

**Properties**

DateCreated:	3/4/2002 1:53:51 PM	Description:	Domestic Violence Protective Orders
LastUpdated:	3/4/2002 3:02:30 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	106
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	key	
SourceTable:	50b_orders	
orderCancelled	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
OrdinalPosition:	2	
Required:	False	
SourceField:	orderCancelled	
SourceTable:	50b_orders	
orderDistrict	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	EAST or WEST	
DisplayControl:	Text Box	
OrdinalPosition:	3	

	Required:	False		
	SourceField:	orderDistrict		
	SourceTable:	50b_orders		
	UnicodeCompression:	True		
orderDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	Short Date		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	orderDate		
	SourceTable:	50b_orders		
expireDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	Short Date		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	expireDate		
	SourceTable:	50b_orders		
orderLoc			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	orderLoc		
	SourceTable:	50b_orders		
	UnicodeCompression:	True		
orderPlaintiff			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	orderPlaintiff		
SourceTable:	50b_orders		
UnicodeCompression:	True		
orderDefendant		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	orderDefendant		
SourceTable:	50b_orders		
UnicodeCompression:	True		
orderMemo		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Memo Info		
OrdinalPosition:	9		
Required:	False		
SourceField:	orderMemo		
SourceTable:	50b_orders		
UnicodeCompression:	True		
saveInfo		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	10		
Required:	False		
SourceField:	saveInfo		

SourceTable: 50b\_orders  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	1/10/2002 1:04:10 PM	LastUpdated:	1/25/2002 9:13:26 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	17	Updatable:	True

**Columns**

Name	Type	Size
RegTagNum	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	RegTagNum	
SourceTable:	AnimalReg	
Date Reg	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
OrdinalPosition:	1	
Required:	False	
SourceField:	Date Reg	
SourceTable:	AnimalReg	
Expire Date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
OrdinalPosition:	2	
Required:	False	
SourceField:	Expire Date	

SourceTable:	AnimalReg		
OwnerName		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	OwnerName		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Owner Address		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	Owner Address		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
City		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	City		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Zip		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Zip  
 SourceTable: AnimalReg  
 UnicodeCompression: True

Home Phone Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 InputMask: !\ (999) "000\-0000;0;\_  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Home Phone  
 SourceTable: AnimalReg  
 UnicodeCompression: True

Work Phone Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 InputMask: !\ (999) "000\-0000;0;\_  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Work Phone  
 SourceTable: AnimalReg  
 UnicodeCompression: True

Emergency Name Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False

SourceField:	Emergency Name		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Emergency Phone		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
InputMask:	!(999) "000\0000;0;_		
OrdinalPosition:	10		
Required:	False		
SourceField:	Emergency Phone		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Name of Animal		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	11		
Required:	False		
SourceField:	Name of Animal		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Breed of Animal		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	12		
Required:	False		
SourceField:	Breed of Animal		
SourceTable:	AnimalReg		
UnicodeCompression:	True		
Sex of Animal		Text	50
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Combo Box  
 LimitToList: False  
 ListRows: 8  
 ListWidth: Otwip  
 OrdinalPosition: 13  
 Required: False  
 RowSource: Male;Female;Unknown  
 RowSourceType: Value List  
 SourceField: Sex of Animal  
 SourceTable: AnimalReg  
 UnicodeCompression: True

Color/Markings

Text

50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Color/Markings  
 SourceTable: AnimalReg  
 UnicodeCompression: True

Fee Paid

Currency

8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1770  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,###0.00;(\$#,##0.00)  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Fee Paid  
 SourceTable: AnimalReg

Spay/Neuter

Text

50

AllowZeroLength: False  
 AppendOnly: False

Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Combo Box  
 LimitToList: False  
 ListRows: 8  
 ListWidth: Otwip  
 OrdinalPosition: 16  
 Required: False  
 RowSource: Yes;No  
 RowSourceType: Value List  
 SourceField: Spay/Neuter  
 SourceTable: AnimalReg  
 UnicodeCompression: True

RabiesTag

Text

50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 17  
 Required: False  
 SourceField: RabiesTag  
 SourceTable: AnimalReg  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
Fee Paid	1
Fields:	
Fee Paid	Ascending
PrimaryKey	1
Fields:	
RegTagNum	Ascending
Reg Tag Num	1
Fields:	
RegTagNum	Ascending

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=GPDNET;
DateCreated:	1/22/2004 9:22:57 AM	LastUpdated:	1/22/2004 9:23:02 AM
RecordCount:	-1	SourceTableName:	CMSF.CMSNARRD
Updatable:	False		

**Columns**

Name		Type	Size
KEY#		Decimal	16
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	2	
	DataUpdatable:	False	
	OrdinalPosition:	1	
	Required:	True	
	SourceField:	KEY#	
	SourceTable:	CMSF_CMSNARRD	
YR		Decimal	16
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	2	
	DataUpdatable:	False	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	YR	
	SourceTable:	CMSF_CMSNARRD	
POLI		Decimal	16
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	6	
	DataUpdatable:	False	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	POLI	
	SourceTable:	CMSF_CMSNARRD	
NARCOD		Decimal	16
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	3	
	DataUpdatable:	False	
	OrdinalPosition:	4	
	Required:	True	
	SourceField:	NARCOD	
	SourceTable:	CMSF_CMSNARRD	

<p>SUPSEQ</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: 4</p> <p>DataUpdatable: False</p> <p>OrdinalPosition: 5</p> <p>Required: True</p> <p>SourceField: SUPSEQ</p> <p>SourceTable: CMSF_CMSNARRD</p>	<p>Decimal</p> <p>16</p>
<p>NARSEQ</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: 6</p> <p>DataUpdatable: False</p> <p>OrdinalPosition: 6</p> <p>Required: True</p> <p>SourceField: NARSEQ</p> <p>SourceTable: CMSF_CMSNARRD</p>	<p>Decimal</p> <p>16</p>
<p>NARR</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>DataUpdatable: False</p> <p>OrdinalPosition: 7</p> <p>Required: True</p> <p>SourceField: NARR</p> <p>SourceTable: CMSF_CMSNARRD</p>	<p>Text</p> <p>70</p>

**Table Indexes**

Name	Number of Fields
CMSNARRD	6
Fields:	
KEY#	Ascending
YR	Ascending
POLI	Ascending
NARCOD	Ascending
SUPSEQ	Ascending
NARSEQ	Ascending

**Properties**

DateCreated:	1/22/2004 9:24:32 AM	LastUpdated:	1/22/2004 9:24:46 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

**Columns**

Name	Type	Size
KEY#	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: KEY# SourceTable: CMSNARRD		
YR	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: YR SourceTable: CMSNARRD		
POLI	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 3		

	Required:	False		
	SourceField:	POLI		
	SourceTable:	CMSNARRD		
<b>NARCOD</b>			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	NARCOD		
	SourceTable:	CMSNARRD		
<b>SUPSEQ</b>			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	SUPSEQ		
	SourceTable:	CMSNARRD		
<b>NARSEQ</b>			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	NARSEQ		
	SourceTable:	CMSNARRD		
<b>NARR</b>			Text	70
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
OrdinalPosition:	7
Required:	False
SourceField:	NARR
SourceTable:	CMSNARRD
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
KEY#	1
Fields:	
KEY#	Ascending
PrimaryKey	6
Fields:	
KEY#	Ascending
YR	Ascending
POLI	Ascending
NARCOD	Ascending
SUPSEQ	Ascending
NARSEQ	Ascending

**Properties**

DateCreated:	6/3/2002 12:43:09 PM	Description:	Keeps track of Enforcement Requests
LastUpdated:	10/7/2002 10:56:41 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	121
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False Description: key OrdinalPosition: 1 Required: False SourceField: key SourceTable: enforcementreq		
district	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: District DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: district SourceTable: enforcementreq UnicodeCompression: True		
reqDate	Date/Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Request Date		

	OrdinalPosition:	3		
	Required:	False		
	SourceField:	reqDate		
	SourceTable:	enforcementreq		
endDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Projected End Date		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	endDate		
	SourceTable:	enforcementreq		
Location			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Location of enforcement request		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Location		
	SourceTable:	enforcementreq		
	UnicodeCompression:	True		
xstreet			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	cross street		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	xstreet		
	SourceTable:	enforcementreq		
	UnicodeCompression:	True		
enforcementType			Text	50
	AllowZeroLength:	True		

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: type of enforcement  
 DisplayControl: Text Box  
 OrdinalPosition: 7  
 Required: False  
 SourceField: enforcementType  
 SourceTable: enforcementreq  
 UnicodeCompression: True

EmpID Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: employee number  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: EmpID  
 SourceTable: enforcementreq

saveInfo Text 100

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 4845  
 DataUpdatable: False  
 Description: save Information  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: saveInfo  
 SourceTable: enforcementreq  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
key	1
Fields:	
key	Ascending

---

PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	12/27/2001 3:04:17 PM	Description:	Helmets Given by PD
LastUpdated:	1/25/2002 9:13:26 AM	OrderByOn:	False
RecordCount:	78	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: ID SourceTable: helmetsgiven		
Name	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Child's Name DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: Name SourceTable: helmetsgiven		
Age	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: Age		

Field Name	SourceTable	Field Type	Length
Phone	helmetsgiven	Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	Phone		
SourceTable:	helmetsgiven		
Address	helmetsgiven	Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	Address		
SourceTable:	helmetsgiven		
PG	helmetsgiven	Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Parent or Guardian		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	PG		
SourceTable:	helmetsgiven		
Date	helmetsgiven	Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Date  
 SourceTable: helmetsgiven

DispensedBy		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Helmet given out by		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	DispensedBy		
SourceTable:	helmetsgiven		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	12/27/2001 3:04:18 PM	Description:	Helmet Warnings Issued
LastUpdated:	1/25/2002 9:13:26 AM	OrderByOn:	False
RecordCount:	8	Updatable:	True

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 0 Required: False SourceField: key SourceTable: helmetwarnings		
EmpID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: Officer Employee Number DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: EmpID SourceTable: helmetwarnings		
Date_Time	Date/Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Date and Time that warning was issued Format: General Date OrdinalPosition: 2 Required: False		

SourceField:	Date_Time		
SourceTable:	helmetwarnings		
Location		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Location of Incident		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	Location		
SourceTable:	helmetwarnings		
Juv_Name		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Juvenile's Name		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	Juv_Name		
SourceTable:	helmetwarnings		
Juv_Age		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Age		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	Juv_Age		
SourceTable:	helmetwarnings		
Juv_Address		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Address  
 DisplayControl: Text Box  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Juv\_Address  
 SourceTable: helmetwarnings

PG\_Name Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Parent or Guardian Name  
 DisplayControl: Text Box  
 OrdinalPosition: 7  
 Required: False  
 SourceField: PG\_Name  
 SourceTable: helmetwarnings

PG\_Contact Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Phone Number or other Contact Information  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: PG\_Contact  
 SourceTable: helmetwarnings

Memo Memo -

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Misc. Info  
 OrdinalPosition: 9  
 Required: False

	SourceField:	Memo		
	SourceTable:	helmetwarnings		
Notified			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Officer personally notified parent		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	Notified		
	SourceTable:	helmetwarnings		
saved			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	save information		
	DisplayControl:	Text Box		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	saved		
	SourceTable:	helmetwarnings		
modified			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	modified information		
	DisplayControl:	Text Box		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	modified		
	SourceTable:	helmetwarnings		
locked			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		

CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: record locked for edit  
DisplayControl: 106  
Format: Yes/No  
OrdinalPosition: 13  
Required: False  
SourceField: locked  
SourceTable: helmetwarnings

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	3/4/2002 3:15:12 PM	Description:	House Checks
LastUpdated:	3/4/2002 3:17:44 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	230
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 1 Required: False SourceField: key SourceTable: houseChecks		
hcDistrict	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: EAST or WEST DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: hcDistrict SourceTable: houseChecks UnicodeCompression: True		
startDate	Date/Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Format: Short Date OrdinalPosition: 3 Required: False		

SourceField:	startDate		
SourceTable:	houseChecks		
cancelDate		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Format:	Short Date		
OrdinalPosition:	4		
Required:	False		
SourceField:	cancelDate		
SourceTable:	houseChecks		
hcLoc		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	hcLoc		
SourceTable:	houseChecks		
UnicodeCompression:	True		
hcContact		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	hcContact		
SourceTable:	houseChecks		
UnicodeCompression:	True		
saveInfo		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

---

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
OrdinalPosition:	7
Required:	False
SourceField:	saveInfo
SourceTable:	houseChecks
UnicodeCompression:	True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	1/13/2004 10:43:21 AM	LastUpdated:	1/13/2004 10:43:22 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

**Columns**

Name	Type	Size
K9Id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	K9Id	
SourceTable:	K9Names	
 K9Name	 Text	 50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	K9Name	
SourceTable:	K9Names	
UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
K9Id	1
Fields:	
K9Id	Ascending
PrimaryKey	1
Fields:	
K9Id	Ascending

**Properties**

DateCreated:	3/4/2002 10:56:57 AM	Description:	meeting info for district bulletins
LastUpdated:	3/4/2002 5:30:04 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	130
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	key	
SourceTable:	meetings	
mtgCancelled	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
OrdinalPosition:	2	
Required:	False	
SourceField:	mtgCancelled	
SourceTable:	meetings	
mtgDistrict	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	EAST or WEST	
DisplayControl:	Text Box	
OrdinalPosition:	3	

	Required:	False		
	SourceField:	mtgDistrict		
	SourceTable:	meetings		
	UnicodeCompression:	True		
mtgDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	OrdinalPosition:	4		
	Required:	True		
	SourceField:	mtgDate		
	SourceTable:	meetings		
mtgLoc			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	mtgLoc		
	SourceTable:	meetings		
	UnicodeCompression:	True		
mtgPurpose			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	mtgPurpose		
	SourceTable:	meetings		
	UnicodeCompression:	True		
mtgContact			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 7  
 Required: False  
 SourceField: mtgContact  
 SourceTable: meetings  
 UnicodeCompression: True

saveInfo Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: saveInfo  
 SourceTable: meetings  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	2/27/2002 10:34:29 AM	LastUpdated:	12/23/2004 8:58:31 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

**Columns**

Name	Type	Size
DISTRICT	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False Description: EAST OR WEST DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: DISTRICT SourceTable: MiscDistrictInfo UnicodeCompression: True		
Show	Yes/No	1
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Show or not switch DisplayControl: 106 Format: Yes/No OrdinalPosition: 2 Required: False SourceField: Show SourceTable: MiscDistrictInfo		
MEMO	Memo	-
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 2865 DataUpdatable: False OrdinalPosition: 3		

Required:	False		
SourceField:	MEMO		
SourceTable:	MiscDistrictInfo		
UnicodeCompression:	True		
<b>SaveInfo</b>		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	SaveInfo		
SourceTable:	MiscDistrictInfo		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
DISTRICT	Ascending

**Properties**

DateCreated:	12/27/2001 3:08:42 PM	DefaultView:	2
Description:	Officer Name and Employee Number	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {BC90FF0A-46BE-423A-B706-AF790913F91F}}
HideNewField:	False	LastUpdated:	12/6/2009 8:21:49 PM
OrderBy:	[Names].[EmpID], Names.LogonID	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	102	TotalsRow:	False
Updatable:	True		

**Columns**

Name	Type	Size
EmpID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	EmpID	
SourceTable:	Names	
TextAlign:	General	
LogonID	Text	25
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2025	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	LogonID	
SourceTable:	Names	
TextAlign:	General	
UnicodeCompression:	True	

Field Name	Field Type	Field Length
MenuStyle	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2445	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	False	
SourceField:	MenuStyle	
SourceTable:	Names	
TextAlign:	General	
UnicodeCompression:	True	
Rank	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	4	
Required:	False	
SourceField:	Rank	
SourceTable:	Names	
TextAlign:	General	
Title	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	Title	
SourceTable:	Names	
TextAlign:	General	

UnicodeCompression:	True		
Division		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2370		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Division		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	True		
fName		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	fName		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	True		
IName		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		

	Required:	False		
	SourceField:	IName		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
Name			Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2640		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	Name		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
email			Text	50
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2745		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	email		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
supervisedBy			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	supervisedBy		
	SourceTable:	Names		
	TextAlign:	General		
supervisor			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Are they a supervisor?		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	supervisor		
	SourceTable:	Names		
	TextAlign:	General		
Current			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Currently Employed?		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	Current		
	SourceTable:	Names		
	TextAlign:	General		
squad			Text	1
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

	Description:	Currently Assigned Squad		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	squad		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
callsign			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Call Sign		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	callsign		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
payroll_division			Text	100
	AggregateType:	-1		
	AllowValueListEdits:	False		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	BoundColumn:	1		
	CollatingOrder:	General		
	ColumnCount:	1		
	ColumnHeads:	False		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	List Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	16		
	Required:	False		
	RowSource:	ADMINISTRATION;INVESTIGATIONS;OPERATIONS		
	RowSourceType:	Value List		
	ShowOnlyRowSourceValues:	False		
	SourceField:	payroll_division		
	SourceTable:	Names		

	TextAlign:	General		
	UnicodeCompression:	True		
payroll_category			Text	255
	AggregateType:	-1		
	AllowValueListEdits:	False		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	BoundColumn:	1		
	CollatingOrder:	General		
	ColumnCount:	1		
	ColumnHeads:	False		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	List Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	17		
	Required:	False		
	RowSource:	SWORN;EXEMPT;CIVILIAN		
	RowSourceType:	Value List		
	ShowOnlyRowSourceValues:	False		
	SourceField:	payroll_category		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
VehID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Vehicle ID		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	VehID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	False		
WhereParked			Text	100
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Where Vehicle parked  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 19  
 Required: False  
 SourceField: WhereParked  
 SourceTable: Names  
 TextAlign: General  
 UnicodeCompression: True

LaptopID Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Computer ID  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 SourceField: LaptopID  
 SourceTable: Names  
 TextAlign: General  
 UnicodeCompression: True

ModemID Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Modem ESN  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 SourceField: ModemID  
 SourceTable: Names  
 TextAlign: General

UnicodeCompression:	True		
PortableID		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Walkie Talkie ID		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	PortableID		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	False		
HandgunID		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	handgun serial number		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	HandgunID		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	True		
LongGunID		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Long Gun serial number		
DisplayControl:	Text Box		

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	24		
	Required:	False		
	SourceField:	LongGunID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
FlashlightID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Maglight ID number		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	25		
	Required:	False		
	SourceField:	FlashlightID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
TaserID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Taser ID		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	26		
	Required:	False		
	SourceField:	TaserID		
	SourceTable:	Names		
	TextAlign:	General		
	UnicodeCompression:	True		
TaserCart1ID			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		



DigiCamID		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Digital Camera		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	30		
Required:	False		
SourceField:	DigiCamID		
SourceTable:	Names		
TextAlign:	General		
UnicodeCompression:	True		
tssPIN		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Traffic Stop PIN		
DisplayControl:	Text Box		
OrdinalPosition:	31		
Required:	False		
SourceField:	tssPIN		
SourceTable:	Names		
TextAlign:	General		
Sworn		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	32		
Required:	False		
SourceField:	Sworn		
SourceTable:	Names		

TextAlign:	General		
IncludeQuery		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	33		
Required:	False		
SourceField:	IncludeQuery		
SourceTable:	Names		
TextAlign:	General		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
DigiCamID	1
Fields:	
DigiCamID	Ascending
EmpID	1
Fields:	
EmpID	Ascending
FlashlightID	1
Fields:	
FlashlightID	Ascending
HandcuffID	1
Fields:	
HandcuffID	Ascending
HandgunID	1
Fields:	
HandgunID	Ascending
LogonID	1
Fields:	
LogonID	Ascending
LongGunID	1
Fields:	
LongGunID	Ascending
PrimaryKey	1
Fields:	
EmpID	Ascending
TaserCart1ID	1
Fields:	
TaserCart1ID	Ascending
TaserCart2ID	1

---

	Fields:	
	TaserCart2ID	Ascending
TaserID		1
	Fields:	
	TaserID	Ascending
VehID		1
	Fields:	
	VehID	Ascending
WTID		1
	Fields:	
	PortableID	Ascending

**Properties**

DateCreated:	12/27/2001 3:03:57 PM	Description:	Passenger Data (goes with TSS)
LastUpdated:	5/1/2003 4:47:25 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	547
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: key DisplayControl: Text Box OrdinalPosition: 0 Required: False SourceField: key SourceTable: pass		
PassSeq	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: passenger Sequence Number DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: PassSeq SourceTable: pass		
PassAge	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default		

	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Passenger Age		
	DisplayControl:	Text Box		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	PassAge		
	SourceTable:	pass		
PassSex			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Passenger Sex		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	PassSex		
	SourceTable:	pass		
	UnicodeCompression:	True		
PassRace			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Passenger Race		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	PassRace		
	SourceTable:	pass		
	UnicodeCompression:	True		
PassEth			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Passenger Ethnicity		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		

SourceField: PassEth  
SourceTable: pass  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
key	1
Fields:	
key	Ascending
PassEth	1
Fields:	
PassEth	Ascending
PassRace	1
Fields:	
PassRace	Ascending
PassSex	1
Fields:	
PassSex	Ascending
PrimaryKey	2
Fields:	
key	Ascending
PassSeq	Ascending

**Properties**

DateCreated:	12/27/2001 3:08:43 PM	Description:	Payroll Database
LastUpdated:	10/27/2006 10:45:22 AM	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	131307
Updatable:	True		

**Columns**

Name	Type	Size
Key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	Key	
SourceTable:	payroll	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	payroll	
Date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Calendar Date that Hours are assigned to	
Format:	Short Date	
InputMask:	99/99/00;0;_	
OrdinalPosition:	3	

	Required:	True		
	SourceField:	Date		
	SourceTable:	payroll		
TimeIn			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Started		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	TimeIn		
	SourceTable:	payroll		
	UnicodeCompression:	True		
TimeOut			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Ended		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	TimeOut		
	SourceTable:	payroll		
	UnicodeCompression:	True		
HrsWorked			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	2		
	Description:	Number of Hours Worked		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	HrsWorked		
	SourceTable:	payroll		

HrsWorkedCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Type of Hours Worked		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	HrsWorkedCode		
SourceTable:	payroll		
UnicodeCompression:	True		
OTL		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	Standard		
OrdinalPosition:	8		
Required:	False		
SourceField:	OTL		
SourceTable:	payroll		
HrsLeave		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	2		
Description:	Number of Hours Leave		
DisplayControl:	Text Box		
Format:	Standard		
OrdinalPosition:	9		
Required:	False		
SourceField:	HrsLeave		
SourceTable:	payroll		
HrsLeaveCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Type of Leave Hours  
 DisplayControl: Text Box  
 OrdinalPosition: 10  
 Required: False  
 SourceField: HrsLeaveCode  
 SourceTable: payroll  
 UnicodeCompression: True

Memo

Memo

-

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Notes  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Memo  
 SourceTable: payroll  
 UnicodeCompression: True

Special

Text

50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Special Codes for FTO, On-Call, etc.  
 DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: Special  
 SourceTable: payroll  
 UnicodeCompression: True

IP

Text

50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: IP Address Where it is Saved From

	DisplayControl:	Text Box		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	IP		
	SourceTable:	payroll		
	UnicodeCompression:	True		
Saved			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1890		
	DataUpdatable:	False		
	Description:	Date / Time Saved		
	DisplayControl:	Text Box		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	Saved		
	SourceTable:	payroll		
	UnicodeCompression:	True		
Modified			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date / Time Modified		
	DisplayControl:	Text Box		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	Modified		
	SourceTable:	payroll		
	UnicodeCompression:	True		
IP_Mod			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	IP Address where it was modified from		
	DisplayControl:	Text Box		
	OrdinalPosition:	16		
	Required:	False		
	SourceField:	IP_Mod		
	SourceTable:	payroll		

UnicodeCompression:	True		
Locked		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	When yes, record is locked for changes or deletions		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	17		
Required:	False		
SourceField:	Locked		
SourceTable:	payroll		

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
HrsLeaveCode	1
Fields:	
HrsLeaveCode	Ascending
HrsWorkedCode	1
Fields:	
HrsWorkedCode	Ascending
key	1
Fields:	
Key	Ascending
PrimaryKey	1
Fields:	
Key	Ascending

**Properties**

DateCreated:	8/21/2003 5:03:33 PM	Description:	Payroll Database
LastUpdated:	10/22/2003 2:44:08 PM	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	8164
Updatable:	True		

**Columns**

Name	Type	Size
Key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	Key	
SourceTable:	payroll_deleted	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	payroll_deleted	
Date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Calendar Date that Hours are assigned to	
Format:	Short Date	
InputMask:	99/99/00;0;_	
OrdinalPosition:	3	

	Required:	True		
	SourceField:	Date		
	SourceTable:	payroll_deleted		
TimeIn			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Started		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	TimeIn		
	SourceTable:	payroll_deleted		
	UnicodeCompression:	True		
TimeOut			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Ended		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	TimeOut		
	SourceTable:	payroll_deleted		
	UnicodeCompression:	True		
HrsWorked			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	2		
	Description:	Number of Hours Worked		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	HrsWorked		
	SourceTable:	payroll_deleted		

HrsWorkedCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Type of Hours Worked		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	HrsWorkedCode		
SourceTable:	payroll_deleted		
UnicodeCompression:	True		
HrsLeave		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	2		
Description:	Number of Hours Leave		
DisplayControl:	Text Box		
Format:	Standard		
OrdinalPosition:	8		
Required:	False		
SourceField:	HrsLeave		
SourceTable:	payroll_deleted		
HrsLeaveCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Type of Leave Hours		
DisplayControl:	Text Box		
OrdinalPosition:	9		
Required:	False		
SourceField:	HrsLeaveCode		
SourceTable:	payroll_deleted		
UnicodeCompression:	True		
Memo		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Notes  
 OrdinalPosition: 10  
 Required: False  
 SourceField: Memo  
 SourceTable: payroll\_deleted  
 UnicodeCompression: True

Special Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Special Codes for FTO, On-Call, etc.  
 DisplayControl: Text Box  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Special  
 SourceTable: payroll\_deleted  
 UnicodeCompression: True

Deleted\_Info Text 100

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 4515  
 DataUpdatable: False  
 Description: IP Address Where it is Saved From  
 DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: Deleted\_Info  
 SourceTable: payroll\_deleted  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
HrsLeaveCode	1

---

Fields:	
HrsLeaveCode	Ascending
HrsWorkedCode	1
Fields:	
HrsWorkedCode	Ascending
key	1
Fields:	
Key	Ascending
PrimaryKey	1
Fields:	
Key	Ascending

**Properties**

DateCreated:	2/20/2002 11:42:17 AM	Description:	Activity for Problem Solving
LastUpdated:	2/22/2002 12:54:31 PM	OrderByOn:	False
RecordCount:	662	Updatable:	True

**Columns**

Name	Type	Size
oca	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	original oca	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	oca	
SourceTable:	probEvents	
eventID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	new number for each activity	
OrdinalPosition:	2	
Required:	False	
SourceField:	eventID	
SourceTable:	probEvents	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Employee ID submitting Event	
DisplayControl:	Text Box	
OrdinalPosition:	3	

Required:	False		
SourceField:	EmpID		
SourceTable:	probEvents		
eventDate		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date of activity		
OrdinalPosition:	4		
Required:	False		
SourceField:	eventDate		
SourceTable:	probEvents		
narrative		Memo	-
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Comments of activity		
OrdinalPosition:	5		
Required:	False		
SourceField:	narrative		
SourceTable:	probEvents		
saveInfo		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	save info		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	saveInfo		
SourceTable:	probEvents		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1

---

	Fields:	
	EmpID	Ascending
evenID		1
	Fields:	
	eventID	Ascending
PrimaryKey		2
	Fields:	
	oca	Ascending
	eventID	Ascending

**Properties**

DateCreated:	2/20/2002 11:39:10 AM	Description:	Problems for Problem Solving
LastUpdated:	4/7/2005 9:23:29 AM	OrderByOn:	False
RecordCount:	25	Updatable:	True

**Columns**

Name	Type	Size
oca	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	oca	
SourceTable:	problems	
probDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	General Date	
OrdinalPosition:	2	
Required:	False	
SourceField:	probDate	
SourceTable:	problems	
location	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Problem Location, # Street	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	False	
SourceField:	location	

Field Name	SourceTable	Field Type	Length
district	problems	Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Problem District		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	district		
SourceTable:	problems		
EmpID		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Employee ID of Officer		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	EmpID		
SourceTable:	problems		
compNameFirst		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Complainant		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	compNameFirst		
SourceTable:	problems		
compNameLast		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Complainant Last Name		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	compNameLast		
	SourceTable:	problems		
problem			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Problem Description (short)		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	problem		
	SourceTable:	problems		
detail			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Problem detailed description		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	detail		
	SourceTable:	problems		
resources			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Problem resources		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	resources		
	SourceTable:	problems		

findings		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Problem Findings		
OrdinalPosition:	11		
Required:	False		
SourceField:	findings		
SourceTable:	problems		
goals		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Problem Goals and Objectives		
OrdinalPosition:	12		
Required:	False		
SourceField:	goals		
SourceTable:	problems		
strategies		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Problem Strategies		
OrdinalPosition:	13		
Required:	False		
SourceField:	strategies		
SourceTable:	problems		
superReview		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Supervisor Recommendations		
OrdinalPosition:	14		

	Required:	False		
	SourceField:	superReview		
	SourceTable:	problems		
approval			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	approved?		
	DisplayControl:	Text Box		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	approval		
	SourceTable:	problems		
approvalDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	date approved or denied		
	OrdinalPosition:	16		
	Required:	False		
	SourceField:	approvalDate		
	SourceTable:	problems		
approvedBy			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Approved By		
	DisplayControl:	Text Box		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	approvedBy		
	SourceTable:	problems		
results			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		

	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	results: YES NO PARTIAL TEMPORARY		
	DisplayControl:	Text Box		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	results		
	SourceTable:	problems		
status			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Closed for final		
	DisplayControl:	Text Box		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	status		
	SourceTable:	problems		
summary			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	summary detailed description of action taken		
	OrdinalPosition:	20		
	Required:	False		
	SourceField:	summary		
	SourceTable:	problems		
finalComments			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	final comments		
	OrdinalPosition:	21		
	Required:	False		
	SourceField:	finalComments		

SourceTable:	problems		
saveInfo		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	save information		
DisplayControl:	Text Box		
OrdinalPosition:	22		
Required:	False		
SourceField:	saveInfo		
SourceTable:	problems		
editInfo		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	edit information		
DisplayControl:	Text Box		
OrdinalPosition:	23		
Required:	False		
SourceField:	editInfo		
SourceTable:	problems		

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
key	1
Fields:	
oca	Ascending
PrimaryKey	1
Fields:	
oca	Ascending

**Properties**

DateCreated: 1/17/2003 4:04:15 PM LastUpdated: 1/17/2003 4:04:17 PM  
 RecordCount: 144 Updatable: True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	Neutral	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	table2	
TBNAME	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	TBNAME	
SourceTable:	table2	

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	12/27/2001 3:04:35 PM	Description:	All CMS tables
LastUpdated:	1/25/2002 9:13:37 AM	OrderByOn:	False
RecordCount:	8257	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	tables	
TABLE#	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	885	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	TABLE#	
SourceTable:	tables	
LINE#	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	690	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	LINE#	
SourceTable:	tables	
TEXT	Text	255
AllowZeroLength:	False	



**Properties**

DateCreated:	2/15/2002 9:40:39 AM	Description:	Tagged and Towed Vehicles
LastUpdated:	2/25/2005 8:03:20 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2025
Updatable:	True		

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	key	
SourceTable:	tagNtow	
dateTagged	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	date and time tagged	
Format:	mm/dd/yy hh:nn	
OrdinalPosition:	2	
Required:	False	
SourceField:	dateTagged	
SourceTable:	tagNtow	
dateTowed	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2175	
DataUpdatable:	False	
Description:	date towed	
Format:	mm/dd/yy hh:nn	
OrdinalPosition:	3	
Required:	False	

Field Name	SourceField	SourceTable	Field Type	Field Length
VehType	dateTowed	tagNtow	Text	100
AllowZeroLength:	False			
AppendOnly:	False			
Attributes:	Variable Length			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	Default			
DataUpdatable:	False			
Description:	AS/400 Code			
DisplayControl:	Text Box			
OrdinalPosition:	4			
Required:	False			
SourceField:	VehType			
SourceTable:	tagNtow			
UnicodeCompression:	True			
yr			Long Integer	4
AllowZeroLength:	False			
AppendOnly:	False			
Attributes:	Fixed Size			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	Default			
DataUpdatable:	False			
DecimalPlaces:	Auto			
Description:	vehicle year			
DisplayControl:	Text Box			
OrdinalPosition:	5			
Required:	True			
SourceField:	yr			
SourceTable:	tagNtow			
make			Text	150
AllowZeroLength:	True			
AppendOnly:	False			
Attributes:	Variable Length			
CollatingOrder:	General			
ColumnHidden:	False			
ColumnOrder:	Default			
ColumnWidth:	Default			
DataUpdatable:	False			
Description:	vehicle make			
DisplayControl:	Text Box			
OrdinalPosition:	6			
Required:	False			
SourceField:	make			
SourceTable:	tagNtow			
UnicodeCompression:	True			
model			Text	150
AllowZeroLength:	True			

	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	vehicle model		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	model		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
style			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	vehicle style (2dr, coupe, etc)		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	style		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
color1			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	color1		
	DisplayControl:	Text Box		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	color1		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
color2			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	color2		
	DisplayControl:	Text Box		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	color2		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
tag			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	vehicle tag number		
	DisplayControl:	Text Box		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	tag		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
vin			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	vehicle identification number		
	DisplayControl:	Text Box		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	vin		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
location			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	address or location of vehicle		
	DisplayControl:	Text Box		
	OrdinalPosition:	13		

	Required:	False		
	SourceField:	location		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
district			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	district vehicle was tagged or towed from		
	DisplayControl:	Text Box		
	OrdinalPosition:	14		
	Required:	False		
	SourceField:	district		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
beat			Text	130
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	beat		
	DisplayControl:	Text Box		
	OrdinalPosition:	15		
	Required:	False		
	SourceField:	beat		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
reason			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Reason for Tag or Tow		
	DisplayControl:	Text Box		
	OrdinalPosition:	16		
	Required:	False		
	SourceField:	reason		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		

ReasonCode		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	AS/400 Code		
DisplayControl:	Text Box		
OrdinalPosition:	17		
Required:	False		
SourceField:	ReasonCode		
SourceTable:	tagNtow		
UnicodeCompression:	True		
NCICcheck		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	NCIC check conducted?		
DisplayControl:	Text Box		
OrdinalPosition:	18		
Required:	False		
SourceField:	NCICcheck		
SourceTable:	tagNtow		
UnicodeCompression:	True		
dateToTow		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	date to tow vehicle		
Format:	General Date		
OrdinalPosition:	19		
Required:	False		
SourceField:	dateToTow		
SourceTable:	tagNtow		
taggedBy		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: EmpID of employee who tagged veh  
 DisplayControl: Text Box  
 OrdinalPosition: 20  
 Required: False  
 SourceField: taggedBy  
 SourceTable: tagNtow

comments Memo -

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: comments  
 OrdinalPosition: 21  
 Required: False  
 SourceField: comments  
 SourceTable: tagNtow  
 UnicodeCompression: True

status Text 150

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: tagged, moved, towed  
 DisplayControl: Text Box  
 OrdinalPosition: 22  
 Required: False  
 SourceField: status  
 SourceTable: tagNtow  
 UnicodeCompression: True

ownerName Text 150

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: registered owner's name  
 DisplayControl: Text Box  
 OrdinalPosition: 23

	Required:	False		
	SourceField:	ownerName		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
Race			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	24		
	Required:	False		
	SourceField:	Race		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
Gender			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	25		
	Required:	False		
	SourceField:	Gender		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
DOB			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	26		
	Required:	False		
	SourceField:	DOB		
	SourceTable:	tagNtow		
	UnicodeCompression:	True		
SSN			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 27  
 Required: False  
 SourceField: SSN  
 SourceTable: tagNtow  
 UnicodeCompression: True

OLNUM Text 100

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 28  
 Required: False  
 SourceField: OLNUM  
 SourceTable: tagNtow  
 UnicodeCompression: True

HPhone Text 100

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 29  
 Required: False  
 SourceField: HPhone  
 SourceTable: tagNtow  
 UnicodeCompression: True

WPhone Text 100

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 30

Required:	False		
SourceField:	WPhone		
SourceTable:	tagNtow		
UnicodeCompression:	True		
ownerStreet		Text	150
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	address, street number and name		
DisplayControl:	Text Box		
OrdinalPosition:	31		
Required:	False		
SourceField:	ownerStreet		
SourceTable:	tagNtow		
UnicodeCompression:	True		
ownerCity		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	address, city state zip		
DisplayControl:	Text Box		
OrdinalPosition:	32		
Required:	False		
SourceField:	ownerCity		
SourceTable:	tagNtow		
UnicodeCompression:	True		
OwnerNotified		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	AS/400 Code		
DisplayControl:	Text Box		
OrdinalPosition:	33		
Required:	False		
SourceField:	OwnerNotified		
SourceTable:	tagNtow		
UnicodeCompression:	True		

<p>towedBy</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: EmpID of employee who towed veh</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 34</p> <p>Required: False</p> <p>SourceField: towedBy</p> <p>SourceTable: tagNtow</p>	<p>Long Integer</p>	<p>4</p>
<p>towCompany</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>Description: key to tow company</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 35</p> <p>Required: False</p> <p>SourceField: towCompany</p> <p>SourceTable: tagNtow</p>	<p>Long Integer</p>	<p>4</p>
<p>HoldCode</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>Description: AS/400 Code</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 36</p> <p>Required: False</p> <p>SourceField: HoldCode</p> <p>SourceTable: tagNtow</p> <p>UnicodeCompression: True</p>	<p>Text</p>	<p>100</p>
<p>saveInfo</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p>	<p>Text</p>	<p>255</p>

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	4635
DataUpdatable:	False
Description:	ip and date/time it was last saved
DisplayControl:	Text Box
OrdinalPosition:	37
Required:	False
SourceField:	saveInfo
SourceTable:	tagNtow
UnicodeCompression:	True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
HoldCode	1
Fields:	
HoldCode	Ascending
key	1
Fields:	
key	Ascending
OLNUM	1
Fields:	
OLNUM	Ascending
PrimaryKey	1
Fields:	
key	Ascending
ReasonCode	1
Fields:	
ReasonCode	Ascending

**Properties**

DateCreated:	4/15/2005 9:31:45 AM	LastUpdated:	11/17/2006 1:45:36 PM
NameMap:	Long binary data	OrderBy:	tblBEATZONE.CODE4
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	121	Updatable:	True

**Columns**

Name	Type	Size
BEATCODE	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	BEATCODE	
SourceTable:	tblBEATZONE	
UnicodeCompression:	False	
ZONECODE	Text	3
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ZONECODE	
SourceTable:	tblBEATZONE	
UnicodeCompression:	False	
CODE4	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	

	OrdinalPosition:	2		
	Required:	False		
	SourceField:	CODE4		
	SourceTable:	tbIBEAZONE		
CODE3			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	CODE3		
	SourceTable:	tbIBEAZONE		
DISTRICT			Text	20
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	1665		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	DISTRICT		
	SourceTable:	tbIBEAZONE		
	UnicodeCompression:	False		
ZIPCODE			Text	5
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	ZIPCODE		
	SourceTable:	tbIBEAZONE		
	UnicodeCompression:	True		

---

<u>Name</u>	<u>Number of Fields</u>
BEATCODE	1
Fields:	
BEATCODE	Ascending
CODE3	1
Fields:	
CODE3	Ascending
CODE4	1
Fields:	
CODE4	Ascending
ZIPCODE	1
Fields:	
ZIPCODE	Ascending
ZONECODE	1
Fields:	
ZONECODE	Ascending

**Properties**

DateCreated:	6/17/2009 12:58:06 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {7A06407C-1BF4-409E-901C-46D3DD629BBE}}	HideNewField:	False
LastUpdated:	6/17/2009 3:18:27 PM	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	41	TotalsRow:	False
Updatable:	True		

**Columns**

Name	Type	Size
id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	id	
SourceTable:	tblCCBINarr	
TextAlign:	General	
inckey	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Case Number	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	inckey	
SourceTable:	tblCCBINarr	
TextAlign:	General	
EmpID	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: EmpID for watch  
 DisplayControl: Text Box  
 OrdinalPosition: 2  
 Required: False  
 SourceField: EmpID  
 SourceTable: tblCCBINarr  
 TextAlign: General

LastNarr Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Maximimum Nar Seq Number  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: LastNarr  
 SourceTable: tblCCBINarr  
 TextAlign: General

gpdinckey Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: GPD Case Number  
 DisplayControl: Text Box  
 OrdinalPosition: 4  
 Required: False  
 SourceField: gpdinckey  
 SourceTable: tblCCBINarr  
 TextAlign: General

SaveInfo Text 255

AggregateType: -1  
 AllowZeroLength: True

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Misc Info
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	SaveInfo
SourceTable:	tblCCBINarr
TextAlign:	General
UnicodeCompression:	True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
gpdinckey	1
Fields:	
gpdinckey	Ascending
id	1
Fields:	
id	Ascending
PrimaryKey	1
Fields:	
id	Ascending

**Properties**

DateCreated:	4/30/2003 1:16:24 PM	Description:	Relates Who Supervises What Division
LastUpdated:	4/30/2003 1:29:55 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	15
Updatable:	True		

**Columns**

Name	Type	Size
DivSupervised	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2805	
DataUpdatable:	False	
Description:	What Division They Supervise	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	DivSupervised	
SourceTable:	tblDivSupervisor	
UnicodeCompression:	True	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Employee ID	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblDivSupervisor	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
PrimaryKey	1

Fields:  
EmpID                      Ascending

**Properties**

DateCreated:	9/27/2007 8:11:48 AM	LastUpdated:	10/1/2007 2:04:31 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	18	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 1 Required: False SourceField: ID SourceTable: tblDVD		
DVDkey	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: DVD Key DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: DVDkey SourceTable: tblDVD		
EmpID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: Employee ID DisplayControl: Text Box OrdinalPosition: 3		

	Required:	False		
	SourceField:	EmpID		
	SourceTable:	tblDVD		
DateOut			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date checked out		
	Format:	Short Date		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	DateOut		
	SourceTable:	tblDVD		
SuperOut			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	Employee ID of supervisor checking it out		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	SuperOut		
	SourceTable:	tblDVD		
DateIn			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date checked in		
	Format:	Short Date		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	DateIn		
	SourceTable:	tblDVD		
SuperIn			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		

---

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Employee ID of supervisor checking it in
DisplayControl:	Text Box
OrdinalPosition:	7
Required:	False
SourceField:	SuperIn
SourceTable:	tblDVD

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
DVDkey	1
Fields:	
DVDkey	Ascending
EmpID	1
Fields:	
EmpID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	8/14/2003 2:08:30 PM	Description:	Equipment Request Forms
LastUpdated:	8/27/2003 1:53:55 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1325
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblEquipment	
RequestID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	RequestID	
SourceTable:	tblEquipment	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	False	

Field Name	SourceField	SourceTable	Field Type	Field Length
EmpID	EmpID	tblEquipment	Long Integer	4
Vehicle	Vehicle	tblEquipment	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 4 Required: False				
Description	Description	tblEquipment	Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 5 Required: False				
Quantity	Quantity	tblEquipment	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 6 Required: False				
Brand	Brand	tblEquipment	Text	255
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General				

	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	Brand		
	SourceTable:	tblEquipment		
	UnicodeCompression:	True		
Model			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	Model		
	SourceTable:	tblEquipment		
	UnicodeCompression:	True		
Color			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	Color		
	SourceTable:	tblEquipment		
	UnicodeCompression:	True		
Size			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	Size		

SourceTable:	tblEquipment		
UnicodeCompression:	True		
Justification		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	11		
Required:	False		
SourceField:	Justification		
SourceTable:	tblEquipment		
UnicodeCompression:	True		
ApprovedSupervisor		Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	12		
Required:	False		
SourceField:	ApprovedSupervisor		
SourceTable:	tblEquipment		
UnicodeCompression:	True		
Supervisor		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	13		
Required:	False		
SourceField:	Supervisor		
SourceTable:	tblEquipment		
SupervisorPIN		Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: False  
 SourceField: SupervisorPIN  
 SourceTable: tblEquipment  
 UnicodeCompression: True

SupervisorDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: General Date  
 OrdinalPosition: 15  
 Required: False  
 SourceField: SupervisorDate  
 SourceTable: tblEquipment

ApprovedMajor Text 255

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 16  
 Required: False  
 SourceField: ApprovedMajor  
 SourceTable: tblEquipment  
 UnicodeCompression: True

MajorPIN Text 255

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 17  
 Required: False  
 SourceField: MajorPIN  
 SourceTable: tblEquipment  
 UnicodeCompression: True

MajorDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	General Date	
OrdinalPosition:	18	
Required:	False	
SourceField:	MajorDate	
SourceTable:	tblEquipment	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending
RequestID	1
Fields:	
RequestID	Ascending

**Properties**

DateCreated:	4/7/2005 9:22:20 AM	DefaultView:	2
Description:	Gang Member Address Log	LastUpdated:	10/27/2005 1:26:46 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Foreign Key to tblGangPersons	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	tblGangAddressLog	
AddSeq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequence Number	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	AddSeq	
SourceTable:	tblGangAddressLog	
Address	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	Description:	Address		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	Address		
	SourceTable:	tblGangAddressLog		
	UnicodeCompression:	True		
City			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	City		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	City		
	SourceTable:	tblGangAddressLog		
	UnicodeCompression:	True		
Zip			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Zip		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Zip		
	SourceTable:	tblGangAddressLog		
	UnicodeCompression:	True		
FromDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		

DataUpdatable: False  
 Description: From Date  
 Format: Short Date  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: FromDate  
 SourceTable: tblGangAddressLog

ToDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: To Date  
 Format: Short Date  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: ToDate  
 SourceTable: tblGangAddressLog

**Table Indexes**

Name	Number of Fields
FromDate	1
Fields:	
FromDate	Ascending
ID	1
Fields:	
ID	Ascending
PrimaryKey	2
Fields:	
ID	Ascending
AddSeq	Ascending
ToDate	1
Fields:	
ToDate	Ascending

**Properties**

DateCreated:	4/7/2005 9:19:48 AM	Description:	Previous Gang Affiliations
LastUpdated:	4/7/2005 9:25:59 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Foreign Key to tblGangPersons	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblGangAffiliationLog	
GangSeq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequence Number for Gang Affiliations	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	GangSeq	
SourceTable:	tblGangAffiliationLog	
Gang	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

Description: Name of Gang They Were In  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: Gang  
 SourceTable: tblGangAffiliationLog  
 UnicodeCompression: True

FromDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date Affiliation Began  
 Format: Short Date  
 OrdinalPosition: 4  
 Required: False  
 SourceField: FromDate  
 SourceTable: tblGangAffiliationLog

ToDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date Affiliation Ended  
 Format: Short Date  
 OrdinalPosition: 5  
 Required: False  
 SourceField: ToDate  
 SourceTable: tblGangAffiliationLog

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	2
Fields:	
ID	Ascending
GangSeq	Ascending

**Properties**

DateCreated:	4/7/2005 9:43:13 AM	Description:	Links Gang Members to Each Other
LastUpdated:	4/7/2005 9:43:26 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
ID1	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	First Person to link	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID1	
SourceTable:	tblGangAssociates	
ID2	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Second Person to link	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	ID2	
SourceTable:	tblGangAssociates	

**Table Indexes**

Name	Number of Fields
ID1	1
Fields:	
ID1	Ascending
ID2	1

Fields:  
ID2                                   Ascending

**Properties**

DateCreated:	4/7/2005 9:01:36 AM	DefaultView:	2
Description:	Gang Person File	LastUpdated:	10/27/2005 3:28:32 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False Description: Unique Key OrdinalPosition: 0 Required: False SourceField: ID SourceTable: tblGangPersons		
LastName	Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Last Name DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 1 Required: False SourceField: LastName SourceTable: tblGangPersons UnicodeCompression: True		
FirstName	Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False		

Description: First Name  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: FirstName  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

MiddleName Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Middle Name  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: MiddleName  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

OtherName Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Other name such as second surname, etc NOT NICKNAME OR ALIAS  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: OtherName  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

StreetName Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default

DataUpdatable: False  
Description: Street Name, Nickname, NOT ALIAS  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 5  
Required: False  
SourceField: StreetName  
SourceTable: tblGangPersons  
UnicodeCompression: True

DOB Date/Time 8

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Date of Birth  
Format: Short Date  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 6  
Required: False  
SourceField: DOB  
SourceTable: tblGangPersons

Race Text 25

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Race  
DisplayControl: Text Box  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 7  
Required: False  
SourceField: Race  
SourceTable: tblGangPersons  
UnicodeCompression: True

Sex Text 1

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default

DataUpdatable: False  
 Description: Gender  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Sex  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

Height

Long Integer

4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Height in inches  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: Height  
 SourceTable: tblGangPersons

Weight

Long Integer

4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Weight in pounds  
 DisplayControl: Text Box  
 OrdinalPosition: 10  
 Required: False  
 SourceField: Weight  
 SourceTable: tblGangPersons

Nationality

Text

100

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Nation of Origin  
 DisplayControl: Text Box

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	Nationality		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
Citizen			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Citizen of US?		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	12		
	Required:	False		
	SourceField:	Citizen		
	SourceTable:	tblGangPersons		
CurrentAddress			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Current Address (may create log for previous addresses)		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	13		
	Required:	False		
	SourceField:	CurrentAddress		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
CurrentCity			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	City		
	DisplayControl:	Text Box		
	IMEMode:	0		

IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: CurrentCity  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

CurrentZip Text 10

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Zip (assumed state is NC)  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 SourceField: CurrentZip  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

CurrentPhone1 Text 15

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Phone 1  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 16  
 Required: False  
 SourceField: CurrentPhone1  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

CurrentPhone2 Text 15

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Phone 2  
 DisplayControl: Text Box

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	17		
	Required:	False		
	SourceField:	CurrentPhone2		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
CurrentGang			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Current Gang Affiliation (may create log for previous affiliations)		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	18		
	Required:	False		
	SourceField:	CurrentGang		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
Misc			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Miscellaneous Field for notes		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	19		
	Required:	False		
	SourceField:	Misc		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
UpdateInfo			Text	200
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Record who updated record last		
	DisplayControl:	Text Box		

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 SourceField: UpdateInfo  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

Employer Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Employer  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21  
 Required: False  
 SourceField: Employer  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

HomePhone Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Home Phone Number  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 SourceField: HomePhone  
 SourceTable: tblGangPersons  
 UnicodeCompression: True

MemberType Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Gang Membership Type (Gang Member, Associate, Not Affiliated)

	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	MemberType	
	SourceTable:	tblGangPersons	
	UnicodeCompression:	True	
School			Text 50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Where Attends School	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	School	
	SourceTable:	tblGangPersons	
	UnicodeCompression:	True	
HairColor			Text 50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Hair Color	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	HairColor	
	SourceTable:	tblGangPersons	
	UnicodeCompression:	True	
HairStyle			Text 50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

	Description:	Hair Style		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	26		
	Required:	False		
	SourceField:	HairStyle		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
EyeColor			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Eye Color		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	27		
	Required:	False		
	SourceField:	EyeColor		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
Glasses			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Glasses		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	28		
	Required:	False		
	SourceField:	Glasses		
	SourceTable:	tblGangPersons		
HairLength			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Hair Length		

	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	HairLength		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
MName			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Mothers Name		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	30		
	Required:	False		
	SourceField:	MName		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
FName			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Fathers Name		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	31		
	Required:	False		
	SourceField:	FName		
	SourceTable:	tblGangPersons		
	UnicodeCompression:	True		
GangCriteria1			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

Description: Gang Criteria  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 32  
Required: False  
SourceField: GangCriteria1  
SourceTable: tblGangPersons  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
CurrentGang	1
Fields:	
CurrentGang	Ascending
FirstName	1
Fields:	
FirstName	Ascending
ID	1
Fields:	
ID	Ascending
LastName	1
Fields:	
LastName	Ascending
MemberType	1
Fields:	
MemberType	Ascending
OtherName	1
Fields:	
OtherName	Ascending
PrimaryKey	1
Fields:	
ID	Ascending
StreetName	1
Fields:	
StreetName	Ascending

**Properties**

DateCreated:	4/7/2005 9:25:18 AM	Description:	Gang Picture Info
LastUpdated:	4/7/2005 9:26:46 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Foreign Key to tblGangPersons	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblGangPictures	
PicSeq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequence of Pictures	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	PicSeq	
SourceTable:	tblGangPictures	
PicURL	Text	150
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

Description: relative URL to picture  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: PicURL  
 SourceTable: tblGangPictures  
 UnicodeCompression: True

PicPath Text 150

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: absolute Path  
 DisplayControl: Text Box  
 OrdinalPosition: 4  
 Required: False  
 SourceField: PicPath  
 SourceTable: tblGangPictures  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	2
Fields:	
ID	Ascending
PicSeq	Ascending

**Properties**

DateCreated:	4/7/2005 9:17:28 AM	DefaultView:	2
Description:	Names of Gangs	LastUpdated:	10/27/2005 3:28:56 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

**Columns**

Name	Type	Size
GangName	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	GangName	
SourceTable:	tblGangs	
UnicodeCompression:	True	
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblGangs	
Nation	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Nation Name	
DisplayControl:	Text Box	

IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 2  
Required: False  
SourceField: Nation  
SourceTable: tblGangs  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	1/13/2004 10:40:44 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {CFD9CBCC-22AB-442B-9103-C70A173CB4DD}}	HideNewField:	False
LastUpdated:	6/4/2009 3:48:22 PM	OrderBy:	[tblK9Training].[PublicDemo], [tblK9Training].[GeneralControl], [tblK9Training].[DrugSearchBidMeth], [tblK9Training].[DrugSearchBidH], [tblK9Training].[DrugSearchBidC], [tblK9Training].[DrugSearchBidMj], [tblK9Training].[DrugSearchVehMeth], [tblK9Training].[DrugSearchVehH], [tblK9Training].[AreaSearch], [tblK9Training].[BuildingSearch], [tblK9Training].[DrugSearchVehC], [tblK9Training].[DrugSearchVehMj], [tblK9Training].[ApprehensionRecall], [tblK9Training].[ApprehensionEndControl], [tblK9Training].[Apprehension], , [tblK9Training].[ArticleSearch], [tblK9Training].[Tracking], [tblK9Training].[Obedience], [tblK9Training].[Agility]
OrderByOn:	True	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	688
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	tblK9Training	

Field Name	TextAlign	General		
Handler			Long Integer	4
AggregateType:		-1		
AllowZeroLength:		False		
AppendOnly:		False		
Attributes:		Fixed Size		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		Default		
DataUpdatable:		False		
DecimalPlaces:		Auto		
DisplayControl:		Text Box		
OrdinalPosition:		1		
Required:		False		
SourceField:		Handler		
SourceTable:		tblK9Training		
TextAlign:		General		
K9			Long Integer	4
AggregateType:		-1		
AllowZeroLength:		False		
AppendOnly:		False		
Attributes:		Fixed Size		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		Default		
DataUpdatable:		False		
DecimalPlaces:		Auto		
DisplayControl:		Text Box		
OrdinalPosition:		2		
Required:		False		
SourceField:		K9		
SourceTable:		tblK9Training		
TextAlign:		General		
TrainingDate			Date/Time	8
AggregateType:		-1		
AllowZeroLength:		False		
AppendOnly:		False		
Attributes:		Fixed Size		
CollatingOrder:		General		
ColumnHidden:		False		
ColumnOrder:		Default		
ColumnWidth:		2175		
DataUpdatable:		False		
IMEMode:		0		
IMESentenceMode:		3		
OrdinalPosition:		3		
Required:		False		
ShowDatePicker:		For dates		
SourceField:		TrainingDate		
SourceTable:		tblK9Training		
TextAlign:		General		

<p>Duration</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 4</p> <p>Required: False</p> <p>SourceField: Duration</p> <p>SourceTable: tblK9Training</p> <p>TextAlign: General</p>	<p>Long Integer</p>	<p>4</p>
<p>Location</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DisplayControl: Text Box</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 5</p> <p>Required: False</p> <p>SourceField: Location</p> <p>SourceTable: tblK9Training</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Text</p>	<p>50</p>
<p>Obedience</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: Default</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>DecimalPlaces: Auto</p> <p>DisplayControl: Text Box</p> <p>OrdinalPosition: 6</p> <p>Required: True</p> <p>SourceField: Obedience</p> <p>SourceTable: tblK9Training</p> <p>TextAlign: General</p>	<p>Integer</p>	<p>2</p>

Agility		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	True		
SourceField:	Agility		
SourceTable:	tblK9Training		
TextAlign:	General		
Tracking		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	True		
SourceField:	Tracking		
SourceTable:	tblK9Training		
TextAlign:	General		
ArticleSearch		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	9		
Required:	True		
SourceField:	ArticleSearch		
SourceTable:	tblK9Training		
TextAlign:	General		
Apprehension		Long Integer	4
AggregateType:	-1		

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
OrdinalPosition: 10  
Required: True  
SourceField: Apprehension  
SourceTable: tblK9Training  
TextAlign: General

ApprehensionEndControl Integer 2

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
OrdinalPosition: 11  
Required: True  
SourceField: ApprehensionEndControl  
SourceTable: tblK9Training  
TextAlign: General

ApprehensionRecall Integer 2

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
DisplayControl: Text Box  
OrdinalPosition: 12  
Required: True  
SourceField: ApprehensionRecall  
SourceTable: tblK9Training  
TextAlign: General

BuildingSearch Long Integer 4

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 13  
 Required: True  
 SourceField: BuildingSearch  
 SourceTable: tblK9Training  
 TextAlign: General

AreaSearch Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: True  
 SourceField: AreaSearch  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchVehMj Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 15  
 Required: True  
 SourceField: DrugSearchVehMj  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchVehC Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 16  
 Required: True  
 SourceField: DrugSearchVehC  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchVehH Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2325  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 17  
 Required: True  
 SourceField: DrugSearchVehH  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchVehMeth Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2325  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 18  
 Required: True  
 SourceField: DrugSearchVehMeth  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchBldMj Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 19  
 Required: True  
 SourceField: DrugSearchBldMj  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchBldC Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1995  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 20  
 Required: True  
 SourceField: DrugSearchBldC  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchBldH Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 21  
 Required: True  
 SourceField: DrugSearchBldH  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchBldMeth Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False

DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	22		
Required:	True		
SourceField:	DrugSearchBldMeth		
SourceTable:	tblK9Training		
TextAlign:	General		
GeneralControl		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	23		
Required:	True		
SourceField:	GeneralControl		
SourceTable:	tblK9Training		
TextAlign:	General		
PublicDemo		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	24		
Required:	True		
SourceField:	PublicDemo		
SourceTable:	tblK9Training		
TextAlign:	General		
Narrative		Memo	-
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition: 25  
 Required: False  
 SourceField: Narrative  
 SourceTable: tblK9Training  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

DrugSearchParMj Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 26  
 Required: True  
 SourceField: DrugSearchParMj  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchParC Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 27  
 Required: True  
 SourceField: DrugSearchParC  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchParH Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box

OrdinalPosition: 28  
 Required: True  
 SourceField: DrugSearchParH  
 SourceTable: tblK9Training  
 TextAlign: General

DrugSearchParMeth		Integer	2
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	29		
Required:	True		
SourceField:	DrugSearchParMeth		
SourceTable:	tblK9Training		
TextAlign:	General		

**Table Indexes**

Name	Number of Fields
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated: 1/13/2004 11:41:41 AM      LastUpdated: 1/14/2004 8:30:02 AM  
OrderByOn: False      Orientation: Left-to-Right  
RecordCount: 800      Updatable: True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblK9Use	
K9Date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	K9Date	
SourceTable:	tblK9Use	
Handler	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	False	
SourceField:	Handler	
SourceTable:	tblK9Use	

Field Name	Field Type	Field Length
K9	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	4	
Required:	False	
SourceField:	K9	
SourceTable:	tblK9Use	
Location	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	5	
Required:	False	
SourceField:	Location	
SourceTable:	tblK9Use	
UnicodeCompression:	True	
IncidentType	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	6	
Required:	False	
SourceField:	IncidentType	
SourceTable:	tblK9Use	
UnicodeCompression:	True	
SearchType	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	7		
Required:	False		
SourceField:	SearchType		
SourceTable:	tblK9Use		
UnicodeCompression:	True		
SearchBasis		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	8		
Required:	False		
SourceField:	SearchBasis		
SourceTable:	tblK9Use		
UnicodeCompression:	True		
ContraBandLocatedK9		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	9		
Required:	False		
SourceField:	ContraBandLocatedK9		
SourceTable:	tblK9Use		
ContraBandLocatedOthers		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	10		
Required:	False		
SourceField:	ContraBandLocatedOthers		
SourceTable:	tblK9Use		

PersonLocatedK9		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	11		
Required:	False		
SourceField:	PersonLocatedK9		
SourceTable:	tblK9Use		

PersonLocatedOthers		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	12		
Required:	False		
SourceField:	PersonLocatedOthers		
SourceTable:	tblK9Use		

EvidenceLocatedK9		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	13		
Required:	False		
SourceField:	EvidenceLocatedK9		
SourceTable:	tblK9Use		

EvidenceLocatedOthers		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 14  
 Required: False  
 SourceField: EvidenceLocatedOthers  
 SourceTable: tblK9Use

SuspectSurrendered Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 15  
 Required: False  
 SourceField: SuspectSurrendered  
 SourceTable: tblK9Use

SuspectLocatedK9 Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 16  
 Required: False  
 SourceField: SuspectLocatedK9  
 SourceTable: tblK9Use

SuspectLocatedOthers Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 17  
 Required: False  
 SourceField: SuspectLocatedOthers  
 SourceTable: tblK9Use

Narrative		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	18		
Required:	False		
SourceField:	Narrative		
SourceTable:	tblK9Use		
UnicodeCompression:	True		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	8/1/2005 11:36:36 AM	Description:	Laptop Info
LastUpdated:	10/12/2006 4:48:40 PM	OrderBy:	tblLaptops.key
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	42	Updatable:	True

**Columns**

Name	Type	Size
key	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: key SourceTable: tblLaptops		
Laptop Name	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: Laptop Name SourceTable: tblLaptops UnicodeCompression: False		
IP address	Double	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box		

OrdinalPosition:	3		
Required:	False		
SourceField:	IP address		
SourceTable:	tblLaptops		
Dell Service Tag		Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	1725		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	Dell Service Tag		
SourceTable:	tblLaptops		
UnicodeCompression:	False		
Type Computer		Text	255
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	Type Computer		
SourceTable:	tblLaptops		
UnicodeCompression:	False		
Express Service Code		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2220		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	Express Service Code		
SourceTable:	tblLaptops		
XP Activation key		Text	255
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3975  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 7  
 Required: False  
 SourceField: XP Activation key  
 SourceTable: tblLaptops  
 UnicodeCompression: False

Office XP Reg # Text 255

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3795  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Office XP Reg #  
 SourceTable: tblLaptops  
 UnicodeCompression: False

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
Express Service Code	1
Fields:	
Express Service Code	Ascending
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
Dell Service Tag	Ascending
XP Activation key	1
Fields:	
XP Activation key	Ascending

**Properties**

DateCreated:	12/27/2005 8:28:47 AM	Filter:	((tblModems.returned=0))
LastUpdated:	12/20/2006 9:50:33 AM	OrderBy:	tblModems.ESN
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	64	Updatable:	True

**Columns**

Name	Type	Size
ESN	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: ESN SourceTable: tblModems UnicodeCompression: False		
PHONE	Double	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: PHONE SourceTable: tblModems		
LOCK	Text	10
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 3		

	Required:	False		
	SourceField:	LOCK		
	SourceTable:	tblModems		
	UnicodeCompression:	False		
returned			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	returned		
	SourceTable:	tblModems		
MSI			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	MSI		
	SourceTable:	tblModems		

**Properties**

DateCreated:	8/24/2005 12:21:57 PM	Description:	Modem Info
LastUpdated:	12/27/2005 8:29:03 AM	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	39
Updatable:	True		

**Columns**

Name	Type	Size
ESN	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ESN	
SourceTable:	tblModems_old	
UnicodeCompression:	False	
PHONE	Double	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1200	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	PHONE	
SourceTable:	tblModems_old	
LOCK	Text	10
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	3	

---

Required:	False
SourceField:	LOCK
SourceTable:	tblModems_old
UnicodeCompression:	False

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Fields:	
ESN	Ascending

**Properties**

DateCreated:	1/17/2007 2:05:36 PM	Description:	Off Duty Employment Database
LastUpdated:	1/17/2007 2:09:11 PM	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
Key	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	0	
Required:	False	
SourceField:	Key	
SourceTable:	tblOffDuty	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblOffDuty	
Date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Calendar Date that Hours are assigned to	
Format:	Short Date	
InputMask:	99/99/00;0;_	

	OrdinalPosition:	2		
	Required:	True		
	SourceField:	Date		
	SourceTable:	tblOffDuty		
TimeIn			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Started		
	DisplayControl:	Text Box		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	TimeIn		
	SourceTable:	tblOffDuty		
	UnicodeCompression:	True		
TimeOut			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Actual Time Ended		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	TimeOut		
	SourceTable:	tblOffDuty		
	UnicodeCompression:	True		
HrsWorked			Double	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	2		
	Description:	Number of Hours Worked		
	DisplayControl:	Text Box		
	Format:	General Number		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	HrsWorked		
	SourceTable:	tblOffDuty		

HrsWorkedCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Type of Hours Worked		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	HrsWorkedCode		
SourceTable:	tblOffDuty		
UnicodeCompression:	True		
OTL		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
Format:	Standard		
OrdinalPosition:	7		
Required:	False		
SourceField:	OTL		
SourceTable:	tblOffDuty		
HrsLeave		Double	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	2		
Description:	Number of Hours Leave		
DisplayControl:	Text Box		
Format:	Standard		
OrdinalPosition:	8		
Required:	False		
SourceField:	HrsLeave		
SourceTable:	tblOffDuty		
HrsLeaveCode		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		

CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Type of Leave Hours  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: HrsLeaveCode  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

Memo

Memo

-

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Notes  
 OrdinalPosition: 10  
 Required: False  
 SourceField: Memo  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

Special

Text

50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Special Codes for FTO, On-Call, etc.  
 DisplayControl: Text Box  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Special  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

IP

Text

50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: IP Address Where it is Saved From

DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: IP  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

Saved Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1890  
 DataUpdatable: False  
 Description: Date / Time Saved  
 DisplayControl: Text Box  
 OrdinalPosition: 13  
 Required: False  
 SourceField: Saved  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

Modified Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date / Time Modified  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Modified  
 SourceTable: tblOffDuty  
 UnicodeCompression: True

IP\_Mod Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: IP Address where it was modified from  
 DisplayControl: Text Box  
 OrdinalPosition: 15  
 Required: False  
 SourceField: IP\_Mod  
 SourceTable: tblOffDuty

UnicodeCompression:	True		
Locked		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	When yes, record is locked for changes or deletions		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	16		
Required:	False		
SourceField:	Locked		
SourceTable:	tblOffDuty		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
HrsLeaveCode	1
Fields:	
HrsLeaveCode	Ascending
HrsWorkedCode	1
Fields:	
HrsWorkedCode	Ascending
key	1
Fields:	
Key	Ascending
PrimaryKey	1
Fields:	
Key	Ascending

**Properties**

DateCreated:	11/10/2003 1:14:02 PM	LastUpdated:	11/10/2003 2:17:36 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	84	Updatable:	True

**Columns**

Name	Type	Size
key	Text	100
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: key SourceTable: tblRecDevice UnicodeCompression: True		
status	Text	100
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: status SourceTable: tblRecDevice UnicodeCompression: True		
dateWarned	Date/Time	8
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 3 Required: False SourceField: dateWarned		

SourceTable:	tblRecDevice		
Location		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	Location		
SourceTable:	tblRecDevice		
UnicodeCompression:	True		
District		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	District		
SourceTable:	tblRecDevice		
UnicodeCompression:	True		
Description		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	Description		
SourceTable:	tblRecDevice		
UnicodeCompression:	True		
OwnerName		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 7  
 Required: False  
 SourceField: OwnerName  
 SourceTable: tblRecDevice  
 UnicodeCompression: True

dateMoved Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 OrdinalPosition: 8  
 Required: False  
 SourceField: dateMoved  
 SourceTable: tblRecDevice

UpdateInfo Text 150

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: UpdateInfo  
 SourceTable: tblRecDevice  
 UnicodeCompression: True

**Table Indexes**

Name	Number of Fields
key	1
Fields:	
key	Ascending
PrimaryKey	1
Fields:	
key	Ascending

**Properties**

DateCreated:	9/15/2008 9:38:28 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {F3D19A65-C32B-4655-8778-5B7FE2299D1C}}	HideNewField:	False
LastUpdated:	5/26/2009 8:04:09 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	604
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Key for Update	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	tblReportUpdates	
TextAlign:	General	
key	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	case key	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	key	
SourceTable:	tblReportUpdates	
TextAlign:	General	
seq	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: sequence number  
 DisplayControl: Text Box  
 OrdinalPosition: 2  
 Required: False  
 SourceField: seq  
 SourceTable: tblReportUpdates  
 TextAlign: General

datatype Integer 2

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: data type, if applicable  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: datatype  
 SourceTable: tblReportUpdates  
 TextAlign: General

npersn Text 3

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: person type code  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: npersn  
 SourceTable: tblReportUpdates  
 TextAlign: General  
 UnicodeCompression: True

Field Name	Field Type	Field Length	Field Format
arrest	Yes/No	1	
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Arrest or Not		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	5		
Required:	False		
SourceField:	arrest		
SourceTable:	tblReportUpdates		
TextAlign:	General		
qstring	Memo	-	
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	5955		
DataUpdatable:	False		
Description:	URL and querystring for update		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	qstring		
SourceTable:	tblReportUpdates		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	True		
INFO	Text	255	
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2325		
DataUpdatable:	False		
Description:	Misc Description		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		

SourceField: INFO  
 SourceTable: tblReportUpdates  
 TextAlign: General  
 UnicodeCompression: True

dateSubmitted Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: date/time submitted  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: dateSubmitted  
 SourceTable: tblReportUpdates  
 TextAlign: General

SubmittedBy Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: EmpID Submitted By  
 DisplayControl: Text Box  
 OrdinalPosition: 9  
 Required: False  
 SourceField: SubmittedBy  
 SourceTable: tblReportUpdates  
 TextAlign: General

TypeUpdate Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Type of Update, such as Person, Arrest, etc  
 DisplayControl: Text Box

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: TypeUpdate  
 SourceTable: tblReportUpdates  
 TextAlign: General  
 UnicodeCompression: True

displaypagename Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2055  
 DataUpdatable: False  
 Description: File Name to Display Data  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: displaypagename  
 SourceTable: tblReportUpdates  
 TextAlign: General  
 UnicodeCompression: True

EnteredBy Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1380  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: EmpD Entered By  
 DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: EnteredBy  
 SourceTable: tblReportUpdates  
 TextAlign: General

dateEntered Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: 2250  
 DataUpdatable: False  
 Description: date/time entered  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: dateEntered  
 SourceTable: tblReportUpdates  
 TextAlign: General

MiscInfo Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 3105  
 DataUpdatable: False  
 Description: Misc Info Stored  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: MiscInfo  
 SourceTable: tblReportUpdates  
 TextAlign: General  
 UnicodeCompression: True

Entered Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Mark Entered Boolean  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Entered  
 SourceTable: tblReportUpdates  
 TextAlign: General

---

<u>Name</u>	<u>Number of Fields</u>
dateSubmitted	1
Fields:	
dateSubmitted	Ascending
key	1
Fields:	
key	Ascending
npersn	1
Fields:	
npersn	Ascending
PrimaryKey	1
Fields:	
ID	Ascending
SubmittedBy	1
Fields:	
SubmittedBy	Ascending
TypeUpdate	1
Fields:	
TypeUpdate	Ascending

**Properties**

DateCreated:	11/28/2005 1:31:46 PM	LastUpdated:	12/16/2005 1:59:59 PM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	20433	Updatable:	True

**Columns**

Name	Type	Size
theDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
OrdinalPosition:	1	
Required:	False	
SourceField:	theDate	
SourceTable:	tblRollCall	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblRollCall	
CallSign	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
OrdinalPosition:	3	
Required:	False	
SourceField:	CallSign	

	SourceTable:	tblRollCall		
	UnicodeCompression:	True		
Hours			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Hours		
	SourceTable:	tblRollCall		
	UnicodeCompression:	True		
Shift			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Shift		
	SourceTable:	tblRollCall		
	UnicodeCompression:	True		

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
PrimaryKey	2
Fields:	
theDate	Ascending
EmpID	Ascending
theDate	1
Fields:	
theDate	Ascending

**Properties**

DateCreated:	8/27/2003 1:52:53 PM	Description:	Secondary Employment Request Forms
LastUpdated:	6/4/2008 10:08:43 AM	OrderBy:	tblSecEmp.RequestDate
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	787	Updatable:	True

**Columns**

Name	Type	Size
requestID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	requestID	
SourceTable:	tblSecEmp	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblSecEmp	
RequestDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	

	OrdinalPosition:	3		
	Required:	False		
	SourceField:	RequestDate		
	SourceTable:	tblSecEmp		
Type1			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	Type1		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
Type2			Text	50
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Type2		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
Employer			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	Employer		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
Address			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		

	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	Address		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
Contact			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	Contact		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
Phone			Text	100
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	Phone		
	SourceTable:	tblSecEmp		
	UnicodeCompression:	True		
StartDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Format:	Short Date		
	OrdinalPosition:	10		

Required:	False		
SourceField:	StartDate		
SourceTable:	tblSecEmp		
<b>Frequency</b>		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	11		
Required:	False		
SourceField:	Frequency		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
<b>Duration</b>		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	12		
Required:	False		
SourceField:	Duration		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
<b>Memo</b>		Memo	-
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	13		
Required:	False		
SourceField:	Memo		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
<b>SupervisorSent</b>		Text	100
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 14  
 Required: False  
 SourceField: SupervisorSent  
 SourceTable: tblSecEmp  
 UnicodeCompression: True

Supervisor Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Supervisor  
 SourceTable: tblSecEmp

ApprovedSupervisor Text 100

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 16  
 Required: False  
 SourceField: ApprovedSupervisor  
 SourceTable: tblSecEmp  
 UnicodeCompression: False

SupervisorPIN Text 100

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 17  
 Required: False  
 SourceField: SupervisorPIN

SourceTable:	tblSecEmp		
UnicodeCompression:	True		
SupervisorDate		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	18		
Required:	False		
SourceField:	SupervisorDate		
SourceTable:	tblSecEmp		
ApprovedMajor		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	ApprovedMajor		
SourceTable:	tblSecEmp		
UnicodeCompression:	False		
MajorPIN		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	20		
Required:	False		
SourceField:	MajorPIN		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
MajorDate		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		

ColumnWidth:	Default		
DataUpdatable:	False		
OrdinalPosition:	21		
Required:	False		
SourceField:	MajorDate		
SourceTable:	tblSecEmp		
ApprovedChief		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	22		
Required:	False		
SourceField:	ApprovedChief		
SourceTable:	tblSecEmp		
UnicodeCompression:	False		
ChiefPIN		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	23		
Required:	False		
SourceField:	ChiefPIN		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
ChiefDate		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
OrdinalPosition:	24		
Required:	False		
SourceField:	ChiefDate		
SourceTable:	tblSecEmp		
UnicodeCompression:	True		
EditInfo		Text	150

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
OrdinalPosition:	25
Required:	False
SourceField:	EditInfo
SourceTable:	tblSecEmp
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
ChiefCode	1
Fields:	
ChiefPIN	Ascending
EmpID	1
Fields:	
EmpID	Ascending
MajorCode	1
Fields:	
MajorPIN	Ascending
PrimaryKey	1
Fields:	
requestID	Ascending
SupervisorCode	1
Fields:	
SupervisorPIN	Ascending

**Properties**

DateCreated:	5/27/2005 2:39:25 PM	Description:	List of Available Assignments
LastUpdated:	5/27/2005 2:41:11 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name		Type	Size
ID		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	ID Of Event	
	DisplayControl:	Text Box	
	OrdinalPosition:	1	
	Required:	False	
	SourceField:	ID	
	SourceTable:	tblSpecEventAssignments	
IDseq		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Sequence Number of Assignment	
	DisplayControl:	Text Box	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	IDseq	
	SourceTable:	tblSpecEventAssignments	
Description		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

Description: Description of Assignment  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: Description  
 SourceTable: tblSpecEventAssignments  
 UnicodeCompression: True

Quantity Long Integer 4  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Number of Officers  
 DisplayControl: Text Box  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Quantity  
 SourceTable: tblSpecEventAssignments

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
IDseq	1
Fields:	
IDseq	Ascending

**Properties**

DateCreated:	5/27/2005 2:40:38 PM	Description:	Listing of Employees Assigned
LastUpdated:	5/27/2005 2:41:26 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	ID of Event	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblSpecEventEmp	
IDseq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequence Number of Assignment	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	IDseq	
SourceTable:	tblSpecEventEmp	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

DecimalPlaces: Auto  
 Description: Employee Accepting Assignment  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: EmpID  
 SourceTable: tblSpecEventEmp

DateFilled		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Date Position Filled		
OrdinalPosition:	4		
Required:	False		
SourceField:	DateFilled		
SourceTable:	tblSpecEventEmp		

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
ID	1
Fields:	
ID	Ascending
IDseq	1
Fields:	
IDseq	Ascending

**Properties**

DateCreated:	5/27/2005 2:37:09 PM	Description:	Special Event Registration
LastUpdated:	5/27/2005 2:41:35 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Unique ID of Event OrdinalPosition: 1 Required: False SourceField: ID SourceTable: tblSpecEvents		
Desc	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Description of Event DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: Desc SourceTable: tblSpecEvents UnicodeCompression: True		
Location	Text	255
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Location of Event DisplayControl: Text Box		

OrdinalPosition: 3  
 Required: False  
 SourceField: Location  
 SourceTable: tblSpecEvents  
 UnicodeCompression: True

StartDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Start Date  
 Format: General Date  
 OrdinalPosition: 4  
 Required: False  
 SourceField: StartDate  
 SourceTable: tblSpecEvents

EndDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: End Date  
 Format: General Date  
 OrdinalPosition: 5  
 Required: False  
 SourceField: EndDate  
 SourceTable: tblSpecEvents

EmpID Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: EmpID of Organizer  
 DisplayControl: Text Box  
 OrdinalPosition: 6  
 Required: False  
 SourceField: EmpID  
 SourceTable: tblSpecEvents

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Misc Comments
OrdinalPosition:	7
Required:	False
SourceField:	Comments
SourceTable:	tblSpecEvents
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	4/7/2005 2:06:47 PM	Description:	Records Targeted Patrol Activity
LastUpdated:	10/18/2005 4:31:34 PM	OrderBy:	tblTargetedPatrol.theDate
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	5560	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique Key for Targeted Patrol Master File	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTargetedPatrol	
tpSeq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sequence Number for particular Problem	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	tpSeq	
SourceTable:	tblTargetedPatrol	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Officer Assigned  
 DisplayControl: Text Box  
 OrdinalPosition: 3  
 Required: False  
 SourceField: EmpID  
 SourceTable: tblTargetedPatrol

theDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Start Date  
 Format: General Date  
 OrdinalPosition: 4  
 Required: False  
 SourceField: theDate  
 SourceTable: tblTargetedPatrol

StartTime Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: 0  
 Description: Start Time  
 DisplayControl: Text Box  
 OrdinalPosition: 5  
 Required: False  
 SourceField: StartTime  
 SourceTable: tblTargetedPatrol

EndTime Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: 0  
 Description: End Time  
 DisplayControl: Text Box  
 OrdinalPosition: 6  
 Required: False

	SourceField:	EndTime		
	SourceTable:	tblTargetedPatrol		
Location			Text	150
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Street		
	DisplayControl:	Text Box		
	OrdinalPosition:	7		
	Required:	False		
	SourceField:	Location		
	SourceTable:	tblTargetedPatrol		
	UnicodeCompression:	True		
theZone			Long Integer	4
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	IncidentZone		
	DisplayControl:	Text Box		
	OrdinalPosition:	8		
	Required:	False		
	SourceField:	theZone		
	SourceTable:	tblTargetedPatrol		
Problem			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Problem Description		
	DisplayControl:	Text Box		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	Problem		
	SourceTable:	tblTargetedPatrol		
	UnicodeCompression:	True		
ProbSource			Text	50
	AllowZeroLength:	False		

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Source of Problem Identification  
 DisplayControl: Text Box  
 OrdinalPosition: 10  
 Required: False  
 SourceField: ProbSource  
 SourceTable: tblTargetedPatrol  
 UnicodeCompression: True

TypeResponse Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 OrdinalPosition: 11  
 Required: False  
 SourceField: TypeResponse  
 SourceTable: tblTargetedPatrol  
 UnicodeCompression: True

ProbCat1 Integer 2

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Category  
 DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: ProbCat1  
 SourceTable: tblTargetedPatrol

ProbCat2 Integer 2

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default

DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Sub Category  
 DisplayControl: Text Box  
 OrdinalPosition: 13  
 Required: False  
 SourceField: ProbCat2  
 SourceTable: tblTargetedPatrol

Description Memo -

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Long Description  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Description  
 SourceTable: tblTargetedPatrol  
 UnicodeCompression: True

TtlCharges Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Total Charges  
 DisplayControl: Text Box  
 OrdinalPosition: 15  
 Required: False  
 SourceField: TtlCharges  
 SourceTable: tblTargetedPatrol

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending
ID	1
Fields:	
ID	Ascending
tpSeq	1
Fields:	
tpSeq	Ascending

---

TypeResponse	1
Fields:	
TypeResponse	Ascending

**Properties**

DateCreated:	4/11/2005 1:06:09 PM	Description:	Categories of Activity
LastUpdated:	4/15/2005 2:09:52 PM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique ID	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTargetedPatrolCategories	
Category	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2625	
DataUpdatable:	False	
Description:	Category	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	Category	
SourceTable:	tblTargetedPatrolCategories	
UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
ID	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	4/13/2005 9:39:31 AM	Description:	Assisting Officers List
LastUpdated:	4/13/2005 9:40:24 AM	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1371
Updatable:	True		

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	ID of Request	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTargetedPatrolOfficers	
tpSeq	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	ID of Patrol Supplement or Activity	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	tpSeq	
SourceTable:	tblTargetedPatrolOfficers	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

DecimalPlaces: Auto  
Description: Officer ID Number  
DisplayControl: Text Box  
OrdinalPosition: 3  
Required: False  
SourceField: EmpID  
SourceTable: tblTargetedPatrolOfficers

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields: EmpID	Ascending
ID	1
Fields: ID	Ascending

**Properties**

DateCreated:	4/11/2005 1:07:09 PM	Description:	Sub Categories of Activity
LastUpdated:	3/20/2006 4:37:18 PM	OrderBy:	tblTargetedPatrolSubCategories.ID, tblTargetedPatrolSubCategories.subID
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	29	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Foreign Key	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTargetedPatrolSubCategories	
subID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Sub ID	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	subID	
SourceTable:	tblTargetedPatrolSubCategories	
SubCategory	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: 2625  
DataUpdatable: False  
Description: SubCategory  
DisplayControl: Text Box  
OrdinalPosition: 3  
Required: False  
SourceField: SubCategory  
SourceTable: tblTargetedPatrolSubCategories  
UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
subID	1
Fields:	
subID	Ascending

**Properties**

DateCreated: 4/7/2005 2:06:18 PM Description: Records Requests for Activity  
LastUpdated: 4/13/2005 2:20:58 PM OrderByOn: False  
Orientation: Left-to-Right RecordCount: 299  
Updatable: True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Unique Key	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTargetRequest	
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Officer Assigned	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblTargetRequest	
StartDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Start Date	
Format:	Short Date	

OrdinalPosition:	3		
Required:	False		
SourceField:	StartDate		
SourceTable:	tblTargetRequest		
<b>EndDate</b>		<b>Date/Time</b>	<b>8</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Start Date		
Format:	Short Date		
OrdinalPosition:	4		
Required:	False		
SourceField:	EndDate		
SourceTable:	tblTargetRequest		
<b>StartTime</b>		<b>Long Integer</b>	<b>4</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	0		
Description:	Start Time		
DisplayControl:	Text Box		
OrdinalPosition:	5		
Required:	False		
SourceField:	StartTime		
SourceTable:	tblTargetRequest		
<b>EndTime</b>		<b>Long Integer</b>	<b>4</b>
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	0		
Description:	End Time		
DisplayControl:	Text Box		
OrdinalPosition:	6		
Required:	False		
SourceField:	EndTime		
SourceTable:	tblTargetRequest		

AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Street  
DisplayControl: Text Box  
OrdinalPosition: 7  
Required: False  
SourceField: Location  
SourceTable: tblTargetRequest  
UnicodeCompression: True

theZone Long Integer 4

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: IncidentZone  
DisplayControl: Text Box  
OrdinalPosition: 8  
Required: False  
SourceField: theZone  
SourceTable: tblTargetRequest

Problem Text 255

AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Problem Description  
DisplayControl: Text Box  
OrdinalPosition: 9  
Required: False  
SourceField: Problem  
SourceTable: tblTargetRequest  
UnicodeCompression: True

ProbSource Text 50

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Source of Problem Identification  
 DisplayControl: Text Box  
 OrdinalPosition: 10  
 Required: False  
 SourceField: ProbSource  
 SourceTable: tblTargetRequest  
 UnicodeCompression: True

ProbCat1 Integer 2

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Category  
 DisplayControl: Text Box  
 OrdinalPosition: 11  
 Required: False  
 SourceField: ProbCat1  
 SourceTable: tblTargetRequest

ProbCat2 Integer 2

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Sub Category  
 DisplayControl: Text Box  
 OrdinalPosition: 12  
 Required: False  
 SourceField: ProbCat2  
 SourceTable: tblTargetRequest

Description Memo -

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Long Description  
 OrdinalPosition: 13

Required: False  
 SourceField: Description  
 SourceTable: tblTargetRequest  
 UnicodeCompression: True

Resources Memo -

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Resources  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Resources  
 SourceTable: tblTargetRequest  
 UnicodeCompression: True

Active Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Active for Intranet  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Active  
 SourceTable: tblTargetRequest

Comments Memo -

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Misc Comments  
 OrdinalPosition: 16  
 Required: False  
 SourceField: Comments  
 SourceTable: tblTargetRequest  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
EmpID	1
Fields:	
EmpID	Ascending
newID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	3/12/2004 4:52:19 PM	LastUpdated:	3/18/2004 7:57:43 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	2008	Updatable:	True

**Columns**

Name	Type	Size
id	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False OrdinalPosition: 1 Required: False SourceField: id SourceTable: tblTextPages		
to	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: to SourceTable: tblTextPages UnicodeCompression: True		
from	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box OrdinalPosition: 3 Required: False SourceField: from SourceTable: tblTextPages		

	UnicodeCompression:	True	
thedata			Date/Time 8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	thedata	
	SourceTable:	tblTextPages	
message			Memo -
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	message	
	SourceTable:	tblTextPages	
	UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
id	1
Fields:	
id	Ascending
PrimaryKey	1
Fields:	
id	Ascending

**Properties**

DateCreated:	1/26/2004 10:40:19 AM	LastUpdated:	1/26/2004 11:04:22 AM
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1	Updatable:	True

**Columns**

<u>Name</u>	<u>Type</u>	<u>Size</u>
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTimeSheetLocked	
TimeSheetLocked	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	106	
Format:	Yes/No	
OrdinalPosition:	2	
Required:	False	
SourceField:	TimeSheetLocked	
SourceTable:	tblTimeSheetLocked	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	7/8/2003 8:20:46 AM	DefaultView:	2
Description:	Training or Course Request Forms	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {3C67A5F0-F121-4C72-A157-2E06EBA16BC8}}
HideNewField:	False	LastUpdated:	9/16/2008 4:48:35 PM
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	1892
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
RecordUpdated	Text	100
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	3150	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	RecordUpdated	
SourceTable:	tblTrainingCourse	
TextAlign:	General	
UnicodeCompression:	True	
 ID	 Long Integer	 4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	tblTrainingCourse	
TextAlign:	General	
 EmpID	 Long Integer	 4
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 2  
 Required: False  
 SourceField: EmpID  
 SourceTable: tblTrainingCourse  
 TextAlign: General

CourseTitle Text 150

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 4800  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: CourseTitle  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

CourseNumber Text 100

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: CourseNumber  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

HrsCredit

Long Integer

4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 5  
 Required: False  
 SourceField: HrsCredit  
 SourceTable: tblTrainingCourse  
 TextAlign: General

Sponsor

Text

255

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 2400  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Sponsor  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

StartDate

Date/Time

8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Format: Short Date  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: StartDate  
 SourceTable: tblTrainingCourse  
 TextAlign: General

<p><b>EndDate</b></p> <p>AggregateType: -1                  AllowZeroLength: False                  AppendOnly: False                  Attributes: Fixed Size                  CollatingOrder: General                  ColumnHidden: False                  ColumnOrder: Default                  ColumnWidth: Default                  DataUpdatable: False                  Format: Short Date                  IMEMode: 0                  IMESentenceMode: 3                  OrdinalPosition: 8                  Required: False                  ShowDatePicker: For dates                  SourceField: EndDate                  SourceTable: tblTrainingCourse                  TextAlign: General</p>	<p>Date/Time</p>	<p>8</p>
<p><b>Location</b></p> <p>AggregateType: -1                  AllowZeroLength: False                  AppendOnly: False                  Attributes: Variable Length                  CollatingOrder: General                  ColumnHidden: False                  ColumnOrder: Default                  ColumnWidth: Default                  DataUpdatable: False                  DisplayControl: Text Box                  IMEMode: 0                  IMESentenceMode: 3                  OrdinalPosition: 9                  Required: False                  SourceField: Location                  SourceTable: tblTrainingCourse                  TextAlign: General                  UnicodeCompression: True</p>	<p>Text</p>	<p>255</p>
<p><b>OnDuty</b></p> <p>AggregateType: -1                  AllowZeroLength: False                  AppendOnly: False                  Attributes: Fixed Size                  CollatingOrder: General                  ColumnHidden: False                  ColumnOrder: Default                  ColumnWidth: Default                  DataUpdatable: False                  DisplayControl: 106                  Format: Yes/No                  OrdinalPosition: 10                  Required: False                  SourceField: OnDuty                  SourceTable: tblTrainingCourse</p>	<p>Yes/No</p>	<p>1</p>

TextAlign:	General		
Purpose		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Purpose		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	Purpose		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	True		
Position		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Position that the class was for		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	12		
Required:	False		
SourceField:	Position		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	True		
InState		Yes/No	1
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		

OrdinalPosition: 13  
 Required: False  
 SourceField: InState  
 SourceTable: tblTrainingCourse  
 TextAlign: General

Registration Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;(\$#,##0.00)  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Registration  
 SourceTable: tblTrainingCourse  
 TextAlign: General

Travel Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;(\$#,##0.00)  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Travel  
 SourceTable: tblTrainingCourse  
 TextAlign: General

Misc Currency 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Format: \$#,##0.00;(\$#,##0.00)  
 OrdinalPosition: 16  
 Required: False

SourceField:	Misc		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
Breakfasts		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	17		
Required:	False		
SourceField:	Breakfasts		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
Lunches		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	18		
Required:	False		
SourceField:	Lunches		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
Dinners		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	19		
Required:	False		
SourceField:	Dinners		
SourceTable:	tblTrainingCourse		

TextAlign:	General		
Lodging		Currency	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Format:	\$#,###0.00;(\$#,###0.00)		
OrdinalPosition:	20		
Required:	False		
SourceField:	Lodging		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
HotelName		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	21		
Required:	False		
SourceField:	HotelName		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	True		
HotelStreet		Text	255
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	HotelStreet		

	SourceTable:	tblTrainingCourse	
	TextAlign:	General	
	UnicodeCompression:	True	
HotelCity			Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	HotelCity	
	SourceTable:	tblTrainingCourse	
	TextAlign:	General	
	UnicodeCompression:	True	
HotelState			Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	HotelState	
	SourceTable:	tblTrainingCourse	
	TextAlign:	General	
	UnicodeCompression:	True	
HotelZip			Text 255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 25  
 Required: False  
 SourceField: HotelZip  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

HotelPhone Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 26  
 Required: False  
 SourceField: HotelPhone  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

Memo Memo -

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: 1635  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 27  
 Required: False  
 SourceField: Memo  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

MiscNotes Memo -

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default

ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 28  
 Required: False  
 SourceField: MiscNotes  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Supervisor Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 29  
 Required: False  
 SourceField: Supervisor  
 SourceTable: tblTrainingCourse  
 TextAlign: General

ApprovedSupervisor Text 100

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 30  
 Required: False  
 SourceField: ApprovedSupervisor  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: False

SupervisorPIN Text 100

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 31  
 Required: False  
 SourceField: SupervisorPIN  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

SupervisorDate Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 32  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: SupervisorDate  
 SourceTable: tblTrainingCourse  
 TextAlign: General

TCReview Text 50

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 33  
 Required: False  
 SourceField: TCReview  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

TCPIN Text 20

AggregateType: -1  
 AllowZeroLength: False

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 34  
 Required: False  
 SourceField: TCPIN  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

TCDate Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 35  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: TCDate  
 SourceTable: tblTrainingCourse  
 TextAlign: General

LtEmpID Long Integer 4

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 OrdinalPosition: 36  
 Required: False  
 SourceField: LtEmpID  
 SourceTable: tblTrainingCourse  
 TextAlign: General

ApprovedLt Text 100

AggregateType: -1

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 37  
 Required: False  
 SourceField: ApprovedLt  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: False

LtPIN

Text

100

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 38  
 Required: False  
 SourceField: LtPIN  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

LtDate

Date/Time

8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 39  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: LtDate  
 SourceTable: tblTrainingCourse  
 TextAlign: General

ApprovedMajor		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	40		
Required:	False		
SourceField:	ApprovedMajor		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	False		

MajorPIN		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	41		
Required:	False		
SourceField:	MajorPIN		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	True		

MajorDate		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	42		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	MajorDate		

SourceTable:	tblTrainingCourse		
TextAlign:	General		
ApprovedChief		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	43		
Required:	False		
SourceField:	ApprovedChief		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	False		
ChiefPIN		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	44		
Required:	False		
SourceField:	ChiefPIN		
SourceTable:	tblTrainingCourse		
TextAlign:	General		
UnicodeCompression:	True		
ChiefDate		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition: 45  
 Required: False  
 SourceField: ChiefDate  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

DenialCode Text 100

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 46  
 Required: False  
 SourceField: DenialCode  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

ApprovalStatus Text 100

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 47  
 Required: False  
 SourceField: ApprovalStatus  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 UnicodeCompression: True

SchoolConfirmed Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default

DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 48  
 Required: False  
 SourceField: SchoolConfirmed  
 SourceTable: tblTrainingCourse  
 TextAlign: General

TrainingCalendarUpdate Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 49  
 Required: False  
 SourceField: TrainingCalendarUpdate  
 SourceTable: tblTrainingCourse  
 TextAlign: General

HotelReservations Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 50  
 Required: False  
 SourceField: HotelReservations  
 SourceTable: tblTrainingCourse  
 TextAlign: General

SchoolExpenses Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106

Format: Yes/No  
 OrdinalPosition: 51  
 Required: False  
 SourceField: SchoolExpenses  
 SourceTable: tblTrainingCourse  
 TextAlign: General

HotelExpenses Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 52  
 Required: False  
 SourceField: HotelExpenses  
 SourceTable: tblTrainingCourse  
 TextAlign: General

TravelMealExpenses Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 53  
 Required: False  
 SourceField: TravelMealExpenses  
 SourceTable: tblTrainingCourse  
 TextAlign: General

EvaluationRequested Yes/No 1

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 54

	Required:	False		
	SourceField:	EvaluationRequested		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Closed			Yes/No	1
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	55		
	Required:	False		
	SourceField:	Closed		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q1			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3150		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	Description:	EVALUATION QUESTIONS		
	DisplayControl:	Text Box		
	OrdinalPosition:	56		
	Required:	False		
	SourceField:	Q1		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q2			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	57		
	Required:	False		

	SourceField:	Q2		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q3			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	58		
	Required:	False		
	SourceField:	Q3		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q4			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	59		
	Required:	False		
	SourceField:	Q4		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q5			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	60		
	Required:	False		
	SourceField:	Q5		
	SourceTable:	tblTrainingCourse		

	TextAlign:	General		
Q6			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	61		
	Required:	False		
	SourceField:	Q6		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q7			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	62		
	Required:	False		
	SourceField:	Q7		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q8			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	63		
	Required:	False		
	SourceField:	Q8		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		

Field Name	Field Type	Field Length
Q9	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	64	
Required:	False	
SourceField:	Q9	
SourceTable:	tblTrainingCourse	
TextAlign:	General	
Q10	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	65	
Required:	False	
SourceField:	Q10	
SourceTable:	tblTrainingCourse	
TextAlign:	General	
Q11	Integer	2
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	66	
Required:	False	
SourceField:	Q11	
SourceTable:	tblTrainingCourse	
TextAlign:	General	
Q12	Integer	2
AggregateType:	-1	

	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	67		
	Required:	False		
	SourceField:	Q12		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q13			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	68		
	Required:	False		
	SourceField:	Q13		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q14			Integer	2
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	69		
	Required:	False		
	SourceField:	Q14		
	SourceTable:	tblTrainingCourse		
	TextAlign:	General		
Q15			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 70  
 Required: False  
 SourceField: Q15  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

UpdateComments Memo -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 71  
 Required: False  
 SourceField: UpdateComments  
 SourceTable: tblTrainingCourse  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ChiefCode	1
Fields:	
ChiefPIN	Ascending
DenialCode	1
Fields:	
DenialCode	Ascending
EmpID	1
Fields:	
EmpID	Ascending
MajorCode	1
Fields:	
MajorPIN	Ascending
MajorPIN	1

---

Fields:	
LtPIN	Ascending
PrimaryKey	1
Fields:	
ID	Ascending
SupervisorCode	1
Fields:	
SupervisorPIN	Ascending

**Properties**

DateCreated:	8/11/2006 11:06:06 AM	LastUpdated:	8/11/2006 11:07:57 AM
OrderBy:	tblXingGuards.SCGName	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	6
Updatable:	True		

**Columns**

Name	Type	Size
EmpID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Employee Number	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	EmpID	
SourceTable:	tblXingGuards	
SCGName	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2805	
DataUpdatable:	False	
Description:	Employee Name	
DisplayControl:	Text Box	
OrdinalPosition:	2	
Required:	False	
SourceField:	SCGName	
SourceTable:	tblXingGuards	
UnicodeCompression:	True	

**Table Indexes**

Name	Number of Fields
EmpID	1
Fields:	
EmpID	Ascending

**Properties**

DateCreated: 2/15/2002 1:34:57 PM      LastUpdated: 10/20/2005 1:46:24 PM  
 OrderByOn: True      Orientation: Left-to-Right  
 RecordCount: 7      Updatable: True

**Columns**

Name	Type	Size
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 1 Required: False SourceField: ID SourceTable: TowCompany		
Name	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: 1845 DataUpdatable: False Description: Tow Company Name DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: Name SourceTable: TowCompany UnicodeCompression: True		
Street	Text	50
AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: Address of Phone Company DisplayControl: Text Box		

	OrdinalPosition:	3		
	Required:	False		
	SourceField:	Street		
	SourceTable:	TowCompany		
	UnicodeCompression:	True		
City			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	City State Zip		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	City		
	SourceTable:	TowCompany		
	UnicodeCompression:	True		
Phone			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Tow Company Phone		
	DisplayControl:	Text Box		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	Phone		
	SourceTable:	TowCompany		
	UnicodeCompression:	True		
current			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Currently on List?		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	current		
	SourceTable:	TowCompany		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	12/27/2001 3:03:58 PM	Description:	Traffic Stop Statistics
LastUpdated:	12/27/2006 3:46:16 PM	OrderBy:	TSS.KEY
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	44933	Updatable:	True

**Columns**

Name	Type	Size
KEY	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size, Auto-Increment CollatingOrder: General ColumnHidden: False ColumnOrder: 1 ColumnWidth: Default DataUpdatable: False OrdinalPosition: 1 Required: False SourceField: KEY SourceTable: TSS		
ID	Long Integer	4
AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto Description: Unique ID for each Officer DisplayControl: Text Box OrdinalPosition: 2 Required: False SourceField: ID SourceTable: TSS		
StopCounty	Text	50
AllowZeroLength: False AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False Description: County of Stop DisplayControl: Text Box OrdinalPosition: 3		

	Required:	False		
	SourceField:	StopCounty		
	SourceTable:	TSS		
	UnicodeCompression:	True		
StopCity			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	City of Stop		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	StopCity		
	SourceTable:	TSS		
	UnicodeCompression:	True		
StopDate			Date/Time	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	2055		
	DataUpdatable:	False		
	Description:	Date of Stop		
	Format:	mm/dd/yyyy hh:nn:ss		
	OrdinalPosition:	5		
	Required:	False		
	SourceField:	StopDate		
	SourceTable:	TSS		
Purpose			Text	50
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Purpose of Stop		
	DisplayControl:	Text Box		
	OrdinalPosition:	6		
	Required:	False		
	SourceField:	Purpose		
	SourceTable:	TSS		
	UnicodeCompression:	True		
DriverAge			Long Integer	4

AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DecimalPlaces: Auto  
Description: Driver's Age as estimated or known by officer  
DisplayControl: Text Box  
OrdinalPosition: 7  
Required: False  
SourceField: DriverAge  
SourceTable: TSS

DriverRace Text 50

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Driver's Race according to officer perception  
DisplayControl: Text Box  
OrdinalPosition: 8  
Required: False  
SourceField: DriverRace  
SourceTable: TSS  
UnicodeCompression: True

DriverSex Text 50

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Driver's Sex  
DisplayControl: Text Box  
OrdinalPosition: 9  
Required: False  
SourceField: DriverSex  
SourceTable: TSS  
UnicodeCompression: True

DriverEth Text 50

AllowZeroLength: False  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Driver's Ethnicity  
 DisplayControl: Text Box  
 OrdinalPosition: 10  
 Required: False  
 SourceField: DriverEth  
 SourceTable: TSS  
 UnicodeCompression: True

Enforcement Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Enforcement Action by Officer  
 DisplayControl: Text Box  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Enforcement  
 SourceTable: TSS  
 UnicodeCompression: True

DriverArrested Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Driver Arrested?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 12  
 Required: False  
 SourceField: DriverArrested  
 SourceTable: TSS

PassArrested Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Passenger Arrested?  
 DisplayControl: 106

Format: Yes/No  
 OrdinalPosition: 13  
 Required: False  
 SourceField: PassArrested  
 SourceTable: TSS

Resistance Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Resistance Encountered?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Resistance  
 SourceTable: TSS

UseOfForce Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Use any Force by Officer?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 15  
 Required: False  
 SourceField: UseOfForce  
 SourceTable: TSS

OfficerInjury Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Any Injury to Officer?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 16  
 Required: False  
 SourceField: OfficerInjury  
 SourceTable: TSS

DriverInjury		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Any Injury to Driver?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	17		
Required:	False		
SourceField:	DriverInjury		
SourceTable:	TSS		
PassInjury		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Any Injury to Passenger?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	18		
Required:	False		
SourceField:	PassInjury		
SourceTable:	TSS		
Search		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Was a search initiated		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	19		
Required:	False		
SourceField:	Search		
SourceTable:	TSS		
SearchType		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Type of Search  
 DisplayControl: Text Box  
 OrdinalPosition: 20  
 Required: False  
 SourceField: SearchType  
 SourceTable: TSS  
 UnicodeCompression: True

SearchBasis Text 255

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Basis for Search  
 DisplayControl: Text Box  
 OrdinalPosition: 21  
 Required: False  
 SourceField: SearchBasis  
 SourceTable: TSS  
 UnicodeCompression: True

VehSearch Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Vehicle searched?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 22  
 Required: False  
 SourceField: VehSearch  
 SourceTable: TSS

DriverSearch Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Driver Searched?

DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 23  
 Required: False  
 SourceField: DriverSearch  
 SourceTable: TSS

PassSearch Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Passenger Searched?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 24  
 Required: False  
 SourceField: PassSearch  
 SourceTable: TSS

EffectsSearch Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Personal Effects Searched?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 25  
 Required: False  
 SourceField: EffectsSearch  
 SourceTable: TSS

ContrabandFound Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Was Contraband Found?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 26  
 Required: False  
 SourceField: ContrabandFound

SourceTable:	TSS		
Drugs		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Drugs Found?		
DisplayControl:	106		
Format:	Yes/No		
OrdinalPosition:	27		
Required:	False		
SourceField:	Drugs		
SourceTable:	TSS		
DrugQuant		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Quantity of Drugs		
DisplayControl:	Text Box		
OrdinalPosition:	28		
Required:	False		
SourceField:	DrugQuant		
SourceTable:	TSS		
DrugMeasure		Text	50
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Measure of Drugs		
DisplayControl:	Text Box		
OrdinalPosition:	29		
Required:	False		
SourceField:	DrugMeasure		
SourceTable:	TSS		
UnicodeCompression:	True		
Alc		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Alcohol Found?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 30  
 Required: False  
 SourceField: Alc  
 SourceTable: TSS

AlcQuant Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Quantity of Alcohol  
 DisplayControl: Text Box  
 OrdinalPosition: 31  
 Required: False  
 SourceField: AlcQuant  
 SourceTable: TSS

AlcMeasure Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Measure of Alcohol  
 DisplayControl: Text Box  
 OrdinalPosition: 32  
 Required: False  
 SourceField: AlcMeasure  
 SourceTable: TSS  
 UnicodeCompression: True

Money Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default

DataUpdatable: False  
 Description: Money Found?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 33  
 Required: False  
 SourceField: Money  
 SourceTable: TSS

MoneyValue Currency 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: 0  
 Description: Dollar Value  
 Format: \$#,##0.00;(\$#,##0.00)  
 OrdinalPosition: 34  
 Required: False  
 SourceField: MoneyValue  
 SourceTable: TSS

Weapons Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Weapons Found?  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 35  
 Required: False  
 SourceField: Weapons  
 SourceTable: TSS

WeaponQuant Long Integer 4

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 Description: Quantity of Weapons  
 DisplayControl: Text Box  
 OrdinalPosition: 36

	Required:	False		
	SourceField:	WeaponQuant		
	SourceTable:	TSS		
Other			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Other found?		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	37		
	Required:	False		
	SourceField:	Other		
	SourceTable:	TSS		
OtherValue			Currency	8
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	0		
	Description:	Dollar Value of Other Contraband		
	Format:	\$#,###0.00;(\$#,##0.00)		
	OrdinalPosition:	38		
	Required:	False		
	SourceField:	OtherValue		
	SourceTable:	TSS		
MVSeized			Yes/No	1
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Motor Vehicle Seized		
	DisplayControl:	106		
	Format:	Yes/No		
	OrdinalPosition:	39		
	Required:	False		
	SourceField:	MVSeized		
	SourceTable:	TSS		
PersProp			Yes/No	1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Personal Property Seized  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 40  
 Required: False  
 SourceField: PersProp  
 SourceTable: TSS

OthProp Yes/No 1

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Other Property Seized  
 DisplayControl: 106  
 Format: Yes/No  
 OrdinalPosition: 41  
 Required: False  
 SourceField: OthProp  
 SourceTable: TSS

EnteredBy Text 50

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who entered the record  
 DisplayControl: Text Box  
 OrdinalPosition: 42  
 Required: False  
 SourceField: EnteredBy  
 SourceTable: TSS  
 UnicodeCompression: True

EnteredDate Date/Time 8

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False

ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date and Time record Entered  
 OrdinalPosition: 43  
 Required: False  
 SourceField: EnteredDate  
 SourceTable: TSS

EnteredFrom Text 50  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Location (IP) where record was entered  
 DisplayControl: Text Box  
 OrdinalPosition: 44  
 Required: False  
 SourceField: EnteredFrom  
 SourceTable: TSS  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
DriverEth	1
Fields:	
DriverEth	Ascending
DriverRace	1
Fields:	
DriverRace	Ascending
DriverSex	1
Fields:	
DriverSex	Ascending
Enforcement	1
Fields:	
Enforcement	Ascending
ID	1
Fields:	
ID	Ascending
PrimaryKey	1
Fields:	
KEY	Ascending
Purpose	1
Fields:	
Purpose	Ascending
StopDate	1

---

Fields:  
StopDate                      Ascending

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=GPDNET;
DateCreated:	11/17/2006 1:43:04 PM	LastUpdated:	11/17/2006 1:43:05 PM
RecordCount:	-1	SourceTableName:	USERQ.BEATZONE
Updatable:	False		

**Columns**

Name	Type	Size
BEATCODE	Text	3
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	False	
SourceField:	BEATCODE	
SourceTable:	USERQ_BEATZONE	
ZONECODE	Text	3
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	False	
SourceField:	ZONECODE	
SourceTable:	USERQ_BEATZONE	
CODE4	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	False	
SourceField:	CODE4	
SourceTable:	USERQ_BEATZONE	
CODE3	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	False	
SourceField:	CODE3	
SourceTable:	USERQ_BEATZONE	

---

DISTRICT		Text	20
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	False		
SourceField:	DISTRICT		
SourceTable:	USERQ_BEATZONE		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
BEATZONE	1
Fields:	
BEATCODE	Ascending

**Properties**

Attributes:	Linked ODBC	Connect:	ODBC;DSN=GPDNET;
DateCreated:	1/10/2003 10:31:01 AM	LastUpdated:	1/10/2003 10:31:10 AM
RecordCount:	-1	SourceTableName:	USERQ.CFSBYZONE
Updatable:	False		

**Columns**

Name	Type	Size
CCYMMDD	Text	7
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	1	
Required:	True	
SourceField:	CCYMMDD	
SourceTable:	USERQ_CFSBYZONE	
CCYMM	Text	5
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	2	
Required:	True	
SourceField:	CCYMM	
SourceTable:	USERQ_CFSBYZONE	
CCYY	Text	3
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	3	
Required:	True	
SourceField:	CCYY	
SourceTable:	USERQ_CFSBYZONE	
RPTDATE	Text	8
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
DataUpdatable:	False	
OrdinalPosition:	4	
Required:	True	
SourceField:	RPTDATE	
SourceTable:	USERQ_CFSBYZONE	

INZONE		Text	3
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	5		
Required:	True		
SourceField:	INZONE		
SourceTable:	USERQ_CFSBYZONE		
BEAT		Text	3
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	6		
Required:	False		
SourceField:	BEAT		
SourceTable:	USERQ_CFSBYZONE		
DISTRICT		Text	20
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	7		
Required:	False		
SourceField:	DISTRICT		
SourceTable:	USERQ_CFSBYZONE		
INCKEY		Decimal	16
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	10		
DataUpdatable:	False		
OrdinalPosition:	8		
Required:	True		
SourceField:	INCKEY		
SourceTable:	USERQ_CFSBYZONE		
TBNAME		Text	35
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
DataUpdatable:	False		
OrdinalPosition:	9		
Required:	True		
SourceField:	TBNAME		
SourceTable:	USERQ_CFSBYZONE		
LOCCMN		Text	30

	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	10		
	Required:	True		
	SourceField:	LOCCMN		
	SourceTable:	USERQ_CFSBYZONE		
LOCST#			Decimal	16
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	6		
	DataUpdatable:	False		
	OrdinalPosition:	11		
	Required:	True		
	SourceField:	LOCST#		
	SourceTable:	USERQ_CFSBYZONE		
LOCDIR			Text	2
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	12		
	Required:	True		
	SourceField:	LOCDIR		
	SourceTable:	USERQ_CFSBYZONE		
LOCSTN			Text	30
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	13		
	Required:	True		
	SourceField:	LOCSTN		
	SourceTable:	USERQ_CFSBYZONE		
LOCSFX			Text	4
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	14		
	Required:	True		
	SourceField:	LOCSFX		
	SourceTable:	USERQ_CFSBYZONE		
LOCAPT			Text	10
	AllowZeroLength:	True		

	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	DataUpdatable:	False		
	OrdinalPosition:	15		
	Required:	True		
	SourceField:	LOCAPT		
	SourceTable:	USERQ_CFSBYZONE		
YR			Decimal	16
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	2		
	DataUpdatable:	False		
	OrdinalPosition:	16		
	Required:	True		
	SourceField:	YR		
	SourceTable:	USERQ_CFSBYZONE		
POLI			Decimal	16
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	6		
	DataUpdatable:	False		
	OrdinalPosition:	17		
	Required:	True		
	SourceField:	POLI		
	SourceTable:	USERQ_CFSBYZONE		

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
__uniqueindex	1
Fields:	
INCKEY	Ascending

**Properties**

DateCreated:	1/14/2005 9:47:56 AM	LastUpdated:	1/14/2005 10:27:35 AM
OrderBy:	Warrantcases.OCA	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	186
Updatable:	True		

**Columns**

Name		Type	Size
OCA		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	OCA	
	SourceTable:	Warrantcases	
CaseType		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	CaseType	
	SourceTable:	Warrantcases	
	UnicodeCompression:	False	