

**Properties**

DateCreated:	10/17/2007 4:20:18 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {6C069385-170A-46B6-B450-0143AD21F55F}}	HideNewField:	False
LastUpdated:	10/19/2007 10:15:16 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	172
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	True	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {AA55DAED-3B38-4FE6-A7BA-0E3CCDCAFC44}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	ID	
SourceTable:	Additional_Actions	
TextAlign:	General	
Request_Number	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	1935	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1BF02FD9-CE4C-42B6-A9B5-15C954F86C44}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	Request_Number	
SourceTable:	Additional_Actions	
TextAlign:	General	
Action_Date	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	

AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 3  
 ColumnWidth: Default  
 DataUpdatable: False  
 GUID: {guid {5D6DE550-3C39-4C37-B64E-E23460E9E8E7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Action\_Date  
 SourceTable: Additional\_Actions  
 TextAlign: General

Action\_Initials Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 4  
 ColumnWidth: 1755  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {E8B49D8D-623D-4C33-99B8-CF3EEAC1C206}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: Action\_Initials  
 SourceTable: Additional\_Actions  
 TextAlign: General  
 UnicodeCompression: True

Action Memo -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 5  
 ColumnWidth: 2340  
 DataUpdatable: False  
 GUID: {guid {DEA692FD-DCCD-4F18-A9E1-641A97E37354}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Action  
 SourceTable: Additional\_Actions  
 TextAlign: General

---

TextFormat:	Plain Text
UnicodeCompression:	True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
ID	Ascending

**Properties**

DateCreated:	7/24/2007 4:26:33 PM	DefaultView:	2
GUID:	{guid {FAA4F20C-68C3-4842-9CB5-E1D02B06ED88}}	LastUpdated:	7/24/2007 4:53:19 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	14
Updatable:	True		

**Columns**

Name	Type	Size
BOADates	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {6D1836DA-6184-407C-B15F-603BB2FBB636}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	BOADates	
SourceTable:	BOADates	
Notify	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {1FC388E6-D951-4C96-A08B-57D6021BD1D7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Notify	
SourceTable:	BOADates	
Complete	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {13FB2CA7-E4E2-47E0-95B5-B8788F5612A2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 SourceField: Complete  
 SourceTable: BOADates  
 UnicodeCompression: True

interval

Integer

2

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DecimalPlaces: Auto  
 DisplayControl: Text Box  
 GUID: {guid {189FE7F5-DD39-4FC8-A2D9-4E6E2B79F687}}  
 OrdinalPosition: 3  
 Required: False  
 SourceField: interval  
 SourceTable: BOADates

**Properties**

DateCreated:	6/6/2007 5:09:52 PM	DefaultView:	2
GUID:	{guid {1FF42047-B57C-430C-AE22-0DA14E5E0EEC}}	LastUpdated:	6/6/2007 5:12:43 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

**Columns**

<u>Name</u>	<u>Type</u>	<u>Size</u>
Name	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B33E0A05-7A88-4718-A74D-EB1671501EFF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Name	
SourceTable:	By	
UnicodeCompression:	True	
ID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {5E56B238-E135-4064-8074-C28BB322CC1F}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	ID	
SourceTable:	By	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
ID	Ascending



**Properties**

DateCreated:	5/17/2007 9:19:14 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {5DAEC297-E841-480E-BC87-83E11141A79F}}	HideNewField:	False
LastUpdated:	6/5/2009 4:12:06 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	11
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Department	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2610	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {14125E16-9CE2-4ADC-9133-3A68B256E7A7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Department	
SourceTable:	departments	
TextAlign:	General	
UnicodeCompression:	True	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
Department	1
Fields:	
Department	Ascending
PrimaryKey	1
Fields:	
Department	Ascending

**Properties**

DateCreated:	7/30/2007 10:57:26 AM	DefaultView:	2
GUID:	{guid {902F1D86-9B45-4B5B-BOC1-42369376E056}}	LastUpdated:	7/30/2007 12:49:24 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

**Columns**

Name	Type	Size
Date_entered	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date Request was entered	
GUID:	{guid {D5D5F7E4-33E7-4046-A6BE-029CA7F830B2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	Date_entered	
SourceTable:	duplicate	
Request_by	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who made request	
DisplayControl:	Text Box	
GUID:	{guid {080959BF-7FFD-434D-973F-EAD565A8BEE3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	False	
SourceField:	Request_by	
SourceTable:	duplicate	
UnicodeCompression:	True	
Postition	Text	50
AllowZeroLength:	True	
AppendOnly:	False	

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Are they and elected officials, citizens, staff, etc  
 DisplayControl: Text Box  
 GUID: {guid {DFCAA47E-7CCB-4C78-8DBE-76830AD88B1E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Postition  
 SourceTable: duplicate  
 UnicodeCompression: False

Entered\_by Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Person that entered request  
 DisplayControl: Text Box  
 GUID: {73275729-276D-433F-892B-A9ADCBD8A75B}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: Entered\_by  
 SourceTable: duplicate  
 UnicodeCompression: True

Street\_no Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Street No for Address  
 DisplayControl: Text Box  
 GUID: {82478304-480E-4DBF-8798-66757B0FF325}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Street\_no  
 SourceTable: duplicate  
 UnicodeCompression: True

Address Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Street of action needed  
 DisplayControl: Text Box  
 GUID: {guid {5437E95B-01E0-4946-BBB6-EA2E42531313}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Address  
 SourceTable: duplicate  
 UnicodeCompression: True

Breif\_D Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Breif Description  
 DisplayControl: Text Box  
 GUID: {guid {401C9D96-539B-40F9-B01B-CE557BB6958C}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Breif\_D  
 SourceTable: duplicate  
 UnicodeCompression: True

Description Memo -

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Description of request  
 GUID: {guid {0EA4C1B5-F96F-485B-B60C-AE9879979658}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: Description

SourceTable:	duplicate		
UnicodeCompression:	True		
Assigned_to_staff		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Staff Person Request is Assisgned to		
DisplayControl:	Text Box		
GUID:	{guid {04FF530E-A0CE-4448-A7CD-2F8C2C464833}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		
Required:	False		
SourceField:	Assigned_to_staff		
SourceTable:	duplicate		
UnicodeCompression:	True		
Assigned_to_Department		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Department Request is Assigned to		
DisplayControl:	Text Box		
GUID:	{guid {5C52DC20-CC1C-48F5-BD35-4F6D3F2CD720}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	11		
Required:	False		
SourceField:	Assigned_to_Department		
SourceTable:	duplicate		
UnicodeCompression:	True		
Staff_email		Text	50
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Email of staff that is assigned request		

DisplayControl: Text Box  
 GUID: {guid {CCF817A3-3783-4B3E-A6C8-60ABD7E7E399}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: 0twip  
 OrdinalPosition: 12  
 Required: False  
 RowSource: email\_qry  
 RowSourceType: Table/Query  
 SourceField: Staff\_email  
 SourceTable: duplicate  
 UnicodeCompression: True

Assign2 Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who request is re-assigned to  
 DisplayControl: Text Box  
 GUID: {guid {82A8488C-D887-47AF-9EE5-AFA5346C9F75}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 13  
 Required: False  
 SourceField: Assign2  
 SourceTable: duplicate  
 UnicodeCompression: True

Assign2\_email Text 50

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Email of staff that was reassigned  
 DisplayControl: Text Box  
 GUID: {guid {7F07FB90-BFC0-4D3D-B0DB-FB858C7B6F13}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Assign2\_email  
 SourceTable: duplicate  
 UnicodeCompression: True

AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date request should be completed  
 GUID: {guid {2D095462-AFEA-4277-A993-16346CCB9717}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 SourceField: Comp\_by\_date  
 SourceTable: duplicate

Notify1

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {B6602E2E-5573-4B99-8095-8DC0EB746580}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: 0twip  
 OrdinalPosition: 16  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 SourceField: Notify1  
 SourceTable: duplicate  
 UnicodeCompression: True

Notify2

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default

ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {EEFA4F40-6384-4EFA-93EA-68961EF711CA}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: 0twip  
 OrdinalPosition: 17  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 SourceField: Notify2  
 SourceTable: duplicate  
 UnicodeCompression: True

Notify3

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 2  
 CollatingOrder: General  
 ColumnCount: 2  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {6A52D4A5-E2C1-4B1D-BCAA-28FB7549DFF3}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: True  
 ListRows: 8  
 ListWidth: 4350twip  
 OrdinalPosition: 18  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 SourceField: Notify3  
 SourceTable: duplicate  
 UnicodeCompression: False

Notify4

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False

ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {BF92D8C5-54CB-497D-8D0F-4FD4814C2F67}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: Otwip  
 OrdinalPosition: 19  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 SourceField: Notify4  
 SourceTable: duplicate  
 UnicodeCompression: True

Notify5

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Text Box  
 GUID: {guid {ACD439DF-16C6-4F3B-83BF-7962F8F93D09}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 20  
 Required: False  
 SourceField: Notify5  
 SourceTable: duplicate  
 UnicodeCompression: True

Notify6

Text

255

AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Text Box  
 GUID: {guid {D5992A7D-137C-4F2C-9FB2-B267649DD578}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 21

	Required:	False		
	SourceField:	Notify6		
	SourceTable:	duplicate		
	UnicodeCompression:	True		
Notify7			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Who to Notify		
	DisplayControl:	Text Box		
	GUID:	{guid {8CDDC1D5-443A-4679-806C-A2A4625FF5B5}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	22		
	Required:	False		
	SourceField:	Notify7		
	SourceTable:	duplicate		
	UnicodeCompression:	True		
Notify8			Text	255
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Who to Notify		
	DisplayControl:	Text Box		
	GUID:	{guid {2B8CAAC4-B1A4-4302-A132-68518796D7D9}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	23		
	Required:	False		
	SourceField:	Notify8		
	SourceTable:	duplicate		
	UnicodeCompression:	True		

**Properties**

DateCreated:	5/17/2007 10:00:22 AM	DefaultView:	2
GUID:	{guid {CAE58A9C-437F-41AE-81D7-EE5C08EF97BF}}	LastUpdated:	5/17/2007 10:14:20 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	9
Updatable:	True		

**Columns**

Name	Type	Size
Elected	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {B93DB6A0-44D3-469C-8723-6A4CCE3DD6E5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Elected	
SourceTable:	elected	
UnicodeCompression:	True	
Status	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1F6B683C-7806-49FE-9699-5ED94F8F6831}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Status	
SourceTable:	elected	
UnicodeCompression:	True	
order	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	

---

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {FD2E79DC-6CE6-4788-82D4-C3653B197C74}}
OrdinalPosition:	2
Required:	False
SourceField:	order
SourceTable:	elected

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
order	1
Fields:	
order	Ascending
PrimaryKey	1
Fields:	
order	Ascending

**Properties**

DateCreated:	5/17/2007 11:40:28 AM	DefaultView:	2
GUID:	{guid {F0B86999-BEF8-415D-A60D-FC141E4F3DB9}}	LastUpdated:	6/7/2007 4:44:01 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	11
Updatable:	True		

**Columns**

Name	Type	Size
name	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2070	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {FE3059B5-4463-4645-AE9D-CF224ECDDF65}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	name	
SourceTable:	notify	
UnicodeCompression:	True	
department	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {57A5D5C9-7C4B-4374-ACFB-4B3EF470D7A2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	department	
SourceTable:	notify	
UnicodeCompression:	True	
email	Text	255
AllowZeroLength:	True	
AppendOnly:	False	

---

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	15195
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {F5C41763-6997-470E-855C-7F669BFD7542}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	email
SourceTable:	notify
UnicodeCompression:	True

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Fields:	
name	Ascending

**Properties**

DateCreated:	5/17/2007 10:07:24 AM	DefaultView:	2
GUID:	{guid {4A0E02A7-03C5-43A7-BBCD-C45E2CD43128}}	LastUpdated:	5/17/2007 10:14:20 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

**Columns**

Name	Type	Size
Position	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {2667A3FE-3B0D-4B61-9FE5-4483776B5FB3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Position	
SourceTable:	postition	
UnicodeCompression:	True	
order	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {F7C795CE-F6E4-4C38-8731-97BD9AF89036}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	order	
SourceTable:	postition	

**Table Indexes**

Name	Number of Fields
PrimaryKey	1

---

Fields:  
order                      Ascending

**Properties**

DateCreated:	5/16/2007 1:27:20 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {BDB258FD-2912-491F-A7BE-111004F650F5}}	HideNewField:	False
LastUpdated:	3/18/2008 1:58:13 PM	NameMap:	Long binary data
OrderBy:	[request].[Req_num]	OrderByOn:	True
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	311	TotalsRow:	False
Updatable:	True		

**Columns**

Name	Type	Size
Req_num	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	4	
Description:	Request Number	
DisplayControl:	Text Box	
Format:	Fixed	
GUID:	{guid {F7741BFE-C728-4005-BE4C-AC6CE9D9AC52}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	Req_num	
SourceTable:	request	
TextAlign:	General	
req	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Request Number converted to text	
DisplayControl:	Text Box	
GUID:	{guid {8A9612DC-07DD-4FB6-B4CB-6D38989F5CC5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	

SourceField: req  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Date\_entered Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 3  
 ColumnWidth: 2355  
 DataUpdatable: False  
 Description: Date Request was entered  
 GUID: {guid {C45FE39A-38DF-42BA-8522-05F9372F434A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 2  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Date\_entered  
 SourceTable: request  
 TextAlign: General

Request\_by Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 4  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who made request  
 DisplayControl: Text Box  
 GUID: {guid {0CEBED7D-7AE3-4E81-94A6-331517EF9AB4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 3  
 Required: False  
 SourceField: Request\_by  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Postition Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 5



UnicodeCompression:	True		
Address		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	8		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Street of action needed		
DisplayControl:	Text Box		
GUID:	{guid {DF0C3512-91DC-4033-8028-FF5FB1C1B830}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	Address		
SourceTable:	request		
TextAlign:	General		
UnicodeCompression:	True		
Breif_D		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	9		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Breif Description		
DisplayControl:	Text Box		
GUID:	{guid {7AB539D3-9D94-4E30-8BA2-DF6E3ABC9826}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	Breif_D		
SourceTable:	request		
TextAlign:	General		
UnicodeCompression:	True		
Description		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	10		
ColumnWidth:	Default		
DataUpdatable:	False		



Staff_email		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	13		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Email of staff that is assigned request		
DisplayControl:	Text Box		
GUID:	{guid {F7D22483-A76D-4830-8A22-200E985D8398}}		
IMEMode:	0		
IMESentenceMode:	3		
LimitToList:	False		
ListRows:	8		
ListWidth:	0twip		
OrdinalPosition:	12		
Required:	False		
RowSource:	email_qry		
RowSourceType:	Table/Query		
SourceField:	Staff_email		
SourceTable:	request		
TextAlign:	General		
UnicodeCompression:	True		
Assign2		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	14		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Who request is re-assigned to		
DisplayControl:	Text Box		
GUID:	{guid {92C734C5-392D-413A-8295-E58FBD483616}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
SourceField:	Assign2		
SourceTable:	request		
TextAlign:	General		
UnicodeCompression:	True		
Assign2_email		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		

Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 15  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Email of staff that was reassigned  
 DisplayControl: Text Box  
 GUID: {guid {1A50D7D9-8558-463D-9C44-7EC6E9198ED2}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Assign2\_email  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Comp\_by\_date Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 16  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date request should be completed  
 GUID: {guid {7F28B260-13A7-4D1A-A701-DAE58F135891}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Comp\_by\_date  
 SourceTable: request  
 TextAlign: General

Notify1 Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: 17  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box

GUID: {guid {8A4EA9E0-9A43-447D-BD4A-0098EE85698A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: 0twip  
 OrdinalPosition: 16  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: Notify1  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Notify2 Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: 18  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {97A22938-70FD-41C2-B0A8-3785E86C76BE}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: 0twip  
 OrdinalPosition: 17  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: Notify2  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Notify3 Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 2

CollatingOrder: General  
 ColumnCount: 2  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: 19  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {7AF96127-D61B-404D-A6E7-BBAF5E46EC54}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: True  
 ListRows: 8  
 ListWidth: 4350twip  
 OrdinalPosition: 18  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: Notify3  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: False

Notify4

Text

255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: 20  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {4590A9C5-33E8-4452-8455-D3BE86479089}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 LimitToList: False  
 ListRows: 8  
 ListWidth: Otwip  
 OrdinalPosition: 19  
 Required: False  
 RowSource: SELECT notify.name, notify.email FROM notify;  
 RowSourceType: Table/Query  
 ShowOnlyRowSourceValues: False  
 SourceField: Notify4  
 SourceTable: request

Field Name	Field Type	Field Length
TextAlign:	General	
UnicodeCompression:	True	
Notify5	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	21	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who to Notify	
DisplayControl:	Text Box	
GUID:	{guid {60988E70-832B-4654-ACBE-DB4A1BEE02F6}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	20	
Required:	False	
SourceField:	Notify5	
SourceTable:	request	
TextAlign:	General	
UnicodeCompression:	True	
Notify6	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	22	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who to Notify	
DisplayControl:	Text Box	
GUID:	{guid {B7EA4BA2-515C-4FF5-A9A5-F38E410AEC5B}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	21	
Required:	False	
SourceField:	Notify6	
SourceTable:	request	
TextAlign:	General	
UnicodeCompression:	True	
Notify7	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	23	
ColumnWidth:	Default	



Field Name	Field Type	Field Size
Act1_date	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	26	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of First Action	
GUID:	{guid {7EED1985-A201-4E5C-B970-A05E99B37D54}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	25	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	Act1_date	
SourceTable:	request	
TextAlign:	General	
int1	Text	5
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	27	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {65CDB461-8CEC-4271-9DBA-0F6E27C5E3EA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	26	
Required:	False	
SourceField:	int1	
SourceTable:	request	
TextAlign:	General	
UnicodeCompression:	True	
Action2	Memo	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	28	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Second Action	
GUID:	{guid {E60B14DE-B233-4A5B-9569-B69E7B67DD96}}	
IMEMode:	0	
IMESentenceMode:	3	

	OrdinalPosition:	27		
	Required:	False		
	SourceField:	Action2		
	SourceTable:	request		
	TextAlign:	General		
	TextFormat:	Plain Text		
	UnicodeCompression:	True		
Act2_date			Date/Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	29		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date of Second Action		
	GUID:	{guid {21FE29C7-944D-4B3E-9CFC-393A4F3D95BA}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	28		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	Act2_date		
	SourceTable:	request		
	TextAlign:	General		
int2			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	30		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {5AC945DB-22EB-44B2-99A2-2189132DAE02}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	29		
	Required:	False		
	SourceField:	int2		
	SourceTable:	request		
	TextAlign:	General		
	UnicodeCompression:	True		
Action3			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		

ColumnHidden: False  
 ColumnOrder: 31  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Third Action  
 GUID: {guid {7F1013E7-E453-466F-80F1-19632219C91D}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 30  
 Required: False  
 SourceField: Action3  
 SourceTable: request  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act3\_date Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 32  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Third Action  
 GUID: {guid {760D2A03-E1B2-4170-BE83-07D9FDFC7EA1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 31  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Act3\_date  
 SourceTable: request  
 TextAlign: General

int3 Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 33  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {F8611443-9F82-4E2F-BAED-D08DAA9D4533}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 32  
 Required: False  
 SourceField: int3  
 SourceTable: request  
 TextAlign: General

	UnicodeCompression:	True		
Action4			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	34		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Fourth Action		
	GUID:	{guid {EFOAD31E-728A-40A7-9845-704CC8966AB1}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	33		
	Required:	False		
	SourceField:	Action4		
	SourceTable:	request		
	TextAlign:	General		
	TextFormat:	Plain Text		
	UnicodeCompression:	True		
Act4_date			Date/Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	35		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Date of Fourth Action		
	GUID:	{guid {ACAC80A7-732A-4132-80B3-862D1EB6CAAD}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	34		
	Required:	False		
	ShowDatePicker:	For dates		
	SourceField:	Act4_date		
	SourceTable:	request		
	TextAlign:	General		
int4			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	36		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		

GUID: {guid {DA91BD56-974C-467A-9F49-E92DE1C587CC}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 35  
 Required: False  
 SourceField: int4  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Action5

Memo

-

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 37  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Fifth Action  
 GUID: {guid {A0865DD7-4C3A-4918-A520-EF9CF87D322F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 36  
 Required: False  
 SourceField: Action5  
 SourceTable: request  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act5\_date

Date/Time

8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 38  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Fifth Action  
 GUID: {guid {4022A5DF-EA0F-4E79-92A4-4409526610C7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 37  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Act5\_date  
 SourceTable: request  
 TextAlign: General

int5

Text

50

AggregateType: -1  
 AllowZeroLength: True

AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 39  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {C34E9F38-2E94-42CC-AAC1-F33E84F84377}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 38  
 Required: False  
 SourceField: int5  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Action6

Memo

-

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 40  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Sixth Action  
 GUID: {guid {497E2047-3473-4CD4-9EE5-5A90EAEC77B7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 39  
 Required: False  
 SourceField: Action6  
 SourceTable: request  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act6\_date

Date/Time

8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 41  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Sixth Action  
 GUID: {guid {E9EB31D0-89D5-45B2-9818-46E12778DDDF9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 40  
 Required: False

	ShowDatePicker:	For dates		
	SourceField:	Act6_date		
	SourceTable:	request		
	TextAlign:	General		
int6			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	42		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {A7D4059E-3787-4B6C-9AB5-8F54FEB25595}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	41		
	Required:	False		
	SourceField:	int6		
	SourceTable:	request		
	TextAlign:	General		
	UnicodeCompression:	True		
More			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	43		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Additional Action Steps		
	GUID:	{guid {29089973-7B8D-4FD9-8C97-6FF0764A4F7C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	42		
	Required:	False		
	SourceField:	More		
	SourceTable:	request		
	TextAlign:	General		
	TextFormat:	Plain Text		
	UnicodeCompression:	True		
Status			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	44		

ColumnWidth: Default  
 DataUpdatable: False  
 Description: Request Status  
 DisplayControl: Text Box  
 GUID: {guid {B545F498-02EF-4BC3-BC28-20DF082E9ECB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 43  
 Required: False  
 SourceField: Status  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

Date\_completed Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 45  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date request was completed  
 GUID: {guid {C35C952C-36C4-4202-91B0-97CB846AAB72}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 44  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Date\_completed  
 SourceTable: request  
 TextAlign: General

Completed\_by Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: 46  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who completed request  
 DisplayControl: Text Box  
 GUID: {guid {9761B876-6C86-4D1C-BF8D-A06BBD2C7717}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: Completed\_by  
 SourceTable: request  
 TextAlign: General  
 UnicodeCompression: True

<p>Notify_date</p> <p>AggregateType: -1</p> <p>AllowZeroLength: False</p> <p>AppendOnly: False</p> <p>Attributes: Fixed Size</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: 47</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>Description: Date of notification for projecty completion</p> <p>GUID: {guid {761DFB3E-7C51-463D-A9EF-02EC4CD47B6A}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 46</p> <p>Required: False</p> <p>ShowDatePicker: For dates</p> <p>SourceField: Notify_date</p> <p>SourceTable: request</p> <p>TextAlign: General</p>	<p>Date/Time</p> <p>8</p>
<p>Train</p> <p>AggregateType: -1</p> <p>AllowZeroLength: True</p> <p>AppendOnly: False</p> <p>Attributes: Variable Length</p> <p>CollatingOrder: General</p> <p>ColumnHidden: False</p> <p>ColumnOrder: 48</p> <p>ColumnWidth: Default</p> <p>DataUpdatable: False</p> <p>Description: Temp field for training</p> <p>DisplayControl: Text Box</p> <p>GUID: {guid {14A728BF-E984-4336-9F4F-DA9930FC399E}}</p> <p>IMEMode: 0</p> <p>IMESentenceMode: 3</p> <p>OrdinalPosition: 47</p> <p>Required: False</p> <p>SourceField: Train</p> <p>SourceTable: request</p> <p>TextAlign: General</p> <p>UnicodeCompression: True</p>	<p>Text</p> <p>50</p>

**Table Indexes**

Name	Number of Fields
PrimaryKey	1
Fields:	
Req_num	Ascending
Req_num	1
Fields:	
Req_num	Ascending

**Properties**

DateCreated:	5/17/2007 9:23:17 AM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {13258D5C-73A9-4946-A5F8-A45251EE824A}}	HideNewField:	False
LastUpdated:	12/11/2009 8:40:02 AM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	29
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Staff	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1875	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {8F9CC286-4CD1-4209-AD4F-6010BB6CDA65}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Staff	
SourceTable:	staff	
TextAlign:	General	
UnicodeCompression:	True	
Department	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	3720	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {CE867A8D-DB7D-4953-84AC-34B7675CD29E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Department	
SourceTable:	staff	

	TextAlign:	General		
	UnicodeCompression:	True		
email			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	3		
	ColumnWidth:	3690		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {FFA28E23-4202-49B3-BC13-1A591E3C9389}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	False		
	SourceField:	email		
	SourceTable:	staff		
	TextAlign:	General		
	UnicodeCompression:	True		
int			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	4		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {B64FF87D-64DF-4A77-BEEC-68C72DF7919C}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	int		
	SourceTable:	staff		
	TextAlign:	General		
	UnicodeCompression:	True		
DH			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	5		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		

---

GUID:	{guid {D9CD6732-3157-4F46-8AE2-EC1A60ED12E6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	DH
SourceTable:	staff
TextAlign:	General
UnicodeCompression:	True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
Department	1
Fields:	
Department	Ascending
Staff	1
Fields:	
Staff	Ascending

**Properties**

DateCreated:	5/17/2007 8:44:20 AM	DefaultView:	2
GUID:	{guid {F86F8EF6-DB08-4703-9EE2-90F2974E16D2}}	LastUpdated:	5/17/2007 9:17:33 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	7
Updatable:	True		

**Columns**

<u>Name</u>	<u>Type</u>	<u>Size</u>
Status	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {53C02D7F-716B-4B2A-B39D-EEB1BE27DD9C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Status	
SourceTable:	status	
UnicodeCompression:	True	
order	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {470EAC39-5D03-4E98-9A19-9B9A2AB324FE}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	order	
SourceTable:	status	

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
order	1

---

	Fields:	
	order	Ascending
Status		1
	Fields:	
	Status	Ascending

**Properties**

DateCreated:	6/7/2007 2:21:38 PM	DefaultView:	2
GUID:	{guid {2A510176-C417-4B81-9907-38CC9204B956}}	LastUpdated:	7/30/2007 3:36:18 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	431
Updatable:	True		

**Columns**

Name	Type	Size
Street Name	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2190	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {2B0EF596-6809-4E6B-9AE9-B1BA4FD81053}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	Street Name	
SourceTable:	Street_Names	
UnicodeCompression:	False	

**Table Indexes**

Name	Number of Fields
Street Name	1
Fields:	
Street Name	Ascending

**Properties**

DateCreated:	10/26/2007 4:13:29 PM	DefaultView:	2
DisplayViewsOnSharePointSit	1	FilterOnLoad:	False
GUID:	{guid {AAC67FD6-6C25-4656-A6EE-F6DF09C50436}}	HideNewField:	False
LastUpdated:	10/26/2007 4:13:31 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	0
TotalsRow:	False	Updatable:	True

**Columns**

Name	Type	Size
Req_num	Double	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	4	
Description:	Request Number	
DisplayControl:	Text Box	
GUID:	{guid {BB3D6AB1-6D78-4F03-93CB-9057FD22EDDE}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	Req_num	
SourceTable:	tblArchive	
TextAlign:	General	
req	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Request Number converted to text	
DisplayControl:	Text Box	
GUID:	{guid {68421A7C-FB5E-4DDF-8DBE-6D4254A324BA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	req	
SourceTable:	tblArchive	

TextAlign:	General		
UnicodeCompression:	True		
Date_entered		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2250		
DataUpdatable:	False		
Description:	Date Request was entered		
GUID:	{guid {E595A6B6-7740-4105-94AC-033EFD6A5996}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	2		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	Date_entered		
SourceTable:	tblArchive		
TextAlign:	General		
Request_by		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	Who made request		
DisplayControl:	Text Box		
GUID:	{guid {60444A29-9F51-448F-B3A8-525692F92EE3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	Request_by		
SourceTable:	tblArchive		
TextAlign:	General		
UnicodeCompression:	True		
Postition		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		

Description: Are they and elected officials, citizens, staff, etc  
 DisplayControl: Text Box  
 GUID: {guid {E3A64A4E-614A-46CC-AB35-D9B816C8495E}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 4  
 Required: False  
 SourceField: Postition  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: False

Entered\_by Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Person that entered request  
 DisplayControl: Text Box  
 GUID: {guid {BD3C374E-26EB-4428-A464-0B8806C37D15}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 5  
 Required: False  
 SourceField: Entered\_by  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Street\_no Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Street No for Address  
 DisplayControl: Text Box  
 GUID: {guid {C3FC88CA-3ED9-4769-8924-C657F429E149}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 6  
 Required: False  
 SourceField: Street\_no  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Address Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Street of action needed  
 DisplayControl: Text Box  
 GUID: {guid {61D61976-90F4-4A33-BEBB-C8C7BA149C24}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 7  
 Required: False  
 SourceField: Address  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Breif\_D Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Breif Description  
 DisplayControl: Text Box  
 GUID: {guid {892D5F10-B386-409E-9CC7-05F4C91B13E1}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 8  
 Required: False  
 SourceField: Breif\_D  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Description Memo -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Description of request  
 GUID: {guid {AE24A5AB-9C5E-47D6-B75E-A7D2F00BCB21}}

IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 9  
 Required: False  
 SourceField: Description  
 SourceTable: tblArchive  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Assigned\_to\_staff Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Staff Person Request is Assigned to  
 DisplayControl: Text Box  
 GUID: {guid {F9ECEBE6-8533-412A-BDF1-2BA3A6B9EF5F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 10  
 Required: False  
 SourceField: Assigned\_to\_staff  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Assigned\_to\_Department Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Department Request is Assigned to  
 DisplayControl: Text Box  
 GUID: {guid {A54A3365-E57A-4C67-B4B8-F8D4516E1030}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 11  
 Required: False  
 SourceField: Assigned\_to\_Department  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Staff\_email Text 50

AggregateType: -1



ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Email of staff that was reassigned  
 DisplayControl: Text Box  
 GUID: {guid {2CBA2E43-F97B-4FAD-90ED-C93E900E13AB}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 14  
 Required: False  
 SourceField: Assign2\_email  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Comp\_by\_date Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date request should be completed  
 GUID: {guid {6DFBEF0E-B443-4F1B-8146-FBE7D4F9146F}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 15  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Comp\_by\_date  
 SourceTable: tblArchive  
 TextAlign: General

Notify1 Text 255

AggregateType: -1  
 AllowValueListEdits: False  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 BoundColumn: 1  
 CollatingOrder: General  
 ColumnCount: 1  
 ColumnHeads: False  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 ColumnWidths: 1440;2880  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Combo Box  
 GUID: {guid {BE96CBB4-ECDF-458E-BDA9-8CE827729D59}}  
 IMEMode: 0

IMESentenceMode: 3  
LimitToList: False  
ListRows: 8  
ListWidth: 0twip  
OrdinalPosition: 16  
Required: False  
RowSource: SELECT notify.name, notify.email FROM notify;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: Notify1  
SourceTable: tblArchive  
TextAlign: General  
UnicodeCompression: True

Notify2 Text 255

AggregateType: -1  
AllowValueListEdits: False  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 1  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
ColumnWidths: 1440;2880  
DataUpdatable: False  
Description: Who to Notify  
DisplayControl: Combo Box  
GUID: {guid {B7305974-09EA-43B5-958E-C125C6DF7BDF}}  
IMEMode: 0  
IMESentenceMode: 3  
LimitToList: False  
ListRows: 8  
ListWidth: 0twip  
OrdinalPosition: 17  
Required: False  
RowSource: SELECT notify.name, notify.email FROM notify;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: Notify2  
SourceTable: tblArchive  
TextAlign: General  
UnicodeCompression: True

Notify3 Text 255

AggregateType: -1  
AllowValueListEdits: False  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 2  
CollatingOrder: General  
ColumnCount: 2

ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
ColumnWidths: 1440;2880  
DataUpdatable: False  
Description: Who to Notify  
DisplayControl: Combo Box  
GUID: {guid {9576098B-5C85-43E7-871D-AE03119C331B}}  
IMEMode: 0  
IMESentenceMode: 3  
LimitToList: True  
ListRows: 8  
ListWidth: 4350twip  
OrdinalPosition: 18  
Required: False  
RowSource: SELECT notify.name, notify.email FROM notify;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: Notify3  
SourceTable: tblArchive  
TextAlign: General  
UnicodeCompression: False

Notify4

Text

255

AggregateType: -1  
AllowValueListEdits: False  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
BoundColumn: 1  
CollatingOrder: General  
ColumnCount: 1  
ColumnHeads: False  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
ColumnWidths: 1440;2880  
DataUpdatable: False  
Description: Who to Notify  
DisplayControl: Combo Box  
GUID: {guid {7F607C8B-0124-478B-B8EA-825B62AF3496}}  
IMEMode: 0  
IMESentenceMode: 3  
LimitToList: False  
ListRows: 8  
ListWidth: Otwip  
OrdinalPosition: 19  
Required: False  
RowSource: SELECT notify.name, notify.email FROM notify;  
RowSourceType: Table/Query  
ShowOnlyRowSourceValues: False  
SourceField: Notify4  
SourceTable: tblArchive  
TextAlign: General  
UnicodeCompression: True

Field Name	Field Type	Field Length
Notify5	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who to Notify	
DisplayControl:	Text Box	
GUID:	{guid {A1AA3E9D-D77C-4032-96F6-32740C428916}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	20	
Required:	False	
SourceField:	Notify5	
SourceTable:	tblArchive	
TextAlign:	General	
UnicodeCompression:	True	
Notify6	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who to Notify	
DisplayControl:	Text Box	
GUID:	{guid {37F92D34-A6D7-47CA-B9DF-9A7F1527B4DF}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	21	
Required:	False	
SourceField:	Notify6	
SourceTable:	tblArchive	
TextAlign:	General	
UnicodeCompression:	True	
Notify7	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Who to Notify	
DisplayControl:	Text Box	

GUID: {guid {B7342DAE-6D49-47F1-94A3-A9687D2DB232}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 22  
 Required: False  
 SourceField: Notify7  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Notify8 Text 255

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who to Notify  
 DisplayControl: Text Box  
 GUID: {guid {10E3C572-EB97-412F-9BEE-4802397FDFB4}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 23  
 Required: False  
 SourceField: Notify8  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Action1 Memo -

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: First Action  
 GUID: {guid {CA0FDC87-5778-4421-AF40-C615C9811398}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 24  
 Required: False  
 SourceField: Action1  
 SourceTable: tblArchive  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act1\_date Date/Time 8

AggregateType: -1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of First Action	
	GUID:	{guid {A58228EB-9BA4-43FE-94C4-0C12B5D791C6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	Act1_date	
	SourceTable:	tblArchive	
	TextAlign:	General	
int1			Text 5
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {D5E6FB1F-CAD6-44ED-A51F-4D1BB62199A2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	int1	
	SourceTable:	tblArchive	
	TextAlign:	General	
	UnicodeCompression:	True	
Action2			Memo -
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Second Action	
	GUID:	{guid {2775968D-5F05-4205-BDD2-3995F1E9F144}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	

	SourceField:	Action2	
	SourceTable:	tblArchive	
	TextAlign:	General	
	TextFormat:	Plain Text	
	UnicodeCompression:	True	
Act2_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of Second Action	
	GUID:	{guid {5FF0FBAC-311A-4BE5-94EE-3AAFE07B43E8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	28	
	Required:	False	
	ShowDatePicker:	For dates	
	SourceField:	Act2_date	
	SourceTable:	tblArchive	
	TextAlign:	General	
int2		Text	5
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {609820A5-206C-4471-B6A9-25C4FCBCC46D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	int2	
	SourceTable:	tblArchive	
	TextAlign:	General	
	UnicodeCompression:	True	
Action3		Memo	-
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth: Default  
 DataUpdatable: False  
 Description: Third Action  
 GUID: {guid {67788F1D-8F59-4FEE-A71C-090F03FD8F80}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 30  
 Required: False  
 SourceField: Action3  
 SourceTable: tblArchive  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act3\_date Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Third Action  
 GUID: {guid {40A96B4A-A564-463F-A79E-E2FC32F2BCF8}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 31  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Act3\_date  
 SourceTable: tblArchive  
 TextAlign: General

int3 Text 5

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 DisplayControl: Text Box  
 GUID: {guid {FC5B5EA8-62A7-4492-A54A-B887FA0FD322}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 32  
 Required: False  
 SourceField: int3  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Action4	Memo	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Fourth Action	
GUID:	{guid {1D19362C-52A5-4A75-8443-DE95C6AE008C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	33	
Required:	False	
SourceField:	Action4	
SourceTable:	tblArchive	
TextAlign:	General	
TextFormat:	Plain Text	
UnicodeCompression:	True	
Act4_date	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of Fourth Action	
GUID:	{guid {3D9DCFEB-78AA-4B41-8E0E-52FA98AE990C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	34	
Required:	False	
ShowDatePicker:	For dates	
SourceField:	Act4_date	
SourceTable:	tblArchive	
TextAlign:	General	
int4	Text	5
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1134E4E7-D27D-4596-ABF0-BAEB7C6C9275}}	
IMEMode:	0	

IMESentenceMode: 3  
 OrdinalPosition: 35  
 Required: False  
 SourceField: int4  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Action5

Memo

-

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Fifth Action  
 GUID: {guid {E62393EA-EAE5-49E4-95E3-4BC528FA53F7}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 36  
 Required: False  
 SourceField: Action5  
 SourceTable: tblArchive  
 TextAlign: General  
 TextFormat: Plain Text  
 UnicodeCompression: True

Act5\_date

Date/Time

8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of Fifth Action  
 GUID: {guid {7FB82B5F-8626-42A1-9E75-1D1D742C17D0}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 37  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Act5\_date  
 SourceTable: tblArchive  
 TextAlign: General

int5

Text

50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length

CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
DisplayControl: Text Box  
GUID: {guid {E9FD5069-3311-48C5-BC2D-A0D3C12F17AD}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 38  
Required: False  
SourceField: int5  
SourceTable: tblArchive  
TextAlign: General  
UnicodeCompression: True

Action6

Memo

-

AggregateType: -1  
AllowZeroLength: True  
AppendOnly: False  
Attributes: Variable Length  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Sixth Action  
GUID: {guid {9A3D030C-6283-4861-95B2-361F2581ACFE}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 39  
Required: False  
SourceField: Action6  
SourceTable: tblArchive  
TextAlign: General  
TextFormat: Plain Text  
UnicodeCompression: True

Act6\_date

Date/Time

8

AggregateType: -1  
AllowZeroLength: False  
AppendOnly: False  
Attributes: Fixed Size  
CollatingOrder: General  
ColumnHidden: False  
ColumnOrder: Default  
ColumnWidth: Default  
DataUpdatable: False  
Description: Date of Sixth Action  
GUID: {guid {1A4E8923-B8A7-4DF8-AEC4-027F19108F0F}}  
IMEMode: 0  
IMESentenceMode: 3  
OrdinalPosition: 40  
Required: False  
ShowDatePicker: For dates  
SourceField: Act6\_date

	SourceTable:	tblArchive		
	TextAlign:	General		
int6			Text	5
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {0CB68065-E4F6-4C25-B01D-9CA10A2BEBC4}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	41		
	Required:	False		
	SourceField:	int6		
	SourceTable:	tblArchive		
	TextAlign:	General		
	UnicodeCompression:	True		
More			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	Description:	Additional Action Steps		
	GUID:	{guid {4A51C146-3181-44F1-86E5-3EEC51E5AE81}}		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	42		
	Required:	False		
	SourceField:	More		
	SourceTable:	tblArchive		
	TextAlign:	General		
	TextFormat:	Plain Text		
	UnicodeCompression:	True		
Status			Text	50
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

Description: Request Status  
 DisplayControl: Text Box  
 GUID: {guid {F506B5C5-F52F-4ACC-B44B-F45C3514947A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 43  
 Required: False  
 SourceField: Status  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Date\_completed Date/Time 8  
 AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date request was completed  
 GUID: {guid {44152C6A-4A0B-4DC1-938F-E12109AE9D12}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 44  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Date\_completed  
 SourceTable: tblArchive  
 TextAlign: General

Completed\_by Text 50  
 AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Who completed request  
 DisplayControl: Text Box  
 GUID: {guid {1A060A34-0876-4A43-B345-C37FFADE641A}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 45  
 Required: False  
 SourceField: Completed\_by  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

Notify\_date Date/Time 8

AggregateType: -1  
 AllowZeroLength: False  
 AppendOnly: False  
 Attributes: Fixed Size  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Date of notification for projecty completion  
 GUID: {guid {C7791BE1-7B3A-44AF-AF04-5AA9AB0E1549}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 46  
 Required: False  
 ShowDatePicker: For dates  
 SourceField: Notify\_date  
 SourceTable: tblArchive  
 TextAlign: General

Train Text 50

AggregateType: -1  
 AllowZeroLength: True  
 AppendOnly: False  
 Attributes: Variable Length  
 CollatingOrder: General  
 ColumnHidden: False  
 ColumnOrder: Default  
 ColumnWidth: Default  
 DataUpdatable: False  
 Description: Temp field for training  
 DisplayControl: Text Box  
 GUID: {guid {65952016-245E-4A7D-A40F-81FE78DD20F9}}  
 IMEMode: 0  
 IMESentenceMode: 3  
 OrdinalPosition: 47  
 Required: False  
 SourceField: Train  
 SourceTable: tblArchive  
 TextAlign: General  
 UnicodeCompression: True

**Table Indexes**

<u>Name</u>	<u>Number of Fields</u>
PrimaryKey	1
Fields:	
Req_num	Ascending
Req_num	1
Fields:	
Req_num	Ascending